

Deluxe Queen Mary shelf truck, heavy duty, aluminum & stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- **Ideal for hotel kitchen service.**
- **Carries up to 2000 pounds of kitchen utensils.**
- **Stays clean and sanitary with routine steam cleaning.**
- **Extra-wide, easy access shelves.**
- **N.S.F. listed.**

This rugged, serviceable, all-purpose utility shelf truck was designed especially for hotel banquet service. Its many exclusive features make it handy in any hotel kitchen or general service application.

Available in aluminum and stainless steel, it is extra strong and gives years of service life. It has a convenient push handle at one end and a semi-pneumatic, non-marking vinyl, bumper around the bottom shelf to protect walls and other equipment.

All edges are "hemmed" to eliminate the chance of employees cutting their hands. Shelves are welded 100% vertically on the long sides to prevent "racking" even after years of use. Each shelf holds 300 pounds—bottom shelf will take 500 pounds.

If you desire, the Model E-11007 shelf truck can be modified to meet your exact needs. Consult factory.



"Queen Mary" shelf truck
Model E-11007

Standard 6 shelf aluminum

Other features

- Aluminum models have 1/8" thick base shelf and 1/16" thick upper shelves.
- Stainless steel models use heavy gauge upper shelves and extra heavy (14 GA.) base shelf.
- Castor bolsters are 1/8" thick aluminum (or 12 GA. S/S) and are fully boxed and welded into one structure.
- 8" diameter heavy duty N.S.F. listed polyurethane casters with Delrin®/Celcon® bearings to withstand regular steam cleaning are standard.
- Shipped fully assembled with complete wrap around bumper and push handle.

For various sizes & options, see reverse side.

Better food service equipment — standard models and custom designs.

**DELUXE, HEAVY DUTY
ALUMINUM QUEEN MARY**

Shelf Size	Shelves			Overall Size(Inches) W x L x H	Weight (Pounds)
	No.	Model No.	Space Between (Inches)		
27"x 54" (Standard)	6	E-11007	8	29¼ x 60½ x 62½	175
	5	E-11007-5	10½	29¼ x 60½ x 62½	163
	4	E-11007-4	14¾	29¼ x 60½ x 62½	151
	3	E-11007-3	23	29¼ x 60½ x 62½	139
27"x 48"	6	S-3587-6	8	29¼ x 54½ x 62½	167
	5	S-3587-5	10½	29¼ x 54½ x 62½	157
	4	S-3587-4	14¾	29¼ x 54½ x 62½	146
	3	S-3587-3	23	29¼ x 54½ x 62½	135
27"x 60"	6	S-3587-6-60	8	29¼ x 66½ x 62½	196
	5	S-3587-5-60	10½	29¼ x 66½ x 62½	182
	4	S-3587-4-60	14¾	29¼ x 66½ x 62½	168
	3	S-3587-3-60	23	29¼ x 66½ x 62½	155
*27"x 66"	6	S-3658-6-66	8	29¼ x 72½ x 62½	213
	5	S-3658-5-66	10½	29¼ x 72½ x 62½	197
	4	S-3658-4-66	14¾	29¼ x 72½ x 62½	181
	3	S-3658-3-66	23	29¼ x 72½ x 62½	165
*27"x 72" (Standard)	6	S-3658-6-72	8	29¼ x 78½ x 62½	230
	5	S-3658-5-72	10½	29¼ x 78½ x 62½	215
	4	S-3658-4-72	14¾	29¼ x 78½ x 62½	198
	3	S-3658-3-72	23	29¼ x 78½ x 62½	182

**DELUXE, HEAVY DUTY
STAINLESS STEEL QUEEN MARY**

Shelf Size	Shelves			Overall Size (Inches) W x L x H	Weight (Pounds)
	No.	Model No.	Space Between (Inches)		
27"x 54" (Standard)	6	E-11007-6-SS	8	29¼ x 60½ x 62½	313
	5	E-11007-5-SS	10½	29¼ x 60½ x 62½	286
	4	E-11007-4-SS	14¾	29¼ x 60½ x 62½	259
	3	E-11007-3-SS	23	29¼ x 60½ x 62½	232
27"x 48"	6	3919-6-SS	8	29¼ x 54½ x 62½	295
	5	3919-5-SS	10½	29¼ x 54½ x 62½	270
	4	3919-4-SS	14¾	29¼ x 54½ x 62½	245
	3	3919-3-SS	23	29¼ x 54½ x 62½	220
27"x 60"	6	3919-6-SS-60	8	29¼ x 66½ x 62½	334
	5	3919-5-SS-60	10½	29¼ x 66½ x 62½	302
	4	3919-4-SS-60	14¾	29¼ x 66½ x 62½	274
	3	3919-3-SS-60	23	29¼ x 66½ x 62½	250
*27"x 66"	6	4210-6-66	8	29¼ x 72½ x 62½	410
	5	4210-5-66	10½	29¼ x 72½ x 62½	366
	4	4210-4-66	14¾	29¼ x 72½ x 62½	323
	3	4210-3-66	23	29¼ x 72½ x 62½	280
*27"x 72"	6	4210-6-72	8	29¼ x 78½ x 62½	432
	5	4210-5-72	10½	29¼ x 78½ x 62½	384
	4	4210-4-72	14¾	29¼ x 78½ x 62½	336
	3	4210-3-72	23	29¼ x 78½ x 62½	288

*Shelves longer than 27" x 60" are reinforced with fully boxed channel sides.

Options:

1. Brakes on 2 swivel casters.
2. All four swivel casters.
3. No bumper.
4. No handle & no bumper extension.
5. Pneumatic casters (reduces capacity to 1,200 lbs.)
6. Balloon type rubber casters (reduces capacity to 1,800 lbs.)
7. Special height and/or spacing.

Better food service equipment — standard models and custom designs.

A-2

- For correctional & heavy institutional use.
- Choice of aluminum or stainless steel.
- Choice of shelves with all edges down or with 3 edges up, front edge down (except top shelf in all models have all edges down).

These tough built mobile carts are excellent for transporting pots, pans, plated meals, soiled dishes and various other items. All welded, heavy duty construction provides years of trouble free service.

Stainless steel models use 14 GA. S/S bottom shelf reinforced widthwise with 12 GA. S/S bolster channels. Upper shelves also use heavy gauge S/S reinforced lengthwise. Aluminum models use 1/8" thick bottom shelf and bolster channels and 1/16" thick upper shelves reinforced lengthwise. 8" heavy duty polyurethane casters, handle and wrap around bumpers are standard.



4 Shelf Stainless Steel Model 2502-4-17

SHELF SIZE AND TYPE	NO. OF SHELVES	MODEL NUMBER		SHELF CLEARANCE (INCHES)	O.A. DIMENSIONS (INCHES)			WEIGHT (POUNDS)
		ALL 4 EDGES DOWN	3 EDGES UP 1 EDGE DOWN		WIDTH	LENGTH	HEIGHT	
24"x60" Stainless Steel	6	2502-6-9	2502-6-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	365
	5	2502-5-12	2502-5-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	324
	5	2502-5-9	2502-5-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	57 ⁷ / ₈	320
	4	2502-4-17	2502-4-17-RE	17 ¹ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	279
	4	2502-4-12	2502-4-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	54 ⁵ / ₈	276
	4	2502-4-9	2502-4-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	46 ³ / ₈	272
	3	2502-3-12	2502-3-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	41 ¹ / ₂	230
24"x60" Aluminum	6	9502-6-9	9502-6-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	146
	5	9502-5-12	9502-5-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	132
	5	9502-5-9	9502-5-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	57 ⁷ / ₈	130
	4	9502-4-17	9502-4-17-RE	17 ¹ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	118
	4	9502-4-12	9502-4-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	54 ⁵ / ₈	116
	4	9502-4-9	9502-4-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	46 ³ / ₈	114
	3	9502-3-12	9502-3-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	41 ¹ / ₂	104

Options:

- A. Brakes on 2 swivel casters.
B. All 4 swivel casters.

- C. 8" Pneumatic Casters
D. 8" Balloon Casters

- E. Extra handle.

Better food service equipment — standard models and custom designs.