

- **Ideal for hotel kitchen service.**
- **Carries up to 2000 pounds of kitchen utensils.**
- **Stays clean and sanitary with routine steam cleaning.**
- **Extra-wide, easy access shelves.**
- **N.S.F. listed.**

This rugged, serviceable, all-purpose utility shelf truck was designed especially for hotel banquet service. Its many exclusive features make it handy in any hotel kitchen or general service application.

Available in aluminum and stainless steel, it is extra strong and gives years of service life. It has a convenient push handle at one end and a semi-pneumatic, non-marking vinyl, bumper around the bottom shelf to protect walls and other equipment.

All edges are "hemmed" to eliminate the chance of employees cutting their hands. Shelves are welded 100% vertically on the long sides to prevent "racking" even after years of use. Each shelf holds 300 pounds—bottom shelf will take 500 pounds.

If you desire, the Model E-11007 shelf truck can be modified to meet your exact needs. Consult factory.



"Queen Mary" shelf truck
Model E-11007

Standard 6 shelf aluminum

Other features

- Aluminum models have 1/8" thick base shelf and 1/16" thick upper shelves.
- Stainless steel models use heavy gauge upper shelves and extra heavy (14 GA.) base shelf.
- Castor bolsters are 1/8" thick aluminum (or 12 GA. S/S) and are fully boxed and welded into one structure.
- 8" diameter heavy duty N.S.F. listed polyurethane casters with Delrin®/Celcon® bearings to withstand regular steam cleaning are standard.
- Shipped fully assembled with complete wrap around bumper and push handle.

For various sizes & options, see reverse side.

Better food service equipment — standard models and custom designs.

**DELUXE, HEAVY DUTY
ALUMINUM QUEEN MARY**

Shelf Size	Shelves			Overall Size(Inches) W x L x H	Weight (Pounds)
	No.	Model No.	Space Between (Inches)		
27"x 54" (Standard)	6	E-11007	8	29¼ x 60½ x 62½	175
	5	E-11007-5	10½	29¼ x 60½ x 62½	163
	4	E-11007-4	14¾	29¼ x 60½ x 62½	151
	3	E-11007-3	23	29¼ x 60½ x 62½	139
27"x 48"	6	S-3587-6	8	29¼ x 54½ x 62½	167
	5	S-3587-5	10½	29¼ x 54½ x 62½	157
	4	S-3587-4	14¾	29¼ x 54½ x 62½	146
	3	S-3587-3	23	29¼ x 54½ x 62½	135
27"x 60"	6	S-3587-6-60	8	29¼ x 66½ x 62½	196
	5	S-3587-5-60	10½	29¼ x 66½ x 62½	182
	4	S-3587-4-60	14¾	29¼ x 66½ x 62½	168
	3	S-3587-3-60	23	29¼ x 66½ x 62½	155
*27"x 66"	6	S-3658-6-66	8	29¼ x 72½ x 62½	213
	5	S-3658-5-66	10½	29¼ x 72½ x 62½	197
	4	S-3658-4-66	14¾	29¼ x 72½ x 62½	181
	3	S-3658-3-66	23	29¼ x 72½ x 62½	165
*27"x 72" (Standard)	6	S-3658-6-72	8	29¼ x 78½ x 62½	230
	5	S-3658-5-72	10½	29¼ x 78½ x 62½	215
	4	S-3658-4-72	14¾	29¼ x 78½ x 62½	198
	3	S-3658-3-72	23	29¼ x 78½ x 62½	182

**DELUXE, HEAVY DUTY
STAINLESS STEEL QUEEN MARY**

Shelf Size	Shelves			Overall Size (Inches) W x L x H	Weight (Pounds)
	No.	Model No.	Space Between (Inches)		
27"x 54" (Standard)	6	E-11007-6-SS	8	29¼ x 60½ x 62½	313
	5	E-11007-5-SS	10½	29¼ x 60½ x 62½	286
	4	E-11007-4-SS	14¾	29¼ x 60½ x 62½	259
	3	E-11007-3-SS	23	29¼ x 60½ x 62½	232
27"x 48"	6	3919-6-SS	8	29¼ x 54½ x 62½	295
	5	3919-5-SS	10½	29¼ x 54½ x 62½	270
	4	3919-4-SS	14¾	29¼ x 54½ x 62½	245
	3	3919-3-SS	23	29¼ x 54½ x 62½	220
27"x 60"	6	3919-6-SS-60	8	29¼ x 66½ x 62½	334
	5	3919-5-SS-60	10½	29¼ x 66½ x 62½	302
	4	3919-4-SS-60	14¾	29¼ x 66½ x 62½	274
	3	3919-3-SS-60	23	29¼ x 66½ x 62½	250
*27"x 66"	6	4210-6-66	8	29¼ x 72½ x 62½	410
	5	4210-5-66	10½	29¼ x 72½ x 62½	366
	4	4210-4-66	14¾	29¼ x 72½ x 62½	323
	3	4210-3-66	23	29¼ x 72½ x 62½	280
*27"x 72"	6	4210-6-72	8	29¼ x 78½ x 62½	432
	5	4210-5-72	10½	29¼ x 78½ x 62½	384
	4	4210-4-72	14¾	29¼ x 78½ x 62½	336
	3	4210-3-72	23	29¼ x 78½ x 62½	288

*Shelves longer than 27" x 60" are reinforced with fully boxed channel sides.

Options:

1. Brakes on 2 swivel casters.
2. All four swivel casters.
3. No bumper.
4. No handle & no bumper extension.
5. Pneumatic casters (reduces capacity to 1,200 lbs.)
6. Balloon type rubber casters (reduces capacity to 1,800 lbs.)
7. Special height and/or spacing.

Better food service equipment — standard models and custom designs.

A-2

Extra tall & extra large, heavy duty Queen Marys, aluminum & stainless steel

- Extra shelf clearance for tall objects such as wine glasses, coffee pitchers, chaffing dishes and other such items.
- Heavy duty all welded construction & Samco quality.
- N.S.F. listed.

These special Queen Marys are "off-shoot" of our existing product line to allow more shelf clearance for these special items without giving up number of shelves. Also these large shelf sizes provide excellent carrying capacity. Shelves are reinforced with fully boxed channels. In addition, shelves longer than 60" have additional center "C" channel or rectangular tubing brace. 8" polyurethane casters (2 rigid, 2 swivel), push handle & wrap around bumpers are standard.



7 Shelf
Model S-5065-7-72



SHELF SIZE (INCHES)	NO. OF SHELVES	SHELF CLEARANCE (INCHES)	MODEL NUMBER		O.A. DIMENSIONS (INCHES)			WEIGHT (POUNDS)	
			ALUMINUM	STAINLESS STEEL	WIDTH	LENGTH	HEIGHT	ALUM.	S/S
27x72 (Standard)	7	8	S-5065-7-72	S-5065-7-72-SS	29 1/4	74 1/4	72 1/2	200	430
	6	10	S-5065-6-72	S-5065-6-72-SS	29 1/4	74 1/4	72 1/2	184	380
	5	13	S-5065-5-72	S-5065-5-72-SS	29 1/4	74 1/4	72 1/2	169	332
	4	17 1/8	S-5065-4-72	S-5065-4-72-SS	29 1/4	74 1/4	72 1/2	152	279
27x60 (Special)	6	9 1/4	S-5065-6-60	S-5065-6-60-SS	29 1/4	62 1/4	68 7/8	154	318
	5	12	S-5065-5-60	S-5065-5-60-SS	29 1/4	62 1/4	68 7/8	146	290
	4	16 1/4	S-5065-4-60	S-5065-4-60-SS	29 1/4	62 1/4	68 7/8	134	235
27x66 (Special)	6	10	S-5065-6-66	S-5065-6-66-SS	29 1/4	68 1/4	72 1/2	167	355
	5	13	S-5065-5-66	S-5065-5-66-SS	29 1/4	68 1/4	72 1/2	151	320
	4	17 1/8	S-5065-4-66	S-5065-4-66-SS	29 1/4	68 1/4	72 1/2	135	265
27x84 (Special)	6	10	S-5065-6-84	—	29 1/4	86 1/4	72 1/2	218	—
	5	13	S-5065-5-84	—	29 1/4	86 1/4	72 1/2	205	—
	4	17 1/8	S-5065-4-84	—	29 1/4	86 1/4	72 1/2	186	—

Note: Before ordering please insure that there is enough room/clearance thru' doors, hallways, elevators and other places where these Queen Marys will be used or stored.

Options: 1. Brakes on 2 swivel casters.

2. All four swivel casters.

3. Pneumatic casters (reduces capacity to 1,200 lbs.)

4. Ballon type rubber casters (Reduces capacity to 1,800 lbs.).

5. Optional curved "C" shaped handle with bumper extension (Adds 4 1/4" to O.A. length).

6. All shelves (except top shelf) with 3 edges up, front edge down. Add "-RE" after model number.

7. Extra push handle.

Better food service equipment — standard models and custom designs.

- For correctional & heavy institutional use.
- Choice of aluminum or stainless steel.
- Choice of shelves with all edges down or with 3 edges up, front edge down (except top shelf in all models have all edges down).

These tough built mobile carts are excellent for transporting pots, pans, plated meals, soiled dishes and various other items. All welded, heavy duty construction provides years of trouble free service.

Stainless steel models use 14 GA. S/S bottom shelf reinforced widthwise with 12 GA. S/S bolster channels. Upper shelves also use heavy gauge S/S reinforced lengthwise. Aluminum models use 1/8" thick bottom shelf and bolster channels and 1/16" thick upper shelves reinforced lengthwise. 8" heavy duty polyurethane casters, handle and wrap around bumpers are standard.



4 Shelf Stainless Steel Model 2502-4-17

SHELF SIZE AND TYPE	NO. OF SHELVES	MODEL NUMBER		SHELF CLEARANCE (INCHES)	O.A. DIMENSIONS (INCHES)			WEIGHT (POUNDS)
		ALL 4 EDGES DOWN	3 EDGES UP 1 EDGE DOWN		WIDTH	LENGTH	HEIGHT	
24"x60" Stainless Steel	6	2502-6-9	2502-6-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	365
	5	2502-5-12	2502-5-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	324
	5	2502-5-9	2502-5-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	57 ⁷ / ₈	320
	4	2502-4-17	2502-4-17-RE	17 ¹ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	279
	4	2502-4-12	2502-4-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	54 ⁵ / ₈	276
	4	2502-4-9	2502-4-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	46 ³ / ₈	272
	3	2502-3-12	2502-3-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	41 ¹ / ₂	230
24"x60" Aluminum	6	9502-6-9	9502-6-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	146
	5	9502-5-12	9502-5-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	132
	5	9502-5-9	9502-5-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	57 ⁷ / ₈	130
	4	9502-4-17	9502-4-17-RE	17 ¹ / ₄	26 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	118
	4	9502-4-12	9502-4-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	54 ⁵ / ₈	116
	4	9502-4-9	9502-4-9-RE	9 ³ / ₄	26 ¹ / ₄	62 ¹ / ₄	46 ³ / ₈	114
	3	9502-3-12	9502-3-12-RE	12 ¹ / ₂	26 ¹ / ₄	62 ¹ / ₄	41 ¹ / ₂	104

Options:

- A. Brakes on 2 swivel casters.
B. All 4 swivel casters.

- C. 8" Pneumatic Casters
D. 8" Balloon Casters

- E. Extra handle.

Better food service equipment — standard models and custom designs.

- **Deluxe Queen Marys with shelves with 3 edges up, front edge down (except top shelf which has all 4 edges down)**
- **Heavy duty all welded construction.**
- **Choice of aluminum or stainless steel models.**

These Queen Marys offer 3 sided flanges to prevent/reduce slipping of items being transported. Heavy gauge stainless/aluminum shelves and all welded construction provide exceptional strength and durability. 14 GA. S/S or 1/8" thick aluminum base (bottom) shelf reinforced with 12 GA. S/S or 1/8" thick aluminum bolster channels provide extra rigidity. Heavy duty 8" polyurethane casters (2 rigid, 2 swivel), wrap around bumper and a push handle are standard.



5 Shelf Aluminum Queen Mary Model 9503-5-2772

SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE	MODEL NUMBER		O.A. DIMENSIONS (INCHES)			WEIGHT (POUNDS)	
			ALUMINUM	STAINLESS STEEL	WIDTH	LENGTH	HEIGHT	ALUM.	STAINLESS
27X54	6	8	9503-6-2754	2503-6-2754	29 1/4	60 1/2	62 1/2	138	256
	5	10 1/2	9503-5-2754	2503-5-2754	29 1/4	60 1/2	62 1/2	128	228
	4	14 5/8	9503-4-2754	2503-4-2754	29 1/4	60 1/2	62 1/2	113	200
27X66	6	8	9503-6-2766	2503-6-2766	29 1/4	72 1/2	62 1/2	170	345
	5	10 1/2	9503-5-2766	2503-5-2766	29 1/4	72 1/2	62 1/2	154	299
	4	14 5/8	9503-4-2766	2503-4-2766	29 1/4	72 1/2	62 1/2	138	256
27X72	6	8	9503-6-2772	2503-6-2772	29 1/4	78 1/2	62 1/2	188	368
	5	10 1/2	9503-5-2772	2503-5-2772	29 1/4	78 1/2	62 1/2	173	316
	4	14 5/8	9503-4-2772	2503-4-2772	29 1/4	78 1/2	62 1/2	156	270

Options:

- A. Brakes on 2 swivel casters.
- B. All four swivel casters.
- C. 8" Pneumatic casters (reduces capacity to 1200 pounds)
- D. 8" Balloon casters (reduces capacity to 1,800 lbs.)
- E. Extra handle.
- F. Special height and/or spacing (up to 72 1/2" H).

Better food service equipment — standard models and custom designs.

Queen Mary type carts for chaffing dishes & large coffee pots

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- Heavy duty carts for transporting chaffing dishes and large coffee pots.
- Special brackets on each shelf prevent chaffing dishes & coffee pots from sliding around and colliding with one another thereby reducing or eliminating costly damage.
- Available in aluminum and stainless steel.

Executive chefs, stewards and food and beverage directors know how expensive it is to repair/replace these chaffing dishes and large coffee pots. The constant breakage puts a crimp in any budget and transporting these dishes/pots from kitchen to the dining hall has always been a problem.

These carts offer an excellent solution. Special brackets on shelves restrict the movement and prevent spilling and colliding. Carts come completely assembled with 8" poly casters and non marking perimeter bumper.



For Chaffing Dishes
Model 9506-3CF-2772



For Coffee Pots
Model 9506-3CO-2166

Due to large variation in sizes and styles of chaffing dishes and coffee pots, please contact factory for pricing and send two dishes with the order for a perfect fit.

Aluminum Model No.	Stainless Steel Model No.	Type	Shelf Size	Shelf Clearance	Capacity	Overall Dimensions (inches)			Weight	
						Width	Length	Height	Alum	S/S
9506-3CF-2772	2506-3CF-2772	Chaffing Dish	27 x 72	22	*6	29 1/4	74 1/4	59	121	245
9506-3CO-2166	2506-3CO-2166	Coffee Pots	21 x 66	26 1/2	8	23 1/4	68 1/4	68	114	225

* Capacity of chaffing dish is based on lids being turned up on each dish. Capacity can be increased by reducing clearance between shelves and by adding additional shelves if lids are turned down in the dishes. Please contact factory.

Options:

1. Brakes on 2 swivel casters.
2. Pneumatic casters.
3. Balloon type casters.
4. Special size (consult factory).

Better food service equipment — standard models and custom designs.



SAMMONS EQUIPMENT

MANUFACTURING CORPORATION
Shammi Industries

Duratuff Queen Marys, aluminum & stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- **Samco quality at an exceptional price.**
- **All welded construction.**
- **N.S.F. listed.**

With economy in mind but without compromise on quality, these exceptionally durable and built-tough workhorses provide years of trouble free service. 8" polyurethane casters, one handle and wrap around bumper are standard. Models are available in both aluminum and stainless steel. Capacity varies from 1,400# to over 2,000# depending upon the model selected.



5 Shelf (27"x48") aluminum
Model 9504-4-2748

SHELF SIZE	NO. OF SHELVES	SHELF CLEARANCE (INCHES)	MODEL NUMBER		O.A. DIMENSIONS (INCHES)			WEIGHT (POUNDS)	
			ALUMINUM	STAINLESS STEEL	WIDTH	LENGTH	HEIGHT	ALUM	STAINLESS STEEL
27x48	6	8	9504-6-2748	2504-6-2748	29 ¹ / ₄	50 ¹ / ₄	62 ¹ / ₂	125	230
	5	10 ¹ / ₂	9504-5-2748	2504-5-2748	29 ¹ / ₄	50 ¹ / ₄	62 ¹ / ₂	115	205
	4	14 ⁵ / ₈	9504-4-2748	2504-4-2748	29 ¹ / ₄	50 ¹ / ₄	62 ¹ / ₂	104	180
27x54	6	9 ¹ / ₄	9504-6-2754	2504-6-2754	29 ¹ / ₄	56 ¹ / ₄	68 ⁷ / ₈	130	248
	5	12	9504-5-2754	2504-5-2754	29 ¹ / ₄	56 ¹ / ₄	68 ⁷ / ₈	122	220
	4	16 ³ / ₄	9504-4-2754	2504-4-2754	29 ¹ / ₄	56 ¹ / ₄	68 ⁷ / ₈	108	190
27x60	6	9 ¹ / ₄	9504-6-2760	2504-6-2760	29 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	145	275
	5	12	9504-5-2760	2504-5-2760	29 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	133	242
	4	16 ³ / ₄	9504-4-2760	2504-4-2760	29 ¹ / ₄	62 ¹ / ₄	68 ⁷ / ₈	119	212
27x72	6	9 ¹ / ₄	9504-6-2772	2504-6-2772	29 ¹ / ₄	74 ¹ / ₄	68 ⁷ / ₈	173	330
	5	12	9504-5-2772	2504-5-2772	29 ¹ / ₄	74 ¹ / ₄	68 ⁷ / ₈	160	288
	4	16 ³ / ₄	9504-4-2772	2504-4-2772	29 ¹ / ₄	74 ¹ / ₄	68 ⁷ / ₈	146	246

Options:

1. Brakes on 2 swivel casters.
2. All four swivel casters.
3. 8" Balloon casters.
4. 8" pneumatic casters.
5. Extra handle.
6. Special height/spacing
7. All shelves except top with 3 edges up front edge down (Top shelf has all edges down). Add "-RE" after model number.

Better food service equipment — standard models and custom designs.



SAMMONS EQUIPMENT

MANUFACTURING CORPORATION
Shammi Industries

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

Inflight kitchen cart aluminum & stainless steel

- **Ideal for storage and transportation of food modules, boxes, pot & pans, wire baskets and similar items.**
- **Heavy duty construction and choice of aluminum and stainless steel.**

These heavy gauge carts are ideal workhorses for inflight kitchen transportation. 6" plate casters are standard. Edges are turned up on sides and back to prevent items from falling down during transport.



4 Shelf (27"x75") Model

9501-4-2775 (with optional wrap around bumper and handle)




Shelf Size (inches)	Model Number		No. of Shelves	Shelf Clearance	Overall Dimensions (Inches)		
	Aluminum	Stainless Steel			Width	Length	Height
27x60	9501-3-2760	9501-3-SS-2760	3	23	27 ¹ / ₄	60 ¹ / ₄	58 ¹ / ₂
	9501-4-2760	9501-4-SS-2760	4	17 ¹ / ₄	27 ¹ / ₄	60 ¹ / ₄	67
27x75	9501-3-2775	9501-3-SS-2775	3	23	27 ¹ / ₄	75 ¹ / ₄	58 ¹ / ₂
	9501-4-2775	9501-4-SS-2775	4	17 ¹ / ₄	27 ¹ / ₄	75 ¹ / ₄	67

Options:

1. 8" Poly casters.
2. Wrap around bumper.
3. Extra vertical bars at back.
4. Push handle.

Better food service equipment — standard models and custom designs.



Queen Mary type enclosed carts, with or without doors, alu- minum & stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

• Heavy duty bussing cart

These convenient bussing carts are built tough to handle heavy loads. Provides fast and easy transportation and storage of dishes, china, glassware and other similar items.

Specifications:

- **Upper shelves:** 0.063" Alum. or 18 GA. S/S reinforced lengthwise with channels, with 14-5/8" min. spacing in between.
- **Bottom shelf (deck):** 0.125 Alum. or 14 GA. S/S
- **Push handle:** One standard, second optional

• Available with or without doors

- **Body:** 0.080" Alum. or 18 GA. S/S.
- **Bumper:** Wrap around
- **Casters:** 8" polyurethane (2 rigid, 2 swivel)
- **Door:** For models with door, double panel 0.063" Alum. or 20 GA. S/S.



Stainless Steel Cart
without door
Model S-5181-54
(with optional second handle)



Aluminum Cart
with door
Model S-5036-54
(with optional top mounted latches
second handle & wheel brakes)

3 SIDES ENCLOSED CART WITHOUT DOORS

Shelf Size	Aluminum		Stainless Steel		Overall Dimension (Inches) WxLxH
	Model No.	Weight	Model No.	Weight	
27x54	S-5030-54	160	S-5181-54	283	29¼x60½x62½
27x66	S-5030-66	167	S-5181-66	297	29¼x72½x62½
27x72	S-5030-72	175	S-5181-72	312	29¼x78½x62½

ENCLOSED CART WITH DOORS

Shelf Size	Aluminum		Stainless Steel		Overall Dimensions (Inches) WxLxH
	Model No.	Weight	Model No.	Weight	
25½x54	S-5036-54	202	S-5100-54	367	29¼x60½x62½
25½x66	S-5036-66	216	S-5100-66	398	29¼x72½x62½
25½x72	S-5036-72	232	S-5100-72	430	29¼x78½x62½
27x54	S-5036-2754	209	S-5100-2754	379	31¼x60½x62½
27x66	S-5036-2766	223	S-5100-2766	410	31¼x72½x62½
27x72	S-5036-2772	239	S-5100-2772	442	31¼x78½x62½

Options:

1. Extra handle
2. Brakes on swivel casters.
3. All 4 swivel casters
4. Pneumatic casters
5. Balloon type casters
6. Extra shelf (consult factory)
7. Extra tall (max. 69" high with larger spacing, (consult factory)
8. Top mounted latch

Better food service equipment — standard models and custom designs.



Queen Mary type bussing shuttles, aluminum & stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- Six different models to choose from.
- Lightweight, hi-tensile aluminum or polished stainless steel construction.

These heavy duty Samco bussing shuttles are ideal for hotels, lodges, inns, clubs, hospitals & other large establishments. Convenient for fast transportation of clean & soiled dishes, china, silverware and similar items.

The front door flips down to provide easy access for loading & unloading. Edges are "hemmed" and sharp corners are blended to prevent injury to hands. Available in many different choices:



Model 9070-54



Model 9070-54 (with front open)



OPTIONAL
Completely enclosed
on three side with
front flip door
(see option E)

Common Specifications

- **Upper Shelves:** 0.063" alum. or 18 GA. S/S with 66" & 72" long shelves further reinforced with channels. Shelf spacing is 9"
- **Front Door:** 14" high with two side latches & hinged bottom.
- **Deck:** 0.125" alum. or 14 GA. S/S.
- **Casters:** 8" polyurethane (2 rigid, 2 swivel).
- **Push Handle:** One standard, two (optional).
- **Std. Bumper:** Continuous wrap around, non-marking.
- **3 Sides:** 18" high.

ALUMINUM MODELS:

Shelf Size (Inches)	Model No.	Overall Dimensions (Inches)			Weight (pound)
		Width	Length	Height	
27x54	9070-54	29¼	60½	62½	151
27x66	9070-66	29¼	66½	62½	181
27x72	9070-72	29¼	78½	62½	201

STAINLESS STEEL MODELS:


Shelf Size (Inches)	Model No.	Overall Dimensions (Inches)			Weight (pound)
		Width	Length	Height	
27x54	2070-54	29¼	60½	62½	289
27x66	2070-66	29¼	66½	62½	341
27x72	2070-72	29¼	78½	62½	390

Options:

- A. 8" mold on rubber casters.
- B. 8" balloon cushion rubber casters.
- C. 8" pneumatic casters.
- D. Extra handle with bumper extension.
- E. Completely enclosed on 3 sides.
- F. Extra height (O.A.H. = 70" max.)
- G. Brakes on swivel casters.
- H. All four swivel casters.

Better food service equipment — standard models and custom designs.

A-10



390-A Meyer Circle, Corona, California 92879-1078

Heavy duty stainless steel Queen Marys, mobile shelving style

Phone (951) 340-3419

Fax (951) 340-2716

- Heavy duty all welded construction
- Offered in 2 shelf sizes
- 1 5/8" o.d. s/s tubing uprites & 16 ga. s/s shelves

These heavy duty stainless steel Queen Marys use 16 ga. s/s shelves notched at corners and fully welded to 1 5/8" o.d.x16 ga. s/s tubular uprites. 6" polyurethane casters & round bumpers provide excellent mobility and protection. One push handle is also standard. These Queen Marys are available in shelf size listed below. Other shelf sizes are also available. Consult factory.



2306-5-2460-5
(5 shelf Queen Mary)

Shelf Size	No. of Shelves	Model Number	Space Between Shelves (Inches)	Overall Size (Inches) W x L x H	Weight (Pounds)
24"x 48"	6	2306-6-2448-M	8¾	29 x 53 x 67	266
	5	2306-5-2448-M	11¾	29 x 53 x 67	232
	4	2306-4-2448-M	16	29 x 53 x 67	196
24"x 60"	6	2306-6-2460-M	8¾	29 x 65 x 67	304
	5	2306-5-2460-M	11¾	29 x 65 x 67	262
	4	2306-4-2460-M	16	29 x 65 x 67	220

- Options:**
- A. 8" polyurethane casters (in lieu of 6")
 - B. All shelves adjustable (will be shipped knocked down)
 - C. Extra Handles
 - D. Special height & spacing

Better food service equipment — standard models and custom designs.

A-11R



SAMMONS EQUIPMENT MANUFACTURING CORPORATION **Shammi Industries**

Shelf racks, aluminum frame with removable stainless steel or aluminum flat shelves

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- Heavy duty all welded aluminum frame.
- Removable flat aluminum or flat stainless steel shelves lift-off easily for cleaning.
- Excellent mobility.

These shelf racks use heavy wall, hi-tensile rectangular aluminum tubing (horizontal) frame and specially extruded heavy wall uprights. The frames are completely welded to uprights. Removable flat aluminum or stainless steel shelves are furnished which lift off easily to facilitate cleaning. 6" all swivel casters are standard for widths over 21".



4 Shelf
Model 9045-4-2766

SHELF SIZE (INCHES)	NO. OF SHELVES	SHELF CLEARANCE (INCHES)	MODEL NUMBER (ALL ALUMINUM WELDED FRAME WITH)		O.A. DIMENSIONS (INCHES)			WEIGHT (POUNDS)	
			FLAT ALUMINUM SHELVES	FLAT STAINLESS STEEL SHELVES	DEPTH	LENGTH	HEIGHT	W/ALUM SHELVES	W/S.S. SHELVES
20X58	4	13 $\frac{1}{4}$	9045-4-2058	9045-4-ST-2058	20 $\frac{1}{4}$	58 $\frac{1}{4}$	56	78	115
	5	9 $\frac{1}{2}$	9045-5-2058	9045-5-ST-2058	20 $\frac{1}{4}$	58 $\frac{1}{4}$	56	92	138
24X48	4	17	9045-4-2448	9045-4-ST-2448	24 $\frac{1}{4}$	48 $\frac{1}{4}$	67 $\frac{1}{8}$	90	126
	5	12 $\frac{1}{4}$	9045-5-2448	9045-5-ST-2448	24 $\frac{1}{4}$	48 $\frac{1}{4}$	67 $\frac{1}{8}$	107	153
24X60	4	17	9045-4-2460	9045-4-ST-2460	24 $\frac{1}{4}$	60 $\frac{1}{4}$	67 $\frac{1}{8}$	105	151
	5	12 $\frac{1}{4}$	9045-5-2460	9045-5-ST-2460	24 $\frac{1}{4}$	60 $\frac{1}{4}$	67 $\frac{1}{8}$	126	183
27X66	4	17	9045-4-2766	9045-4-ST-2766	27 $\frac{1}{4}$	66 $\frac{1}{4}$	67 $\frac{1}{8}$	131	187
	5	12 $\frac{1}{4}$	9045-5-2766	9045-5-ST-2766	27 $\frac{1}{4}$	66 $\frac{1}{4}$	67 $\frac{1}{8}$	156	226
27X72	4	17	9045-4-2772	9045-4-ST-2772	27 $\frac{1}{4}$	72 $\frac{1}{4}$	67 $\frac{1}{8}$	139	201
	5	12 $\frac{1}{4}$	9045-5-2772	9045-5-ST-2772	27 $\frac{1}{4}$	72 $\frac{1}{4}$	67 $\frac{1}{8}$	166	244

Options:

- A. 6 shelf models (with same O.A. height)
- B. Extra heavy duty 6" casters.
- C. 8" polyurethane casters.

- D. Corner bumpers.
- E. Extra push handles.
- F. Brakes on casters.

Better food service equipment — standard models and custom designs.



SAMMONS EQUIPMENT

MANUFACTURING CORPORATION
Shammi Industries

**Heavy duty pots and pan
racks for correctional &
institutional use, aluminum
and stainless steel**

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- All welded heavy duty construction.
- Ideal for correctional and heavy institutional use.
- 1,000# capacity (up to 2,000# optional)

These all welded units provide excellent service for pots, pans, other utensils and similar items in the kitchen & roll on 6" polyurethane casters. Aluminum models use 0.063" upper shelves and 0.125" thick bottom shelf and 1⁵/₈" x 1⁵/₈" specially extruded heavy wall uprights. Stainless steel models use 18 GA. upper shelves, 14 GA. bottom shelf and 12 GA uprights. Upper shelves for 54" & longer models are further reinforced with side channels. Bottom shelves on all models are additionally reinforced with heavy bolster channels for casters.

Adequate shelf clearance and easy maneuverability make these racks ideal work horses. Other size and many options are available



4 Shelf Aluminum
Model 9045-HD-AL-4-2454



SHELF SIZE (INCHES)	NO. OF SHELVES	SHELF CLEARANCE (INCHES)	MODEL NUMBER		O.A. DIMENSIONS (INCHES)			WEIGHT (POUNDS)	
			ALUMINUM	STAINLESS STEEL	DEPTH	LENGTH	HEIGHT	ALUM.	S/S
24x48	4	17	9045-HD-AL-4-2448	9045-HD-SS-4-2448	24 ¹ / ₄	48 ¹ / ₄	67 ¹ / ₄	88	166
	5	12 ¹ / ₄	9045-HD-AL-5-2448	9045-HD-SS-5-2448	24 ¹ / ₄	48 ¹ / ₄	67 ¹ / ₄	101	196
24x54	4	17	9045-HD-AL-4-2454	9045-HD-SS-4-2454	24 ¹ / ₄	54 ¹ / ₄	67 ¹ / ₄	94	179
	5	12 ¹ / ₄	9045-HD-AL-5-2454	9045-HD-SS-5-2454	24 ¹ / ₄	54 ¹ / ₄	67 ¹ / ₄	107	209
24x60	4	17	9045-HD-AL-4-2460	9045-HD-SS-4-2460	24 ¹ / ₄	60 ¹ / ₄	67 ¹ / ₄	99	191
	5	12 ¹ / ₄	9045-HD-AL-5-2460	9045-HD-SS-5-2460	24 ¹ / ₄	60 ¹ / ₄	67 ¹ / ₄	114	225

Options:

- | | | |
|--------------------------------------|------------------------------|---|
| A. 6 Shelf models (same O.A. height) | D. Corner Bumpers. | I. Brakes on casters. |
| B. Extra heavy duty 6" casters. | E. Push handle(s). | J. Intermediate shelves (except top and bottom) with 3 edges up, one edge down. Add "-RE" after model no. |
| C. 8" Polyurethane casters. | F. Vertical leg bumpers. | |
| | G. 6" or 8" balloon casters. | |
| | H. Wrap around bumpers. | |

Better food service equipment — standard models and custom designs.



SAMMONS EQUIPMENT

MANUFACTURING CORPORATION
Shammi Industries

Open tray shelf truck aluminum & stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

Standard Duty Trucks

650# to 1,000# Capacity

- Economically priced trucks with a choice of aluminum or stainless steel models.



6 Shelf
Aluminum Model 9026

All Welded Construction

- Easy access shelves coupled with excellent strength and durability.



4 Shelf Stainless Steel
Model 2028-RE with upper shelves with
3 edges up, 1 edge down.



Specifications:

- **Shelves:** All edges down, 18 GA. S/S or 0.063" thick hi-tensile aluminum.
- **Legs:** 12 GA. S/S or 0.125" thick hi-tensile aluminum.
- **Capacity:** Up to 1,000# depending on type, number & size of shelves.

- **Std. Bumpers:** Legs
- **Casters:** 5"x1 1/4" deluxe, N.S.F. approved, 2 rigid, 2 swivel.

	18 x 27			23 x 34				23 x 50			
	No. of Shelves			No. of Shelves				No. of Shelves			
	3	4	5	3	4	5	6	3	4	5	6
Stainless Steel Model #	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
Aluminum Model #	9020	9021	9022	9023	9024	9025	9026	9027	9028	9029	9030
O.A. Height (inches)	36 ⁵ / ₁₆	36 ⁵ / ₁₆	47	36 ⁵ / ₁₆	47	47	52 ⁷ / ₈	47	47	47	52 ⁷ / ₈
O.A. Width (inches)	19 ¹ / ₄	19 ¹ / ₄	19 ¹ / ₄	24 ¹ / ₄	24 ¹ / ₄	24 ¹ / ₄	24 ¹ / ₄	24 ¹ / ₄	24 ¹ / ₄	24 ¹ / ₄	24 ¹ / ₄
O.A. Length (inches)	28 ¹ / ₄	28 ¹ / ₄	28 ¹ / ₄	35 ¹ / ₄	35 ¹ / ₄	35 ¹ / ₄	35 ¹ / ₄	51 ¹ / ₄	51 ¹ / ₄	51 ¹ / ₄	51 ¹ / ₄
Minimum Clearance Between Shelves (inches)	13	8 ⁹ / ₁₆	8 ⁹ / ₁₆	13	12 ¹ / ₈	8 ³ / ₄	8	18 ¹³ / ₁₆	12 ¹ / ₈	8 ³ / ₄	8
Shipping Weight Stainless Steel Trucks (pounds)	64	74	87	79	99	116	132	101	122	144	166
Shipping Weight Aluminum Truck (pounds)	37	41	46	44	53	60	66	54	64	73	83

Options:

1. Wrap around bumper.
2. Polyurethane casters (5", 6" or 8" dia.)
3. All shelves, except the bottom shelf, with 3 edges up, one edge down. Add "-RE" after the model number. Reduces clearance by 1/2".
4. Bottom shelf all edges down, other shelves all edges up. Add "-U" after the model number.

Better food service equipment — standard models and custom designs.

Deluxe Tubular Straight Leg Model

- An exceptional service truck, for hotels, restaurants & hospitals.
- Easy access shelves.

- Heli arc welded & polished.
- Available in 4 or 5 shelf models.
- N.S.F. listed.

A truly deluxe model, this rugged & extremely attractive tray truck provides years of dependable service. Shelves are heli-arc welded to posts to prevent "racking". Offered in two shelf sizes with a further choice of 4 or 5 shelf models.

Some of the features are:

Standard Duty Models:

Shelves: 18 ga. stainless steel with recessed edged double folded & turned down.

Uprites: 1 1/4" dia. s/s tubing.

Handle: 1" dia. s/s tubing.

Casters: 6" polyurethane, N.S.F. approved. (8" optional).

Bumper: Full wrap around non marking vinyl bumper.



Model 2062-4

Model #	Shelves			Overall Size (inch) W - L - H	Shipping Weight (pounds)
	No.	Size	Space Between		
2060-4	4	23 1/8 x 34 1/8	10	27 1/8 x 41 1/2 x 46 1/2	125
2060-5	5	23 1/8 x 34 1/8	10	27 1/8 x 41 1/2 x 57 3/8	141
2062-4	4	23 1/8 x 52 1/8	10	27 1/8 x 59 1/2 x 46 1/2	202
2062-5	5	23 1/8 x 52 1/8	10	27 1/8 x 59 1/2 x 57 3/8	225

Heavy Duty Deluxe Models:

Shelves: 16 GA. Stainless steel with recessed edges turned down and in at 45°

Uprites: 1 5/8" dia. heavy wall S/S tubing.

Bumper: Rolling bumper around caster/legs.

Model #	Shelves			Overall Size (inch) W - L - H	Shipping Weight (pounds)
	No.	Size	Space Between		
2062-4-52-HD	4	23 1/8 x 52 1/8	12	28 1/8 x 58 7/16 x 55	179
2062-5-52-HD	5	23 1/8 x 52 1/8	10	28 1/8 x 58 7/16 x 61	206
2062-4-58-HD	4	23 1/8 x 58 1/8	12	28 1/8 x 64 7/16 x 55	192
2062-5-58-HD	5	23 1/8 x 58 1/8	10	28 1/8 x 64 7/16 x 61	222
2062-6-58-HD	6	23 1/8 x 58 1/8	8 3/4	28 1/8 x 64 7/16 x 67	252





SAMMONS EQUIPMENT

MANUFACTURING CORPORATION
Shammi Industries

Open tray shelf truck, stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- 650 lb. to 1,000 lb. capacity.
- All welded stainless steel construction.
- Choice of shelves with all edges down or with three edges up, one down.



5 Shelf Model 2172-5-ED
(with all edges down)



5 Shelf Model 2172-5-RE
(with 3 edges up, 1 edge down)

Specifications:

- **Shelves:** 18 GA. S/S
- **Bumper:** Legs and handle
- **Uprites:** 1"x1"x1/8" S/S angle (for 21" wide carts)
1 1/4" x 1 1/4" x 1/8" S/S angles (for 24" wide carts)
- **Casters:** 5"x1 1/4" deluxe, N.S.F. listed, all swivel.

Shelf Size	No. of Shelves	ALL EDGES DOWN		3 EDGES UP 1 EDGE DOWN		O.A. Dimensions (inches)			Weight (Pounds)
		Model No.	Shelf Clearance (inches)	Model No.	Shelf Clearance (inches)	Width	Length	Height	
21x33	4	2168-4-ED	11 7/8	2168-4-RE	11 3/8	22 3/8	39 7/8	50 3/4	100
	5	2168-5-ED	8 5/8	2168-5-RE	8 3/8	22 3/8	39 7/8	50 3/4	116
	6	2168-6-ED	7 3/8	2168-6-RE	7	22 3/8	39 7/8	54 7/8	132
21x50	4	2172-4-ED	11 7/8	2172-4-RE	11 3/8	22 3/8	56 7/8	50 3/4	135
	5	2172-5-ED	8 5/8	2172-5-RE	8 3/8	22 3/8	56 7/8	50 3/4	160
	6	2172-6-ED	7 3/8	2172-6-RE	7	22 3/8	56 7/8	54 7/8	185
24x43	4	2176-4-ED	13 1/8	2176-4-RE	12 3/4	25 3/8	49 7/8	54 7/8	136
	5	2176-5-ED	9 1/2	2176-5-RE	9 1/8	25 3/8	49 7/8	49 7/8	162
	6	2176-6-ED	7 3/8	2176-6-RE	7	25 3/8	49 7/8	54 7/8	188
24x48	4	2180-4-ED	13 1/8	2180-4-RE	12 3/4	25 3/8	54 7/8	54 7/8	144
	5	2180-5-ED	9 1/2	2180-5-RE	9 1/8	25 3/8	54 7/8	54 7/8	172
	6	2180-6-ED	7 3/8	2180-6-RE	7	25 3/8	54 7/8	54 7/8	200

- Options:**
- A. 5", 6" or 8" poly casters
 - C. Guard rail in front of each shelf (for models with 3 edges up, 1 down)
 - D. 2 Swivel, 2 rigid (in lieu of all swivel) casters.
 - B. Wrap around bumper.

Better food service equipment — standard models and custom designs.