

Utility carts, heavy duty deluxe series, stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

Deluxe Models 1,000# Capacity Heli Arc Welded & Polished

A. Bent Leg Model

Features:

■ **Uprites:** 1-1/4"x1-1/4"x1/8" S/S angle. (approx.)


■ Shelves: 14 GA. S/S double folded front & back to provide extra reinforcement, three edges up, front edge down.

■ Std. Bumper: Legs & push handle.

■ Casters: 2 - 5" deluxe swivel casters.

2 - 8" load wheels.

Shelf		Shelves	3	Overall Size	Shipping
Size	No.	Model #	Space Between	(inch) W - L - H	Weight (lbs.)
04"04"	3	2040	113/a	25 ¹ / ₂ x39x37 ³ / ₈	112
24"x34"	2	2041	211/2"	251/2x39x373/8	92
04//40//	3	2043	113/8	251/2×48×373/8	128
24"x43"	2	2044	211/2"	251/2x48x373/8	103
05//051///	3	2047	10¾"	261/2x401/2x363/4	152
25"x35½"	2	2048	22%"	261/2x401/2x363/4	123
04//40//	3	2153	113/8	251/2x53x373/8	183
24"x48"	2	2154	211/2"	251/2x53x373/8	145



B. Straight Leg Models

NSF_®

Features:

■ Uprites: 11/2"x11/2"x12 GA. S/S.

■ Shelves: 14 GA. S/S recessed (dished top).

■ Clearance: 11-7/16" between shelves.

■ Casters: 8" deluxe, polyurethane.

■ Std. Bumper: Legs & push handle.

Shelf Size	Model #	Overall Size (inch) L - W - H	Shipping Weight (lbs.)	
23" x 34"	2045	39 x 24½ x 35 7/8		
23" x 42"	2045-42	47 x 24½ x 35 7/8	134	
23" x 52"	2045-52	47 x 24½ x 35 7/8	151	





Model 2045 (with optional wrap around bumper)



Utility carts, stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419 Fax (951) 340-2716

Polished, Heli/Wire Arc Welded Carts

Stem Caster Type



Model 2010-5

500 Pounds Capacity:

Legs: 14 GA. S/S Casters: 5" all swivel. **Plate Caster Type**



Model 2035

■ Shelves: 20 GA. S/S

Bumper: Legs & handle.



Shelf	Stem C	aster Type		Plate C	Plate Caster Type O.A. Dimension		A. Dimension		
Size	Model No.	Shelf Clear- ance (Inch)	Height (Inches)	Model No.	Shelf Clear- ance (Inch)	Height (Inch)	Width	Length	Wt. (Lbs.)
16"x24"	2010-5	11	35¾	2010	121/4	363/16	17	28	42
18"x27"	2011-5	11	35¾	2011	121/4	36¾16	19	31	54
23"x34"	2012-5	11	35¾	2012	121/4	363/16	24	38	72

650 Pounds Capacity: (Heavy Duty, Deluxe)

■ Legs: 14 GA. S/S.

■ Casters: 5"x114" deluxe, all swivel.

■ Shelves: 18 GA. S/S.

Bumpers: Legs & handles.

Shelf Size	Stem C	Stem Caster Type			Plate Caster Type O.A. Dimensio			mension	Approx.
	Model No.	Shelf Clear- ance (Inch)	Height (Inches)	Model No.	Shelf Clear- ance (Inch)	Height (Inches)	Width	Length	Wt. (Lbs.)
16"x24"	2035-5	11	36	2035	121/4	363/16	17	28	54
18"x27"	2036-5	11	36	2036	121/4	363/16	19	31	62
23"x34"	2037-5	11	36	2037	121/4	36¾16	24	38	80
23"x50"	2038-5	11	36	2038	121/4	363/16	24	54	98



Stainless steel utility carts

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419 Fax (951) 340-2716

- · All welded stainless steel construction.
- Excellent for transporting / bussing trays and racks.
- · Choice of two styles.

These units are ideal as general purpose utility carts and can carry 15"x20" or 16"x22" trays or various size tote boxes. 1" O.D. 16 GA. S/S tubing and heavy gauge polished S/S shelve with marine type raised edges and 5" swivel casters are standard.

Style A: With Straight Uprites Offered in 1, 2, 3, 4 or 5 shelf models.

Model No.	No. of Shelves	Shelf Size (inches)	Height (Inches)	Shelf Clearance (inches)	Weight (Pounds)
2194-1	1	23x34	36¹/s	_	60
2194-2	2	23x34	36¹/s	20	68
2194-3	3	23x34	361/8	9	77
2194-4	4	23x34	45	81/2	98
2194-5	5	23x34	55	81/2	116



Style "A" 1 Shelf Model 2194-1

Style "A" 2 Shelf Model

2194-2







Style B: With Formed **Push Handles**

Offered in 2 or 3 shelf models.

Model No.	No. of Shelves	Shelf Size (inches)	Height (Inches)	Shelf Clearance (inches)	Weight (Pounds)
2195-2	2	23x34	353/4	18	68
2195-3	3	23x34	353/4	81/4	77

Style "B" 2 Shelf Model 2195-2

> Style "B" 3 Shelf Model 2195-3



Options:

A. 5" Polyurethane casters. B. Round Bumpers.



Utility carts, deluxe series, stainless steel

Phone (951) 340-3419 Fax (951) 340-2716

Deluxe Models, Heli-Arc welded & polished

- Excellent quality cart for multi-purpose use in hotels, restaurants, cafeterias and hospitals. Can also be used as a dessert cart.
- 650# capacity.
- Available in two different styles, each with a choice of two or three shelves.
- N.S.F. listed.



- Uprites: 1 1/4" stainless steel tubing.
- Casters: 5"x114" deluxe (2 swivel, 2 rigid).
- Shelves: 18 GA. polished stainless steel, recessed (dished top) type.

NOTE: These carts are also available with 1" dia. S/S tubing uprites and 5" stem casters. Add "-SM" after model number.

	Shelf		Shelves	3	Overall Size (Inches)	Shipping	
Size		No.	Model #	SPACE BETWEEN (INCHES)	W - L - H	Weight (Inches)	
	23" x 34"	3	2196-3	113/4	241/4 x 381/4 x 341/2	64	
Style	23 X 34	2	2196-2	25	241/4 x 381/4 x 341/2	48	
	23" x 52"	3	2197-3	11¾	241/4 x 561/4 x 341/2	86	
	23 X 52	2	2197-2	25	241/4 x 561/4 x 341/2	63	
"a	23" x 34"	3	2198-3	11¾	24¼ x 41¼ x 36¼	67	
	23 X 34	2	2198-2	25	241/4 x 411/4 x 361/4	51	
Style	23" x 52"	3	2199-3	113/4	241/4 x 591/4 x 361/4	89	
S	23 X 52	2	2199-2	25	241/4 x 591/4 x 361/4	66	

Options: 1. All swivel casters.

- 3. Polyurethane casters (5")
- 2. Wrap around bumper.



Style "A"



Three Shelf Model 2196-3

Style "B"



Three Shelf Model 2198-3

Heavy duty 3 shelf models with capacity up to 800# using 15/e" O.D. S/S tubing, 16 GA. S/S shelves and 5" polyurethane casters are available. Add "-HD" after these model numbers.



Tray service & general utility hand truck, stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

Deluxe Model, Heli-Arc Welded & Polished

- Ideal for hotel & restaurant kitchen service and hospitals.
- Easy access shelves.
- N.S.F. listed.

This strong multi-purpose hand truck is a must around kitchens and food service areas.

The all welded stainless steel construction assures years of dependable service. A semi pneumatic non-marking vinyl bumper protects walls and other equipment.

The standard unit has dished type recessed shelves with all edges down in accordance with federal spec. KKK-T-1286A.

Other features:

- 18 GA. 304-No. 4 stainless steel shelves made with 1½" double folded edges recessed 3/8" and welded to 1¼" tubular frame.
- 1" tubular push handle.
- Two *10" wheels and two 5" nonmarking casters are standard.
- *If optional 8" load wheels are desired for economy, add "-8" after model number. However, if compliance to federal spec. KKK-T-1286A is required, 10" wheels must be used.

- Stays clean and sanitary with routine steam cleaning.
- Also meets Federal Specification KKK-T-1286A.



*Model		Shelves		Over All Size	Shipping
Number	No.	Size	Space Between	W-L-H	Wt.
S-224-3SS	3	23% × 34%	10	29x41 ¹ / ₂ x36 ³ / ₄	92#
S-224-2SS	2	23% x 34%	211/2	29x41 ¹ / ₂ x36 ³ / ₄	77#