

PRICE LIST EFFECTIVE
Jun. 1, 2018

Sammons Equipment Manufacturing Corporation

SHAMMI INDUSTIRES



**Our "Queen Marys"
have made us Famous!!!!**



TABLE OF CONTENTS

QUEEN MARYS & SHELF TRUCKS	PA-1 thru PA-7	UTILITY & BUSSING CARTS	PE-1 thru PE-12
CABINETS, TRANSPORT & DELIVERY	PB-1 thru PB-9	DOLLIES & PLATFORM TRUCKS	PF-1 thru PF-6
PROOFING & HOT CABINETS	PC-1 thru PC-14	SHELVING & DUNNAGE RACKS	PG-1 thru PG-5
RACKS	PD-1 thru PD-17	SLICER STANDS & WORK TABLES	PG-1 and PH-1

TERMS & CONDITIONS & WARRANTY SEE INSIDE BACK COVER

X-REFERENCE CHART

MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number
CV-12	PD-4A	2173-2175	PE-3	2580	PD-1,PD-16E	9235	PC-6
E-11007	PA-1	2176	PA-5,PE-3	2581	PD-2A,PD-2B	9236	PC-4,PC-4A
GR	PH-1	2177-2179	PE-3	2582	PD-7	9238	PC-7
S-224	PE-2	2180	PA-5,PF-2	2583	PD-9	9240	PB-5
S-3131	PD-5,PD-6, PD-9	2191	PE-5	2584	PD-7	9250	PC-2,PC-3,PC-7,PC-13A
S-3587	PA-1	2192	PE-5	2585	PD-2,PD-4A, PD-11PD-16D,PD-12A	9251	PC-1,PC-1A
S-3658	PA-1	2193	PE-5	2586	PD-4A	9252	PC-2,PC-3,PC-13A
S-3751 THRU	PF-4	2194	PE-1,PE-2	2589	PD-3	9253,9254	PC-5
S-3755	PF-6	2195	PE-1	2601,2602	PH-1	9256	PC-4,PC-4A
S-3921		2200	PB-3B	2603,2604	PH-1	9260	PD-14
S-4100	PD-3,PD-14,PD-16E	2202	PB-3C,PB-3D,PB-3E	2607	PG-1		
S-4285	PB-2	2205	PB-8	2801	PC-10		
S-4354	PD-4,PD-9, PD-11	2230	PC-3	2803	PC-8,PC-13A	9264	PB-4,PB-6
S-4358	PD-5	2231	PC-1,PC-6	2805	PC-8		
S-5030	PA-3	2232	PC-3	3919	PA-1	9270	PC-2
S-5036	PA-3,PE-11	2233	PC-6	4210	PA-1	9271	PC-1
S-5065	PB-8C	2234	PC-1,PC-6	5166,5167	PE-1A	9273,9274	PC-5
S-5100	PA-2	2235	PC-6	5170,5171	PE-1A	9280	PC-2,PC-3,PC-13A
S-5108	PA-3,PB-3A,	2236	PC-4	6231,6235	PF-4	9281	PC-1,PC-1A
S-5181	PB-8C,PE-11	2237	PC-9	6251,6255	PF-4	9282	PC-2,PC-3,PC-13A
S-5481	PD-16,PB-8C,PD-16A	2238	PC-7	6271	PF-4		
WHD	PA-3	2250	PC-2,PC-7,PC-13A	6275	PF-4	9283	PC-5
1940	PD-4A	2251	PC-1	6281,6285	PF-4	9284	PC-5,PC-13
1941	PE-4,PE-9	2252	PC-2,PC-3,PC-13A	9001	PE-5	9286	PC-4,PC-4A
2001	PE-9	2253,2254	PC-5	9007-9008	PE-6	9288	PC-7,PC-13
2006,2007	PE-5	2256	PC-4	9023-9030	PA-5	9292	PC-3,PC-13A
2008	PE-6,PE-12	2270	PC-2	9040	PD-15,PD-16	9298	PC-7
2010-2012	PE-6	2271	PC-1	9045	PA-4,PA-5	9351	PG-4
2023-2030	PE-1	2274	PC-5	9047	PD-16,PD-16C	9355	PG-4
2035-2038	PA-5	2281	PC-1	9048	PD-16B	9359	PD-13
2040	PE-1	2282	PC-2,PC-3	9070	PA-6	9412	PC-9
2041	PE-4	2283,2284	PC-5	9085	PF-1,PF-2	9501	PA-6
2043-2045	PE-4,PE-8	2285	PC-11-PC-11D	9086	PF-1, PF-3	9502	PA-2
2047,2048	PE-4	2286	PC-12	9090	PF-3,PF-2	9503	PA-3,PA-6A
2049	PE-3A	2287	PC-4,PC-11E,PC-12	9105	PB-1,PB-3,PB-4,PB-2A	9504	PA-4
2070	PA-6	2288	PC-11F	9115	PB-3	9506	PA-6
2085	PF-1,PF-2	2289	PC-11,PC-11F	9120	PD-4,PD-9,PD-11	9560,9562	PD-13
2086	PF-1,PF-2	2292	PC-7,PC-13	9130	PE-9,PF-1,PG-3,PE-12	9563	PD-16B
2089	PD-6	2298	PC-10	9150,9152	3,PE-12	9564	PD-13
2142	PE-3, PE-3A	2305	PC-3,PC-12,PC-13A,PC-13	9156	PB-2,PB-2A	9565	PD-16A
2143	PE-3,PE-7,PE-3A	2306	PC-7	9170,9171	PB-3,PB-3A,PB-2A,PB-3B,PB-4,PB-5,PB-7,PB-8.PD-12	9566	PE-10
2145,2146	PE-7	2307,2308	PG-1	9172	PB-3	9580	PD-1,PD-15,PD-16E,PD-2C
2147	PE-4,PE-8	2309,2310	PA-3,PG-1	9200	PD-12	9581	PD-1,PD-2A,PD-2B,PD-2C
2148	PE-10,PE-11	2412	PC-9	9202	PD-7	9582	PD-7,PD-9
2150	PB-6,PB-8,PB-8B	2502	PA-2	9220	PB-3B	9583	PD-9,PD-10
2151	PE-4	2503	PA-3,PA-6A	9230	PB-3C,PB-3D,PB-3E	9584	PD-7
2153,2154	PE-3,PE-1A	2504	PA-4	9231	PB-1,PB-3,PB-3A,PB-4,PB-7	9585	PD-2,PD-4A,PD-9,PD-10,PD-11.PD-14,PD-16D
2160-2167	PA-5,PE-3	2506	PA-6	9233	PC-3	9586	PD-4A,PD-8
2168	PE-3			9234	PC-6,PC-1A	9587	PD-8
2169-2171,2172	PA-5,PE-3				PC-3	9588	PG-1
					PC-6	9589	PD-3
					PC-3	9601	PF-3,PF-6
					PC-1,PC-6	9602	PF-5
						9803	PC-8,PC-13A



Portable tables & slicer/ mixer/equipment stands, stainless steel heavy duty

- 14 ga. s/s top.
- 1 5/8" O.D. x 16 ga. s/s tubing.
- 5" all swivel casters.



CATALOG PAGE H-3

2607-2730-3

2607-2730-2SL

Type	Model Number	O.A. Dimensions (Inches)			Type of Understructure	Weight (Pounds)	List Price
		W	D	H			
Portable Table/Slicer Stand	2607-2730-3	27 3/8	30 3/8	30	Open with 3 sets of slides	105	\$ 1,977
	2607-2730-4	27 3/8	30 3/8	34	Open with 4 sets of slides	110	2,098
	2607-2730-2SL	27 3/8	30 3/8	34	Solid middle & bottom shelves	116	2,122
Mixer/Equipment Stand	2607-2530-SL	25	30 3/8	26	One solid bottom self	90	1,837



2607-2530-SL
 (with optional accessory post)

Options (also See Table GA-1 on page PG-2) List Price

- A. Accessory utensil/pots & pans storage rack.....\$236
 (1 5/8" O.D. s/s removable post with s/s bars)
- B. 5" polyurethane casters (in lieu of std.).....132
- C. Additional brakes on 2 casters (pair).....69

Stainless steel security welded shelving, heavy duty

- All welded heavy duty construction.
- Ideal for correctional institutions & for facilities requiring extra strong shelving units.
- 14 ga. s/s shelves & with 1 5/8" O.D. x 16 ga. s/s tubing uprights.

CATALOG PAGE G-1

4 Tier Stationary Units (O.A. height 61")

Shelf Size (Inches)	*Model Number		Weight (Pounds)	List Price	
	Louvered Shelves	Solid Shelves		Louvered Shelves	Solid Shelves
18 x 36	2305-1836	2306-1836	96	\$ 2,634	\$ 2,300
18 x 42	2305-1842	2306-1842	108	2,867	2,523
18 x 48	2305-1848	2306-1848	120	3,039	2,667
18 x 54	2305-1854	2306-1854	132	3,228	2,846
18 x 60	2305-1860	2306-1860	144	2,964	2,785
21 x 36	2305-2136	2306-2136	104	2,779	2,439
21 x 42	2305-2142	2306-2142	116	2,997	2,636
21 x 48	2305-2148	2306-2148	128	3,187	2,797
21 x 54	2305-2154	2306-2154	140	3,425	3,026
21 x 60	2305-2160	2306-2160	152	3,651	3,245
24 x 36	2305-2436	2306-2436	116	2,922	2,573
24 x 42	2305-2442	2306-2442	132	3,182	2,081
24 x 48	2305-2448	2306-2448	146	3,355	2,960
24 x 54	2305-2454	2306-2454	161	3,607	3,199
24 x 60	2305-2460	2306-2460	176	3,878	3,453
27 x 36	2305-2736	2306-2736	126	3,226	2,916
27 x 42	2305-2742	2306-2742	144	3,485	3,151
27 x 48	2305-2748	2306-2748	162	3,874	3,523
27 x 54	2305-2754	2306-2754	180	3,962	3,602
27 x 60	2305-2760	2306-2760	198	4,198	3,819

Note: These welded units are also available with Shelves with round tubing laterals in lieu of solid shelves. Change model number from 2306 to 2309 and add 15% to solid shelves prices.



2305-2460

*For mobile units, add "-M" after the model number.
 O.A. height for mobile unit is 66" with 5" centers.
 See Table GA-1 for options on page PG-2.

Slicer/mixer stand, heavy duty aluminum with stainless steel top

CATALOG PAGE D-34

- Furnished with s/s top, 4 floor locks & 5" swivel casters, 2 with brakes.

Model Number	Pan Capacity (18" x 26")	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			W	D	H		
9588-FL-ST-1817	17	1 1/2	22	30 3/8	35	105	\$ 1,704
9588-FL-ST-1815	15	1 1/2	22	30 3/8	32	103	1,671
9588-FL-ST-1811	11	1 1/2	22	30 3/8	26	100	1,664



9585-FL-ST-1815

Optional accessory post is also available. See option above. Consult factory.
 For other options, see Table DD-1 on page PD-17 & see Options above for portable tables.

Sammons Equipment Manufacturing Corp.

SHAMMI INDUSTRIES

390-A Meyer Circle • Corona, CA 92879-1078

Telephone: (951) 340-3419 • Fax: (951) 340-2716

Toll free: 1 (800) 417-9260 (outside California)

Web Site: www.sammonsequipment.com

E-mail: info@sammonsequipment.com



Stainless steel shelving adjustable, standard & heavy duty

- Unique corner gussets eliminating unsanitary crevices.
- Unit is shipped knocked down (K.D.) for easy assembly.
- 1½" O.D. x 16 ga. s/s tubing uprights.

CATALOG PAGE G-2

4 Tier Stationary Units (O.A. height 61")

Heavy Duty Models (16 ga. shelves)

These shelving units allow quick installation & adjustable spacing by locking corner gussets with a set screw at the desired height.

Shelf Size (Inches)	*Model Number (also see note)		Weight (Pounds)	List Price	
	Louvered Shelves	Solid Shelves		Louvered Shelves	Solid Shelves
18 x 36	2307-HD-1836	2308-HD-1836	90	\$ 2,704	\$ 2,467
18 x 42	2307-HD-1842	2308-HD-1842	100	3,029	2,732
18 x 48	2307-HD-1848	2308-HD-1848	110	3,245	2,919
18 x 54	2307-HD-1854	2308-HD-1854	120	3,637	3,036
18 x 60	2307-HD-1860	2308-HD-1860	130	3,542	3,199
21 x 36	2307-HD-2136	2308-HD-2136	100	2,935	2,636
21 x 42	2307-HD-2142	2308-HD-2142	112	3,201	2,868
21 x 48	2307-HD-2148	2308-HD-2148	124	3,451	3,109
21 x 54	2307-HD-2154	2308-HD-2154	136	3,641	3,304
21 x 60	2307-HD-2160	2308-HD-2160	148	3,898	3,539
24 x 36	2307-HD-2436	2308-HD-2436	108	3,111	2,794
24 x 42	2307-HD-2442	2308-HD-2442	120	3,377	2,968
24 x 48	2307-HD-2448	2308-HD-2448	132	3,569	3,222
24 x 54	2307-HD-2454	2308-HD-2454	144	3,818	3,461
24 x 60	2307-HD-2460	2308-HD-2460	156	4,076	3,696
27 x 36	2307-HD-2736	2308-HD-2736	118	3,656	3,285
27 x 42	2307-HD-2742	2308-HD-2742	132	3,918	3,520
27 x 48	2307-HD-2748	2308-HD-2748	146	4,103	3,696
27 x 54	2307-HD-2754	2308-HD-2754	158	4,335	3,935
27 x 60	2307-HD-2760	2308-HD-2760	170	4,602	4,171

NOTE:

Extra heavy duty shelving is also available with 14 ga. s/s shelves in lieu of 16 ga.. Replace "HD" by "EHD" in model numbers and add 10% to list price.



2307-HD-2448

4 Tier Stationary Units (O.A. height 61")

Standard Duty Models (18 ga. shelves)

Shelf Size (Inches)	*Model Number		Weight (Pounds)	List Price	
	Louvered Shelves	Solid Shelves		Louvere d Shelves	Solid Shelves
18 x 36	2307-1836	2308-1836	78	\$ 2,224	\$ 1,943
18 x 42	2307-1842	2308-1842	86	2,369	2,081
18 x 48	2307-1848	2308-1848	94	2,509	2,207
18 x 54	2307-1854	2308-1854	102	2,661	2,345
18 x 60	2307-1860	2308-1860	110	2,858	2,528
21 x 36	2307-2136	2308-2136	86	2,301	2,019
21 x 42	2307-2142	2308-2142	96	2,474	2,179
21 x 48	2307-2148	2308-2148	106	2,661	2,351
21 x 54	2307-2154	2308-2154	116	2,918	2,591
21 x 60	2307-2160	2308-2160	126	3,102	2,762
24 x 36	2307-2436	2308-2436	95	2,500	2,221
24 x 42	2307-2442	2308-2442	108	2,704	2,402
24 x 48	2307-2448	2308-2448	121	2,878	2,561
24 x 54	2307-2454	2308-2454	134	3,317	2,801
24 x 60	2307-2460	2308-2460	147	3,367	3,015
27 x 36	2307-2736	2308-2736	102	2,833	2,515
27 x 42	2307-2742	2308-2742	114	3,021	2,698
27 x 48	2307-2748	2308-2748	128	3,226	2,886
27 x 54	2307-2754	2308-2754	142	3,426	3,073
27 x 60	2307-2760	2308-2760	156	3,629	3,262

Table GA-1

Options for Stainless Steel Shelving Units

- A. **Mobile unit (5" polyurethane.....\$283 all swivel casters, set of 4)
- B. **Mobile unit (6" polyurethane.....365 all swivel casters, set of 4)
- C. Brakes on swivel casters (per pair).....69
- D. Rotating bumpers (set of 4).....132
- E. Louvered spacing larger than 2" (per shelf).....P.O.R.
- F. Casters welded to uprights (set of 4).....129
- G. Louvered & solid shelf combination on same shelving unit.....Same as louvered unit
- H. Extra height (up to 78" for certain sizes).....238
- I. Solid shelves with lengthwise channels (add "-CS" after solid shelf model no.).....Same as louvered unit
- J. Galvanized or aluminum shelving (2307 & 2308 series).....P.O.R.
- K. Extra shelf.....Add 25% to list price

** In lieu of bullet feet.

*For mobile units, add "-M" after the model number. O.A.

Height for mobile units is 66" with 5" casters.



Dunnage racks, stainless steel

- Shelf: 16 ga. s/s (14 ga. optional).
- Legs: 1 5/8" O.D. x 16 ga. s/s tubing.

CATALOG PAGE G-4

*Stationary Units (height 12" above floor)

Shelf Size (Inches)	*Model Number		Weight (Pounds)	List Price	
	Louvered Shelves	Solid Shelf (see note)		Louvered Shelves	Solid Shelves
18 x 36	2314-1836	2313-1836	60	\$ 1,369	\$ 1,148
18 x 42	2314-1842	2313-1842	63	1,464	1,224
18 x 48	2314-1848	2313-1848	66	1,526	1,282
18 x 54	2314-1854	2313-1854	70	1,991	1,671
21 x 36	2314-2136	2313-2136	62	1,436	1,204
21 x 42	2314-2142	2313-2142	66	1,501	1,259
21 x 48	2314-2148	2313-2148	70	1,561	1,308
21 x 54	2314-2154	2313-2154	74	2,064	1,729
21 x 60	2314-2160	2313-2160	78	2,151	1,800
24 x 36	2314-2436	2313-2436	63	1,501	1,257
24 x 42	2314-2442	2313-2442	67	1,593	1,339
24 x 48	2314-2448	2313-2448	71	1,683	1,408
24 x 54	2314-2454	2313-2454	75	2,009	1,686
24 x 60	2314-2460	2313-2460	79	2,304	1,932
27 x 42	2314-2742	2313-2742	66	1,679	1,386
27 x 48	2314-2748	2313-2748	70	1,778	1,488
27 x 54	2314-2754	2313-2754	74	2,086	1,748
27 x 60	2314-2760	2313-2760	78	2,402	2,010



Louvered Type 2314-2454



Channel Type 2313-2448-CS

Note: Solid shelves type dunnage racks are also available with lengthwise channels. Add "-CS" after solid shelf model number. Priced same as louvered shelf type.

*For mobile units, add "-M" after the model number.

For options, see Table GA-1 on page PG-2

Dunnage racks aluminum & stainless steel

- All welded construction.
- 1 1/2" x 1 3/4" x 0.075" aluminum or 1 1/2" x 1 1/2" s/s square tubing.

CATALOG PAGE G-5

Shelf Size (Inches)	No. of Laterals	*Model No. For		Weight (Pounds)		List Price	
		8" High	12" High	Alum	S/S	Alum	S/S
18 x 36	4	9090-1836-8	9090-1836-12	10	25	\$ 255	\$ 255
18 x 48	4	9090-1848-8	9090-1848-12	12	30	293	293
18 x 60	4	9090-1860-8	9090-1860-12	14	35	366	366
20 x 36	4	9090-2036-8	9090-2036-12	10	25	257	257
20 x 48	4	9090-2048-8	9090-2048-12	12	30	310	310
20 x 60	4	9090-2060-8	9090-2060-12	14	35	385	385
24 x 36	5	9090-2436-8	9090-2436-12	12	30	299	299
24 x 48	5	9090-2448-8	9090-2448-12	15	38	355	355
24 x 60	5	9090-2460-8	9090-2460-12	17	43	394	394
27 x 36	5	9090-2736-8	9090-2736-12	13	32	350	350
27 x 48	5	9090-2748-8	9090-2748-12	16	40	394	394
27 x 60	5	9090-2760-8	9090-2760-12	19	47	446	446

** For stainless steel models, add "-SS" after model number.

Boxed beef truck aluminum & stainless steel

- All welded construction.
- 1 1/2" x 1 3/4" x 0.075" alum or 1 1/2" x 1 1/2" s/s square tubing.
- 6" H.D. casters.

CATALOG PAGE G-6

Type	Model No.	Shelf Size (Inches)	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
Aluminum	9130	27 x 60	27 x 60 x 70	115	\$ 1,736
Stainless Steel	9130-SS	27 x 60	27 x 60 x 70	208	3,305



9130



Heavy duty aluminum adjustable shelving

- Fully adjustable with choice of 4 type of shelves.
- Sanitary and rust proof and available in 4 different types of shelves which can also be mixed and matched

CATALOG PAGE G-7

Shelf Size (Inches)	Weight Each Shelf (Pounds)	List Price Each Shelf Type			
		Rectangular Tubing 9355-RT	T-Bar 9355-TB	Solid Shelf 9355-SL	Reinforced Solid Shelf 9355-SLR
15 x 30	6	\$ 162	\$ 181	\$ 130	\$ 159
15 x 36	7	166	196	157	174
15 x 42	8	175	210	155	191
15 x 48	10	184	228	161	203
18 x 30	8	157	198	137	172
18 x 36	9	172	215	155	191
18 x 42	10	181	230	166	210
18 x 48	11	196	251	181	228
18 x 54	12	215	270	198	248
20 x 30	8	161	203	152	181
20 x 36	9	178	228	161	203
20 x 42	10	196	246	178	226
20 x 48	11	213	268	194	242
20 x 54	12	228	284	210	259
20 x 60	14	238	304	228	281
24 x 36	10	196	251	178	226
24 x 42	11	218	270	148	248
24 x 48	12	238	304	218	272
24 x 54	14	252	325	238	294
24 x 60	15	276	361	254	320
24 x 72	18	294	375	276	339



9355-RT-4-1842
(Tubing Type)



9355-TB-3-1842
(T-Bar Type)



9355-SLR-3-1842
(Reinforced solid shelf type)

NOTE: Before ordering, determine no. of shelves for each unit

required &

multiply applicable shelf price by no. of shelves determined.

Add price for set of posts from table below to come up with total price of each unit.

List Price of A Set of Four (4) Posts			
2 Shelf Model	3 Shelf Model	4 Shelf Model	5 Shelf Model
54" High Posts	68" High Posts	76" High Posts	84" High Posts
\$ 187	\$ 231	\$ 268	\$ 307

Heavy duty all welded Aluminum shelf racks


- Heavy duty all welded construction.
- Choice of rectangular tubing type or T-bar shelves.

For Tubing Type units, specify model 9351-RT followed by number of shelves and shelf size.


For T-bar Type units, specify model 9351-TB followed by number of shelves and shelf size.

CATALOG PAGE G-8

No. of Shelves	Shelf Size (Inches)	Weight (Pounds)	List Price	
			*Tubing Type	T-bar Type
2 Shelf Unit Height: 48" Shelf Clearance: 34½"	20 x 36	49	\$672	\$ 895
	20 x 48	53	750	973
	20 x 60	57	818	1,072
	20 x 72	61	886	1,169
	24 x 36	53	724	958
	24 x 48	58	726	1,055
3 Shelf Unit Height: 60" Shelf Clearance: 22½"	20 x 60	63	887	1,168
	24 x 72	68	920	1,278
	20 x 36	59	\$ 866	\$1,150
	20 x 48	64	964	1,269
	20 x 60	69	1,055	1,389
	20 x 72	74	1,160	1,516
4 Shelf Unit Height: 72" Shelf Clearance: 18½"	24 x 36	65	886	1,227
	24 x 48	71	1,048	1,371
	24 x 60	72	1,158	1,523
	24 x 72	85	1,266	1,668
	20 x 48	77	\$ 1,227	\$1,614
	20 x 60	85	1,322	1,740
	20 x 72	93	1,435	1,871
	24 x 48	85	1,300	1,704
	24 x 60	95	1,435	1,878
	24 x 72	105	1,567	2,071



Tubing Type
9351-RT Series
(Mobile Unit Shown)



T-Bar Type
(9351-TB Series)

*20" wide units furnished with 4 laterals in each shelf.

24" wide units furnished with 5 laterals in each shelf.

Options

List Price

1. Adjustable feet.....\$107
2. Mobile units with 6" casters.....282 (for heights up to 60")
3. Removable flat aluminum shelves.....add 50% to list price of unit
4. Removable flat stainless steel shelves.....add 90% to list price of unit
5. All s/s construction (tubing type).....add 90% to list price of unit



**Extra heavy duty stainless steel security
all welded round tubing and square tubing
type shelving units for correctional
facilities.**

- All welded extra heavy duty 4 shelf tubular rack/ shelving unit.
- Ideal for correctional institutions & for facilities requiring extra strong shelving units.
- Choice of 1½” O.D. x 16 ga. s/s round tubing type or 1½”x1½”x18 ga s/s square tubing type uprights and horizontal tubular frames with laterals.
- Furnished with adjustable s/s bullet feet for round tubing units & threaded clip type feet for square tubing units.



2309-EHD-3060
(Round tubing type stationary unit)

CATALOG PAGE G-9

A. Round Tubing Type 4 Tier Stationary Units

(O.A. height 61”, shelf clearance = 15” approx.)

Shelf Size (Inches)	Model Number	Number of Laterals	Weight (Pounds)	List Price (see note)
24 x 48	2309-EHD-2448	5	158	\$ 3,515
24 x 60	2309-EHD-2460	5	180	3,799
27 x 48	2309-EHD-2748	6	180	3,638
27 x 54	2309-EHD-2754	6	198	4,110
27 x 60	2309-EHD-2760	6	225	4,150
27 x 72	2309-EHD-2772	6	255	4,244
30 x 48	2309-EHD-3048	6	212	3,859
30 x 60	2309-EHD-3060	6	238	4,241
30 x 72	2309-EHD-3072	6	265	4,523

B. Square Tubing Type 4 Tier Stationary Units

(O.A. height 61”, shelf clearance = 15½” approx.)

Shelf Size (Inches)	Model Number	Number of Laterals	Weight (Pounds)	List Price (see note)
24 x 48	2310-EHD-2448	5	154	\$ 3,276
24 x 60	2310-EHD-2460	5	176	3,541
27 x 48	2310-EHD-2748	6	180	3,392
27 x 54	2310-EHD-2754	6	190	3,812
27 x 60	2310-EHD-2760	6	218	3,908
27 x 72	2310-EHD-2772	6	248	3,996
30 x 48	2310-EHD-3048	6	206	3,654
30 x 60	2310-EHD-3060	6	230	4,069
30 x 72	2310-EHD-3072	6	258	4,342



2309-EHD-3060-M
(Round tubing type optional mobile unit)

*For mobile units, add “-M” after the model number
O.A. height for mobile unit is 66” with 5” casters and shelf clearance is 16½” approx. See Options below.

Options for both type units:

List Price

1. Extra lateral in shelfAdd 12%
2. For heavy duty 5” stem casters (for round tubing units only).....\$284
3. For heavy duty 5” platform casters..... \$458
4. For heavy duty 6” platform type poly casters..... \$519
5. Brakes on swivel casters (per pair).....\$69
6. Rotating bumpers (for stem casters).....\$132
7. Corner bumpers (for square tubing units).....\$182
8. Extra Height (up to 78”).....\$238
9. Extra shelf.....Add 25%
10. 16 ga. wall (in lieu of 18 ga) for square tubing type units.....Add 12%



SAMMONS EQUIPMENT MFG. CORP.

SHAMMI INDUSTRIES

SAMCO

www.sammonsequipment.com

390-A Meyer Circle

Corona, CA 92879-1078

Tel: (951) 340-3419 • Fax: (951) 340-2716

TERMS AND CONDITIONS

1. All prices are F.O.B. Plant, Corona, California.
2. All orders must be in writing and are contingent upon acceptance by Sammons Equipment Mfg. Corp. Representatives and dealers are not authorized to bind orders. Orders once processed internally by Sammons Equip. Mfg. Corp. For production schedule are non cancelable.
3. Payments are net 30 days for open accounts, subject to credit approval, unless otherwise noted. Sammons Equip. Mfg. Corp. Reserves the sole right to establish amount of credit offered and to change it as deemed necessary.
4. All applicable state, federal or municipal use or sales tax in effect now or subsequently becoming effective are to buyers account to be paid by buyer. If goods are for resale buyer must provide a certificate of exemptions.
5. All shipments will be subject to pricing in effect at time of shipment. Prices and specifications are subject to change without notice. Sammons Equipment Mfg. Corp. Reserves the right to discontinue product(s) or to modify design and construction and to substitute material and or equipment equal to or better than originally specified. Price list is not a substitute for detailed specifications. Please check latest prices with factory before ordering, especially if more than six months have passed since the effective date of price list shown on the cover page.
6. Not all items shown in catalog/price lists are produced regularly. Sammons Equipment Mfg. Corp. reserves the sole right to determine which merchandise is returnable and which is not. Therefore, merchandise may not be returned without our written consent before the return. Further limitations on the total dollar amount of such returns and a 60 day time limit from date of original shipment may also apply at the sole discretion of Sammons Equip. Mfg. Corp. All such authorized returned goods must be unused, in prime condition, in original carton and are subject to a minimum restocking and handling charge of 30% of net prices. All transportation charges are to be paid by customer. Goods being returned must be shipped "Freight Prepaid" or shipment will be refused. No returns are accepted on custom built or special or modified equipment.
7. Minimum net for each order whether for parts or otherwise is \$100.00 and is further subject to minimum order quantity for certain items if any specified in this price list.
8. First time orders must be accompanied by a certified or a cashier's check for the full amount of order, including any applicable freight unless satisfactory credit has been established and approved by Sammons Equip. Mfg. Corp.
9. All equipment and parts are shipped at buyer's risk. Title to goods passes to buyer on delivery of goods to the carrier by Sammons Equip. Mfg. Corp. at its plant. Any claims for damages or shortages must be filed promptly with the carrier by the buyer/consignee and any resulting reimbursement is a matter to be resolved between the carrier and the buyer. For an incomplete or damaged shipment, obtain a notation on freight bill followed by an inspection report signed by the freight carrier's agent. For a concealed damage contact the carrier and have their inspector make an inspection report.

WARRANTY

Sammons Equipment Mfg. Corp. warrants to the original purchaser only that it will at its option, repair or replace during the warranty period specified below, any defect in material or workmanship in any part or product manufactured at its plant. The warranty period is one (1) year for parts and (90) days for labor and the period starts on the date of original shipment from its plant. Repair or replacement under the warranty shall be performed, unless otherwise authorized in writing by Sammons Equip. Mfg. Corp., at its plant. Transportation charges are not included and are to buyer's account. Any changes, modifications or alterations of original equipment or parts voids the warranty.

The warranties and limitations of liability set forth herein shall be exclusive, in lieu of, and exclude all other (expressed, implied or statutory) warranties (except title) including without limitations those of merchantability, fitness of purpose, or otherwise.

Sammons Equip. Mfg. Corp. shall under no circumstances be liable for special, incidental, exemplary, or consequential damages including but not limited to, loss by reason of facility shutdown, non-operation, cost of replacement, cost of substitute equipment, facilities, or services, delays in installation of the work or completion of the project, or other such claims arising from any cause whatsoever whether or not such loss or damage is based on contract, warranty, negligence, strict liability, indemnity, or otherwise.

Sammons Equipment Manufacturing Corp.

SHAMMI INDUSTRIES

390-A Meyer Circle • Corona, CA 92879-1078

Telephone: (951) 340-3419 • Fax: (951) 340-2716

Toll free: 1 (800) 417-9260 (outside California)

Web Site: www.sammonsequipment.com

E-mail: info@sammonsequipment.com