

PRICE LIST EFFECTIVE  
Jun. 1, 2018

# Sammons Equipment Manufacturing Corporation

SHAMMI INDUSTIRES



**Our "Queen Marys"  
have made us Famous!!!!**



**TABLE OF CONTENTS**

<b>QUEEN MARYS &amp; SHELF TRUCKS</b>	<b>PA-1 thru PA-7</b>	<b>UTILITY &amp; BUSSING CARTS</b>	<b>PE-1 thru PE-12</b>
<b>CABINETS, TRANSPORT &amp; DELIVERY</b>	<b>PB-1 thru PB-9</b>	<b>DOLLIES &amp; PLATFORM TRUCKS</b>	<b>PF-1 thru PF-6</b>
<b>PROOFING &amp; HOT CABINETS</b>	<b>PC-1 thru PC-14</b>	<b>SHELVING &amp; DUNNAGE RACKS</b>	<b>PG-1 thru PG-5</b>
<b>RACKS</b>	<b>PD-1 thru PD-17</b>	<b>SLICER STANDS &amp; WORK TABLES</b>	<b>PG-1 and PH-1</b>

**TERMS & CONDITIONS & WARRANTY SEE INSIDE BACK COVER**

**X-REFERENCE CHART**

MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number
CV-12	PD-4A	2173-2175	PE-3	2580	PD-1,PD-16E	9235	PC-6
E-11007	PA-1	2176	PA-5,PE-3	2581	PD-2A,PD-2B	9236	PC-4,PC-4A
GR	PH-1	2177-2179	PE-3	2582	PD-7	9238	PC-7
S-224	PE-2	2180	PA-5,PF-2	2583	PD-9	9240	PB-5
S-3131	PD-5,PD-6, PD-9	2191	PE-5	2584	PD-7	9250	PC-2,PC-3,PC-7,PC-13A
S-3587	PA-1	2192	PE-5	2585	PD-2,PD-4A, PD-11PD-16D,PD-12A	9251	PC-1,PC-1A
S-3658	PA-1	2193	PE-5	2586	PD-4A	9252	PC-2,PC-3,PC-13A
S-3751 THRU	PF-4	2194	PE-1,PE-2	2589	PD-3	9253,9254	PC-5
S-3755	PF-6	2195	PE-1	2601,2602	PH-1	9256	PC-4,PC-4A
S-3921		2200	PB-3B	2603,2604	PH-1	9260	PD-14
S-4100	PD-3,PD-14,PD-16E	2202	PB-3C,PB-3D,PB-3E	2607	PG-1		
S-4285	PB-2	2205	PB-8	2801	PC-10		
S-4354	PD-4,PD-9, PD-11	2230	PC-3	2803	PC-8,PC-13A	9264	PB-4,PB-6
S-4358	PD-5	2231	PC-1,PC-6	2805	PC-8		
S-5030	PA-3	2232	PC-3	3919	PA-1	9270	PC-2
S-5036	PA-3,PE-11	2233	PC-6	4210	PA-1	9271	PC-1
S-5065	PB-8C	2234	PC-1,PC-6	5166,5167	PE-1A	9273,9274	PC-5
S-5100	PA-2	2235	PC-6	5170,5171	PE-1A	9280	PC-2,PC-3,PC-13A
S-5108	PA-3,PB-3A,	2236	PC-4	6231,6235	PF-4	9281	PC-1,PC-1A
S-5181	PB-8C,PE-11	2237	PC-9	6251,6255	PF-4	9282	PC-2,PC-3,PC-13A
S-5481	PD-16,PB-8C,PD-16A	2238	PC-7	6271	PF-4		
WHD	PA-3	2250	PC-2,PC-7,PC-13A	6275	PF-4	9283	PC-5
1940	PD-4A	2251	PC-1	6281,6285	PF-4	9284	PC-5,PC-13
1941	PE-4,PE-9	2252	PC-2,PC-3,PC-13A	9001	PE-5	9286	PC-4,PC-4A
2001	PE-9	2253,2254	PC-5	9007-9008	PE-6	9288	PC-7,PC-13
2006,2007	PE-5	2256	PC-4	9023-9030	PA-5	9292	PC-3,PC-13A
2008	PE-6,PE-12	2270	PC-2	9040	PD-15,PD-16	9298	PC-7
2010-2012	PE-6	2271	PC-1	9045	PA-4,PA-5	9351	PG-4
2023-2030	PE-1	2274	PC-5	9047	PD-16,PD-16C	9355	PG-4
2035-2038	PA-5	2281	PC-1	9048	PD-16B	9359	PD-13
2040	PE-1	2282	PC-2,PC-3	9070	PA-6	9412	PC-9
2041	PE-4	2283,2284	PC-5	9085	PF-1,PF-2	9501	PA-6
2043-2045	PE-4,PE-8	2285	PC-11-PC-11D	9086	PF-1, PF-3	9502	PA-2
2047,2048	PE-4	2286	PC-12	9090	PF-3,PF-2	9503	PA-3,PA-6A
2049	PE-3A	2287	PC-4,PC-11E,PC-12	9105	PB-1,PB-3,PB-4,PB-2A	9504	PA-4
2070	PA-6	2288	PC-11F	9115	PB-3	9506	PA-6
2085	PF-1,PF-2	2289	PC-11,PC-11F	9120	PD-4,PD-9,PD-11	9560,9562	PD-13
2086	PF-1,PF-2	2292	PC-7,PC-13	9130	PE-9,PF-1,PG-3,PE-12	9563	PD-16B
2089	PD-6	2298	PC-10	9150,9152	PB-2,PB-2A	9564	PD-13
2142	PE-3, PE-3A	2305	PC-3,PC-12,PC-13A,PC-13	9156	PB-3,PB-3A,PB-2A,PB-3B,PB-4,PB-5,PB-7,PB-8.PD-12	9565	PD-16A
2143	PE-3,PE-7,PE-3A	2306	PC-7	9158	PB-3	9566	PE-10
2145,2146	PE-7	2307,2308	PG-1	9170,9171	PD-12	9580	PD-1,PD-15,PD-16E,PD-2C
2147	PE-4,PE-8	2309,2310	PA-3,PG-1	9172	PD-7	9581	PD-1,PD-2A,PD-2B,PD-2C
2148	PE-10,PE-11	2313,2314	PG-5	9200	PB-3B	9582	PD-7,PD-9
2150	PB-6,PB-8,PB-8B	2412	PC-9	9202	PB-3C,PB-3D,PB-3E	9583	PD-9,PD-10
2151	PE-4	2502	PA-2	9220	PB-1,PB-3,PB-3A,PB-4,PB-7	9584	PD-7
2153,2154	PE-3,PE-1A	2503	PA-3,PA-6A	9230	PC-3	9585	PD-2,PD-4A,PD-9,PD-10,PD-11.PD-14,PD-16D
2160-2167	PA-5,PE-3	2504	PA-4	9231	PC-1,PC-6,PC-1A	9586	PD-4A,PD-8
2168	PE-3	2506	PA-6	9233	PC-6	9587	PD-8
2169-2171,2172	PA-5,PE-3			9234	PC-3	9588	PG-1
					PC-3	9589	PD-3
					PC-1,PC-6	9601	PF-3,PF-6
						9602	PF-5
						9803	PC-8,PC-13A



## Heavy duty storage and delivery carts for insulated trays for correctional facilities, stainless steel and aluminum.

- Choice of heavy duty all welded stainless steel or aluminum construction.
- Designed for 13 $\frac{7}{8}$ "x15 $\frac{1}{4}$ "x2 $\frac{1}{2}$ " insulated trays.
- Rolls on 8" heavy duty polyurethane casters (2 swivel, 2 rigid)
- Solid base with 1 $\frac{1}{2}$ " square tubing upright frame with rear pan stop in each section.

CATALOG PAGE E-22



4 section stainless steel model  
**9130-SS-4-160-1315**  
 (shown with optional solid top)

### A. Stainless Steel Models

Model Number	Approx. Capacity	Tray Size	No. of Sections	O.A. Dimensions D x W x H (Inches)	Weight (Pounds)	List Price
<b>9130-SS-4-160-1315</b>	160	13 $\frac{7}{8}$ "x15 $\frac{1}{4}$ "x2 $\frac{1}{2}$ " Thick Insulated Trays	4	30 $\frac{1}{4}$ x 75 x 70 $\frac{3}{8}$	335	\$ 5,927
<b>9130-SS-4-120-1315</b>	120		4	30 $\frac{1}{4}$ x 75 x 55 $\frac{3}{8}$	310	5,595
<b>9130-SS-3-96-1315</b>	96		3	30 $\frac{1}{4}$ x 58 x 58 $\frac{3}{8}$	286	4,906
<b>9130-SS-2-60-1315</b>	60		2	30 $\frac{1}{4}$ x 41 x 55 $\frac{3}{8}$	222	4,458

### B. Aluminum Models

Model Number	Approx. Capacity	Tray Size	No. of Sections	O.A. Dimensions D x W x H (Inches)	Weight (Pounds)	List Price
<b>9130-4-160-1315</b>	160	13 $\frac{7}{8}$ "x15 $\frac{1}{4}$ "x2 $\frac{1}{2}$ " Thick Insulated Trays	4	30 $\frac{1}{4}$ x 75 x 70 $\frac{3}{8}$	215	\$ 4,554
<b>9130-4-120-1315</b>	120		4	30 $\frac{1}{4}$ x 75 x 55 $\frac{3}{8}$	185	4,176
<b>9130-3-96-1315</b>	96		3	30 $\frac{1}{4}$ x 58 x 58 $\frac{3}{8}$	135	3,419
<b>9130-2-60-1315</b>	60		2	30 $\frac{1}{4}$ x 41 x 55 $\frac{3}{8}$	93	3,396

Note: Carts are also available for other insulated trays. Consult Factory.

#### Options

- List Price**
- \*1. Corner bumpers.....165
  - \*2. Wrap around bumper.....338
- \* Will increase the O.A. depth & width by 2". Please make sure it will go thru your doors/hallways.

#### Options

- List Price**
- 3. 8" balloon casters (in lieu of polyurethane).....277
  - 4. Solid top.....442

## 3 Sides enclosed heavy duty stainless steel tray delivery cart for insulated trays

- Designed for thick insulated food trays.
- All welded s/s construction.
- 14 ga. s/s shelves with bottom shelf reinforced.
- Enclosed on 3 sides.
- 1" dia s/s tubular handle & wrap around bumper
- 1" s/s angle vertical reinforcement.
- 8"x 2" polyurethane casters (2 swivel, 2 rigid).
- Top shelf has 3 edges turned up, front edge down



2008-2849-2-EHD



2008-2865-2-EHD

CATALOG PAGE E-21

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	*Tray capacity	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
<b>2008-2849-2-EHD</b>	28x49	25 $\frac{3}{4}$	13 $\frac{7}{8}$ x15 $\frac{1}{4}$ x2 $\frac{1}{2}$	108	30x 53 $\frac{1}{2}$ x 37 $\frac{1}{2}$	198	\$ 4,907
<b>2008-2865-2-EHD</b>	28x65	25 $\frac{3}{4}$	13 $\frac{7}{8}$ x15 $\frac{1}{4}$ x2 $\frac{1}{2}$	144	30x 69 $\frac{1}{2}$ x 37 $\frac{1}{2}$	240	5,614

\*Note 1: The capacity shown is the maximum total capacity of two shelves. Each shelf will carry one half the capacity shown. However it is recommended that only enough trays be put on top shelf that can be safely transported.

Note 2: Carts are also available for other tray sizes. Consult factory.

#### Options

- List Price**
- 1. 8" Balloon casters.....\$277
  - 2. 8" Pneumatic casters.....\$331
  - 3. Six (6) Casters (in lieu of 4).....\$331

#### Options

- List Price**
- 4. Double doors on front.....P.O.R.
  - 5. Vinyl woodgrain on 3 sides.....P.O.R.
  - 6. Brakes on 2 swivel casters.....\$158



## Utility carts, stainless steel

CATALOG PAGE E-1

Polished, Heli/Wire Arc Welded Carts

**500 Pounds Capacity:**

- **Legs:** 14 ga. s/s.
- **Shelves:** 20 ga. s/s.
- **Casters:** 5" all swivel.
- **Bumper:** Legs & handle.

Shelf Size (Inches)	Model Number	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			H	W	L		
16 x 24	2010	12¼	36 <sup>3</sup> / <sub>16</sub>	17	28	62	P.O.R.
18 x 27	2011	12¼	36 <sup>3</sup> / <sub>16</sub>	19	31	74	\$1,439
23 x 34	2012	12¼	36 <sup>3</sup> / <sub>16</sub>	24	38	92	P.O.R.



2035

**650 Pounds Capacity: (Heavy Duty, Deluxe)**

- **Legs:** 14 ga. s/s.
- **Casters:** 5"x 1¼" deluxe, all swivel.
- **Shelves:** 18 ga. s/s.
- **Bumper:** Legs & handle.

Shelf Size (Inches)	Model Number	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			H	W	L		
16 x 24	2035	12¼	36 <sup>3</sup> / <sub>16</sub>	17	28	74	\$ 1,616
18 x 27	2036	12¼	36 <sup>3</sup> / <sub>16</sub>	19	31	82	1,767
23 x 34	2037	12¼	36 <sup>3</sup> / <sub>16</sub>	24	38	100	2,151
23 x 50	2038	12¼	36 <sup>3</sup> / <sub>16</sub>	24	54	118	2,736

**NOTE:** These carts are also available in ergonomic style with 10" shelf clearance but bigger O.A. Height. Consult factory.  
For wrap around bumper, ADD \$447

## Stainless steel utility carts, all welded

CATALOG PAGE E-3

- **Uprites:** 1" dia. s/s tubing.
- **Shelves:** 18 ga. s/s.
- **Casters:** 5" all swivel.

**Style A: With Straight Uprites.**

Offered in 1,2,3,4 or 5 shelf models.

Model Number	No. of Shelves	Shelf Size (Inches)	Height (Inches)	Shelf Clearance (Inches)	Weight (Pounds)	List Price
2194-1	1	23 x 34	36½	-	85	\$ 1,182
2194-2	2	23 x 34	36½	20	93	1,392
2194-3	3	23 x 34	36½	9	102	1,704
2194-4	4	23 x 34	45	8½	123	2,077
2194-5	5	23 x 34	55	8½	141	2,595



2194-3



2194-2

**Style B: With Formed (Curved) Uprites**

Offered in 2 or 3 shelf models.

Model Number	No. of Shelves	Shelf Size (Inches)	Height (Inches)	Shelf Clearance (Inches)	Weight (Pounds)	List Price
2195-2	2	23 x 34	35¾	18	93	\$ 1,515
2195-3	3	23 x 34	35¾	8¼	102	1,825



2195-2

**Style C: With Straight Uprites & Bars on Back & Sides**

Model Number	No. of Shelves	Shelf Size (Inches)	Height (Inches)	Shelf Clearance (Inches)	Weight (Pounds)	List Price
2194-3-HD-PS	3	23 x 34	36½	9	110	\$ 2,460



2194-3-HD-PS

**Options**

**List Price**

- A. 5" polyurethane casters (in lieu of std.).....\$133
- B. Round bumpers (set of 4).....124
- C. Wrap around bumper.....470



## Special Value Utility carts, stainless steel

CATALOG PAGE E-16

### Electronically Welded Carts

#### 300 Pounds Capacity:

- **Legs:** 20 ga. s/s.
- **Shelves:** 22 ga. s/s. reinforced front
- **Casters:** 3 1/2" all swivel.
- **Bumper:** Legs & handle.

Shelf Size (Inches)	Non-NSF Model Number	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			H	W	L		
15 1/2 x 24	5311-EC	11 3/4	32 1/4	16 1/4	27 1/2	30	\$ 452

Note: This unit can ship by U.P.S.

#### 500 Pounds Capacity: (Medium Duty)

- **Legs:** 16 ga. s/s.
- **Shelves:** 20 ga. s/s. reinforced front
- **Casters:** 4", all swivel
- **Bumper:** Legs & handle.

Shelf Size (Inches)	Non-NSF Model Number	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			H	W	L		
18 x 27	5422-EC	11 7/8	33 1/2	19	31	44	\$ 651



5311-EC



5422-EC

## Special Value Utility carts, stainless steel, standard duty

CATALOG PAGE E-16

- Electronically welded stainless steel carts.
- Up to 700# capacity..
- 1"x 1"x 0.120" U-shape s/s angle uprights frame.
- 18 ga. shelves, 3 edges up 1 down.
- Two 5" swivel casters & two 8" fixed wheels.
- Choice of N.S.F. or Non-N.S.F. Models.

Shelf Size	Model Number		Shelves		O.A. Dimensions (Inches)			Weight (pounds)	List Price	
	Non-N.S.F.	N.S.F.	No.	Space between (inches)	W	L	H		Non-N.S.F.	N.S.F.
18 x 27	5166-EC	2166-EC	3	10	19 3/8	33 7/8	34 1/2	80	\$ 2,096	\$ 1,273
	5167-EC	2167-EC	2	19	19 3/8	33 7/8	34 1/2	70	971	1,111
21 x 33	5170-EC	2170-EC	3	11 3/8	22 3/8	39 7/8	37 3/8	96	1,324	1,347
	5171-EC	2171-EC	2	21	22 3/8	39 7/8	37 3/8	82	1,193	1,297

#### Options

1. Wrap around bumper.....\$465
2. Polyurethane wheels & casters.....256 (in lieu of standard)
3. Brakes on 2 casters (pair).....69

#### List Price

#### Options

4. All 5" swivel casters.....\$78
5. Correctional package.....255 (Arc welded & tamper proof screws)

#### List Price



2 Shelf  
Model 2167-EC



3 Shelf  
Model 2166-EC



## Utility carts, deluxe series, stainless steel

CATALOG PAGE E-4

### Deluxe Models, Heli-Arc Welded & Polished

- **Legs:** 1¼" dia. s/s tubing.
- **Shelves:** 18 ga. s/s with marine edge.
- **Casters:** 5" deluxe (2 swivel, 2 rigid).
- **Push Handle:** One for Style "A", two for Style "B"

	Shelf Size (Inches)	Shelves			O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
		No.	Model #	Space Between (inches)			
Style "A"	23 x 34	3	2196-3	11¼	24¼ x 38¼ x 34½	101	\$ 1,824
		2	2196-2	25	24¼ x 38¼ x 34½	85	1,575
Style "B"	23 x 34	3	2198-3	11¼	24¼ x 41¼ x 36¼	104	1,977
		2	2198-2	25	24¼ x 41¼ x 36¼	88	1,759



2196-3



2198-3

**Options**

**List Price**

1. All swivel casters.....\$74  
(in lieu of 2 swivel & 2 rigid)
2. Wrap around bumper.....470
3. Polyurethane 5" casters.....132  
(in lieu of 5" std.)

Heavy duty 3 shelf models with capacity up to 800# using 1½" O.D. s/s tubing, 16 ga. s/s shelves and 5" polyurethane casters are available. Add "-HD" after these model numbers.

List Price  
Add 25%  
(to list price)

## Tray service & general utility hand truck, stainless steel

(Also meets Federal Specification KKK-T-1286A.)

CATALOG PAGE E-5

### Deluxe Model, Heli-Arc Welded & Polished.

- **Uprites:** 1¼" dia. s/s tubing.
- **Shelves:** 18 ga. s/s with marine edge.
- **Casters:** 2 - 5" swivel
- **Push Handle:** 4 wrap around bumper.
- **2 - 10" load wheels**
- **Bumpers:** Wrap around.

Model Number	Shelves			O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
	No.	Size (Inches)	Space Between			
S-224-3SS	3	23½ x 34½	10	29 x 41½ x 36¾	112	\$ 2,489
S-224-2SS	2	23½ x 34½	21½	29 x 41½ x 36¾	97	2,110



S-224-3SS

## Deluxe utility cart, stainless steel cart

### All Welded Construction.

- **Uprites:** 1¼" dia. s/s tubing.
- **Shelves:** 18 ga. s/s.
- **Casters:** 5" swivel
- **Other:** Wrap around bumper & bars on each end.

CATALOG PAGE

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			L	W	H		
2194-U-HD-2134	21 x 34	12½	37¼	24¼	41¼	120	P.O.R.



2194-U-HD-2134

**NOTE:** These carts are also available in different shelf sizes, heights, number of shelves & with 5" or 6" plate casters for hospitals & other applications. Additional horizontal tubing braces (lengthwise) at the back to make 3 sided rails for each section are also available. Consult factory.



## Utility carts, all welded stainless steel, standard duty

CATALOG PAGE E-2

- All arc welded stainless steel carts.
- 650# capacity..
- 1" x 1" x 1/8" s/s uprights.
- 18 ga. shelves.

Style "A": All four swivel casters (5" diameter)

Style "B": Two 5" swivel casters & two 8" fixed wheels.

Shelf Size	Model Number		Shelves		O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
	Style "A"	Style "B"	No.	Space Between (Inches)			
16 x 24	2160	2162	3	10	17 3/8 x 30 7/8 x 34 1/2	79	\$ 1,581
	2161	2163	2	19	17 3/8 x 30 7/8 x 34 1/2	71	1,491
18 x 27	2164	2166	3	10	19 3/8 x 33 7/8 x 34 1/2	85	1,386
	2165	2167	2	19	19 3/8 x 33 7/8 x 34 1/2	75	1,212
21 x 33	2168	2170	3	11 3/8	22 3/8 x 39 7/8 x 37 3/8	101	1,556
	2169	2171	2	21	22 3/8 x 39 7/8 x 37 3/8	87	1,382
21 x 50	2172	2174	3	11 3/8	22 3/8 x 56 7/8 x 37 3/8	126	2,449
	2173	2175	2	21	22 3/8 x 56 7/8 x 37 3/8	110	2,158
24 x 43	2176	2178	3	11 3/8	25 3/8 x 49 7/8 x 37 3/8	124	2,802
	2177	2179	2	21	25 3/8 x 49 7/8 x 37 3/8	108	2,514



STYLE "A"  
MODEL 2164



STYLE "B"  
MODEL 2166

**Options**

- |  |                   |
|--|-------------------|
| 1. Wrap around bumper.....\$469                                    | <b>List Price</b> |
| 2. All four edges up.....217                                       |                   |
| 3. Guard rail in front of each shelf.....281                       |                   |
| 4. Polyurethane wheels & casters.....257<br>(in lieu of standard)  |                   |
| 5. 16 ga. Shelves (up to 800#) capacity...Add 50%<br>to list price |                   |

**Options**

- |  |                   |
|--|-------------------|
| 6. Shelf size up to 24"x 60".....Add 35% to list price<br>(of 24"x 43" shelf size)   | <b>List Price</b> |
| 7. Slots (5/8"x 3 1/2") for 2 shelf carts.....\$401<br>for tie down straps. Up to 6 slots<br>for bottom shelf 8 slots for top shelf. |                   |
| 8. Extra slots.....\$107/pair  |                   |
| 9. Ergonomic style with same shelf .....\$376<br>clearance but bigger O.A. height (consult factory)                                  |                   |

## Utility carts, heavy duty deluxe series stainless steel

CATALOG PAGE E-6

**A. 800# Models:**

- 12 ga. s/s uprights.
- 16 ga. s/s shelves.
- 6" casters.
- All edges up or all edges down.

Shelf Size (Inches)	Model Number		Shelf Clearance (Inches)	O.A. Dimensions (Inches) W x L x H*	Weight (Pounds)	List Price	
	All Edges Down	All Edges Up				All Edges Down	All Edges Up
23 x 34	2142-34	2142-U-34	11 1/4	38 1/2 x 24 1/2 x 36*	124	\$ 2,562	\$ 2,690
23 x 42	2142-42	2142-U-42	11 1/4	46 1/2 x 24 1/2 x 36*	140	2,892	3,037
23 x 48	2142-48	2142-U-48	11 1/4	52 1/2 x 24 1/2 x 36*	152	3,148	3,305



2142-U-42  
(with optional 8" balloon casters)

**B. 1,000# Models:**

- 12 ga. s/s uprights.
- 14 ga. s/s shelves.
- 8" x 2" polyurethane casters.
- All edges up or all edges down.

Shelf Size (Inches)	Model Number		Shelf Clearance (Inches)	O.A. Dimensions (Inches) W x L x H*	Weight (Pounds)	List Price	
	All Edges Down	All Edges Up				All Edges Down	All Edges Up
25 x 35	2143-35	2143-U-35	11 1/4	39 1/2 x 26 1/2 x 36*	138	\$ 3,024	\$ 3,177
25 x 42	2143-42	2143-U-42	11 1/4	46 1/2 x 26 1/2 x 36*	150	3,224	3,407
27 x 54	2143-54	2143-U-54	12	58 1/2 x 28 1/2 x 38 1/4*	166	3,690	3,874



2143-42

Note: \*For models with edges up, (2142-U & 2143-U Series) add 1/4" to O.A. height.

**Options**

- |  |                   |
|--|-------------------|
| 1. 8" polyurethane casters for 800# model.....\$283<br>(in lieu of 6" casters) (Std. On 1000# model) | <b>List Price</b> |
| 2. Balloon or pneumatic 8" casters.....272 (\$394 for pneumatic)<br>(in lieu of 8" polyurethane)     |                   |
| 3. Wrap around bumper.....470  |                   |
| 4. Two shelves only.....Deduct 12% (from list price)   |                   |
| 5. All shelves (except bottom shelf) with three.....179<br>edges up, front edge down                 |                   |



## Kitchen truck, stainless steel

- For transporting large containers of hot food in kitchen areas.
- Two 5" casters and two 8" wheels
- Two levels provide excellent flexibility.
- Leg & corner bumpers

CATALOG PAGE H-5

Model Number	Deck size (inches)		O.A. Dimensions (Inches)			Weight (Pounds)	List Price
	Lower deck	Upper upper	W	L	H		
2049-2142	21x42	21x21	23	44 3/4	37	85	\$1,808



2049-2142

## Utility carts, heavy duty 2 shelf deluxe series stainless steel

CATALOG PAGE E-6

### A. 800# Models:

- 12 ga. s/s uprites.
- 6" casters.
- 16 ga. s/s shelves.
- All edges up or all edges down.

### 2 Shelf Models

Shelf Size (Inches)	Model Number		Shelf Clearance (Inches)	O.A. Dimensions (Inches) W x L x H*	Weight (Pounds)	List Price (See Notes)
	All Edges Down	All Edges Up				
23 x 34	2142-34-2	2142-U-34-2	23 3/4	38 1/2 x 24 1/2 x 36*	124	\$ 1,932
23 x 42	2142-42-2	2142-U-42-2	23 3/4	46 1/2 x 24 1/2 x 36*	140	2,191
23 x 48	2142-48-2	2142-U-48-2	23 3/4	52 1/2 x 24 1/2 x 36*	152	2,372

### 2 Shelf Models:

- 12 ga. s/s uprites.
- 8" x 2" polyurethane casters.
- 14 ga. s/s shelves.
- All edges up or all edges down.

### 2 Shelf Models

Shelf Size (Inches)	Model Number		Shelf Clearance (Inches)	O.A. Dimensions (Inches) W x L x H*	Weight (Pounds)	List Price (See Notes)
	All Edges Down	All Edges Up				
25 x 35	2143-35-2	2143-U-35-2	23 3/4	39 1/2 x 26 1/2 x 36*	138	\$ 2,326
25 x 42	2143-42-2	2143-U-42-2	23 3/4	46 1/2 x 26 1/2 x 36*	150	2,495
27 x 54	2143-54-2	2143-U-54-2	25 1/4	58 1/2 x 28 1/2 x 38 3/4*	166	2,838

Note: \*For models with edges up, (2142-U & 2143-U Series) add 1 1/4" to O.A. height.

### Options

### List Price

- 8" polyurethane casters for 800# model.....\$283  
(in lieu of 6" casters) (Std. On 1000# model)
- Balloon or pneumatic 8" casters.....\$272 (\$394 for pneumatic)  
(in lieu of 8" polyurethane)
- Wrap around bumper.....\$470
- Two shelves only.....Deduct 12% (from list price)
- All shelves (except bottom shelf) with three.....\$178  
edges up, front edge down



2143-U-35-2  
(all 4 edges up)





**Utility carts, heavy duty  
 deluxe series, stainless steel  
 Heli Arc Welded & Polished (up to 1,000# Capacity)**

CATALOG PAGE E-7

**A. Bent Leg U-Shape Type Model (Shelves with 3 edges up, front edge down)**

- 1 1/4" x 1 1/2" x 1/8" s/s uprights.
- 14 ga. s/s double folded shelves (at front & back) 3 edges up, front edge down.
- 5" swivel casters & 8" load wheels.



2041

Shelf Size (Inches)	Shelves			O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
	No.	Model #	Space Between (inches)			
18 x 27	3	2040-1827	19 1/2	19 1/2 x 32 x 35 3/8	105	\$ 2,355
	2	2041-1827	10	19 1/2 x 32 x 35 3/8	91	1,978
21 x 33	3	2040-2133	11 3/8	22 1/2 x 38 x 37 3/8	135	2,469
	2	2041-2133	21 1/2	22 1/2 x 38 x 37 3/8	118	2,050
24 x 34	3	2040	11 3/8	25 1/2 x 39 x 37 3/8	142	3,053
	2	2041	21 1/2	25 1/2 x 39 x 37 3/8	122	2,491
24 x 43	3	2043	11 3/8	25 1/2 x 48 x 37 3/8	158	3,129
	2	2044	21 1/2	25 1/2 x 48 x 37 3/8	133	2,524
25 x 35 1/2	3	2047	10 3/4"	26 1/2 x 40 1/2 x 36 3/4	182	3,412
	2	2048	22 3/8	26 1/2 x 40 1/2 x 36 3/4	153	2,942
24 x 48	3	2153	11 3/8	25 1/2 x 53 x 37 3/8	213	3,588
	2	2154	21 1/2	25 1/2 x 53 x 37 3/8	175	3,050

**Options**

1. Wrap around bumper.....\$470
2. 10" load wheels.....151
3. Ergonomic style with same shelf clearance.....456 but bigger O.A. height (consult factory).
4. Super heavy duty (with square tubing reinforcement)...\$184/ Shelf

**List Price**



2040

**B. Straight Leg Model (Shelves with marine type edges)**

- 1 1/2" x 1 1/2" x 12 ga. s/s uprights.
- 14 ga. s/s shelves with marine type edges.
- 8" x 2" polyurethane casters.
- Bumper on legs & push handle.

Shelf Size (Inches)	Model Number	O.A. Dimensions (Inches) L x W x H	Weight (Pounds)	List Price
23 x 34	2045	39 x 24 1/2 x 35 3/8	138	\$ 3,157
23 x 42	2045-42	47 x 24 1/2 x 35 3/8	150	3,571
23 x 52	2045-52	47 x 24 1/2 x 35 3/8	166	3,994



2045

(with optional wrap around bumper)

**2 Shelf extra heavy duty cart, aluminum & stainless steel**

- 0.125" thick alum. or 14 ga. s/s shelves.
- 1/8" thick alum. or 12 ga. s/s uprights.
- Furnished with six (6) casters 8" x 2" (2 swivel, 2 rigid).

CATALOG PAGE E-10

Type	Model Number	Shelf Size	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				D	L	H		
Aluminum	1940-EHD-2445	24 x 45	20	24 1/4	45 1/4	43	96	\$ 2,137
	1940-EHD-2754	27 x 54	20	27 1/4	54 1/4	43	115	2,418
S/S	2147-2-EHD-2445	24 x 45	20	24 1/4	45 1/4	43	236	3,846
	2147-2-EHD-2754	27 x 54	20	27 1/4	54 1/4	43	298	4,323

**Options**

1. Extra horizontal tube in back in each section.....\$208/cart
2. 4 casters in lieu of 6.....Consult factory.
3. Wrap around bumper.....\$470

**List Price**



1940-EHD-2445



## Multi-purpose dish cart/ caddy, stainless steel

CATALOG PAGE E-8R

### Deluxe Large Single Compartment.

Model Number	Type	Capacity	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
2192-300	Open Front	See below	26 x 40 $\frac{3}{4}$ x 41 $\frac{1}{4}$	148	\$ 4,231
2192-PD-300	Front with Folding Cover	See below	26 x 40 $\frac{3}{4}$ x 41 $\frac{1}{4}$	156	5,365

Model 2192-PD-300 is offered with  $\frac{3}{16}$ " or heavier reinforced LEXAN® glass folding cover with 16 ga. s/s hinges.

**Capacity:**

- A. Plates: Up to 300 (9" or 10" dia.) or 600 (7" dia.).
- B. Trays: Up to 160 trays 14"x 18" or 16"x 22".
- C. Cups/Glass Racks: 3 racks 10"x 20" carrying up to 120 cups or 216 glasses.
- D. Cups & Saucers: Up to 126 each in 20"x 20" racks.



2192-300

2192-PD-300

### Smaller Back to Back Double Compartment.

Model Number	Type	Capacity	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
2191-2-324	Open Fronts	See below	24 x 36 x 36 $\frac{1}{4}$ H	128	P.O.R.
2191-2-PD-324	Front & Back with Folding Covers	See below	24 x 36 x 36 $\frac{1}{4}$ H	136	P.O.R.

Model 2191-2-PD-324 is offered with  $\frac{3}{16}$ " or heavier reinforced LEXAN® glass folding cover with 16 ga. s/s hinges.

**Capacity:**

- A. Plates: Up to 324 (9" or 10" dia.) or up to 432 (7" dia.) or up to 1,296 (5" dia.) approx. 54 plates/stack



2191-2-324

## Stainless steel cart for trays, cups or glass racks

- 1" dia. s/s tubing uprights & 5" casters are standard.

CATALOG PAGE E-10

Model Number	Type of Rack	Pan/Rack Size	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			D	L	H		
2193-2020	Single	20 x 20	24	24	35 $\frac{3}{4}$	46	\$ 963
2193-D-2020	Double	20 x 20	24	44	35 $\frac{3}{4}$	66	1,347
2193-D-1622	Double	*16 x 22	24	34	35 $\frac{3}{4}$	58	1,225

\*Will also carry single stack of 18"x 26" trays or double stack of 14"x 18" or 15"x 20" trays.

**Option:**

**List Price**

- 1. 4" Round bumpers..... (add \$125/cart)

## Carts, transport & bussing

CATALOG PAGE E-10

### Bussing Cart for plastic lugs (12"x 20" & 15"x 20")

- Enclosed on three sides.
- Choice of aluminum or stainless steel.
- 3 sided vinyl & 5" casters are standard.

Model Number		Lug Size (Inches)	Capacity	O.A. Dimensions (Inches)			Weight (Pounds)		List Price (see note)	
Alum	S/S			D	L	H	Alum	S/S	Alum	S/S
9001-1210-EN	2001-1210-EN	12 x 21 x 6	10	25	41 $\frac{3}{4}$	56 $\frac{1}{4}$	99	160	\$ 3,142	\$ 5,793
9001-1510-EN	2001-1510-EN	15 x 20 x 5	10	25	47 $\frac{3}{4}$	56 $\frac{1}{4}$	120	192	3,470	6,377

NOTE: List prices are based on minimum quantity of 5 units.



9001-1210-EN



Deluxe bussing/pacemaker carts, standard, heavy duty & extra heavy duty, stainless steel

CATALOG PAGE E-9

A. 500# & 650# Models

Table with columns: Shelf Size (Inches), No. of Shelves, Model Number (500# Capacity, 650# Capacity), Shelf Clearance (Inches), O.A. Dimensions (Inches) (W, L, H), Weight (Pounds) (500# Cap., 650# Cap.), List Price (500# Cap., 650# Cap.).



2008-HD (with optional vinyl on 3 sides)

B. 1000# Models

Table with columns: Shelf Size (Inches), No. of Shelves, Model Number, Shelf Clearance (Inches), O.A. Dimensions (Inches) (W, L, H), Weight (Pounds), List Price.



2008-2535-2-EHD

Option:


Wood grain vinyl on 3 sides add.....\$378

Enclosed lockable liquor storage cart, heavy duty, deluxe stainless steel

CATALOG PAGE E-11

Deluxe, Heavy Duty Polished Stainless Steel Cart.

Table with columns: Shelf Size (Inches), No. of Compartments, Model Number, Shelf Clearance (Inches), O.A. Dimensions (Inches) (W, L, H), Weight (Pounds), \*List Price.



2008-2-HD-3132-LL

\*Note: Prices are based on a min. qty of 5 units.

Enclosed lockable liquor storage cart, standard duty, aluminum

CATALOG PAGE E-11

Single Door Aluminum Cabinet

Table with columns: Shelf Size (Inches), No. of Compartments, Model Number, Shelf Clearance (Inches), O.A. Dimensions (Inches) (W, L, H), Weight (Pounds), \*List Price.



9008-3-LL

\*Note: Prices are based on a min. qty of 5 units.

Options:

List:

- 1. Wrap around bumper.....\$298
2. Wheel Brakes (pair)..... 69



## Extra heavy duty s/s delivery cart for insulated trays

- Designed for thick insulated food trays.
- All welded s/s construction.
- 14 ga. s/s shelves with bottom shelf reinforced.
- 1" dia s/s tubular handle.
- 6"x 2" polyurethane casters (2 swivel, 2 rigid).
- Provided with 5/8"x 3 1/2" slots in top and bottom shelves for tie down straps.



CATALOG PAGE E-13A

2145-2-2849

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	Tray Capacity	O.A. Dimensions (Inches) W x L x H	No. of Slots		Weight (Pounds)	List Price
						Top	Bottom Shelf		
2145-2-2849	28 1/2 x 49 1/2	33	13 7/8 x 15 1/4 x 2 1/2	Note 1	28 3/4 x 49 3/4 x 46 1/2	10	6	320	\$ 4,595
2145-2-2865	28 1/2 x 65 1/4	33	13 7/8 x 15 1/4 x 2 1/2	Note 2	28 3/4 x 65 1/2 x 46 1/2	12	8	425	5,247
2145-2-2836	28 1/2 x 36 1/2	33	13 7/8 x 15 1/4 x 2 1/2	Note 3	28 3/4 x 36 3/4 x 46 1/2	8	4	260	4,437

- NOTE 1:** This model will carry 72 trays on bottom shelf & 24 to 32 trays plus two 5 gallon beverage containers or up to 72 additional trays on top shelf (See Note 4). Cart furnished with three (3) heavy duty tie-down straps with buckles.
- NOTE 2:** This model will carry 96 trays on bottom shelf & 28 to 40 trays plus three 5 gallon beverage containers or up to 96 additional trays on top shelf (See Note 4). Cart furnished with four (4) heavy duty tie-down straps with buckles.
- NOTE 3:** This model will carry 48 trays on bottom shelf & two 5 gallon beverage containers or up to 48 additional trays on top shelf (See Note 4). Cart furnished with two (2) heavy duty tie-down straps with buckles.
- NOTE 4:** Total capacity is for info' only. Each shelf can carry 1/2 the total capacity.

**Options**

**List Price**

1. Additional heavy duty tie-down straps with buckle.....\$129/ea.
2. Standard strap with buckle.....92/ea.
3. For additional options contact factory.



2146-2-2436

## Heavy duty s/s delivery cart for insulated trays

- Designed for thick insulated trays.
- Reinforced 16 ga. s/s top shelf with 3 edges turned up.
- Reinforced 16 ga. s/s bottom shelf with bolsters & all edges down.
- 1" dia s/s tubular push handle.
- Wrap around bumper & 5" casters are standard.

CATALOG PAGE E-17

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	*Tray Capacity Bottom Shelf	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
2146-2-2436	24 x 36	26	11 x 14 x 2	48	26 1/4 x 42 1/2 x 36	262	\$ 2,801
2146-2-2445	24 x 45	26	11 x 14 x 2	72	26 1/4 x 51 1/2 x 36	310	3,438
2146-2-2936	29 x 36	31	13 7/8 x 15 1/4 x 2 1/2	48	31 1/4 x 42 1/2 x 41	295	3,041
2146-2-2949	29 x 49	31	13 7/8 x 15 1/4 x 2 1/2	72	31 1/4 x 55 1/2 x 41	350	3,750

\*Tray capacity shown is for bottom shelf. Top shelf will accommodate 2 to 3 beverage containers plus additional trays depending upon shelf size.

## Heavy duty s/s utility cart for correctional facilities

- 1,000# capacity.
- 14 ga. s/s reinforced shelves (3 edges up, front edge down).
- Heavy duty s/s uprights.
- 6"x 2" polyurethane casters (2 swivel, 2 rigid).

CATALOG PAGE E-14

Shelf Size (Inches)	No. of Shelves	Model Number	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	L	H		
24 x 43	3	2143-RE-3-2443	13	24 1/4	43 3/4	40	125	\$ 2,682
	2	2143-RE-2-2443	22 1/2	24 1/4	43 3/4	35	106	3,301



2143-RE-3-2443



## Extra heavy duty s/s delivery cart for insulated trays

- Designed for thick insulated food trays.
- All welded s/s construction.
- 14 ga. s/s shelves with bottom shelf reinforced.
- 1" dia s/s tubular handle.
- 6"x 2" polyurethane casters (2 swivel, 2 rigid).
- Three sided 1½" s/s square tubing rail for top & bottom sections.



**2147-2-2452**

(with optional bumper)

**2147-2-3052-SD**  
(with optional bumper & 6 casters)

CATALOG PAGE E-13

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	*Tray capacity bottom shelf	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
2147-2-2436	24 x 36	27	11 x 16 x 2¾	36	24½ x 36¼ x 45	280	\$ 3,572
2147-2-2452	24 x 52	27	11 x 16 x 2¾	54	24¼ x 52¼ x 45	330	3,941
2147-2-2469	24 x 69	29	11 x 16 x 2¾	80	24¼ x 69¼ x 47	385	4,396
2147-2-3052	30 x 52	27	13¾ x 15¼ x 2½	60	30¼ x 52¼ x 45	345	4,245
2147-2-3066	30 x 66	27	13¾ x 15¼ x 2½	80	30¼ x 66¼ x 45	410	4,467

\*Tray capacity shown is for bottom shelf. Top shelf will accommodate 2 to 3 beverage containers plus additional trays depending upon shelf size.

**NOTE 1: These carts are also available in aluminum construction, add "-AL" after model number. Deduct 40%. Consult factory.**

**NOTE 2: Super heavy duty models are also available with additional reinforcement in top shelf, 1½" square tubing upright frame & 8"x 2" casters. Add "-SD" after model number & add \$ 501 to above prices.**

**Options**

**List Price**

1. 6 casters (4 swivel, 2 rigid) in lieu of 4 casters.....\$387
2. Vertical tray stops (2 on each end & up to 4 in the back) in bottom section.....681
3. Wrap around bumper.....470

## Heavy duty s/s delivery cart for insulated trays

- Designed for thick insulated food trays.
- All welded s/s construction.
- 14 ga. s/s shelves with three edges up, front edge down.
- 1" dia s/s tubular handle.
- 6" polyurethane casters (2 swivel, 2 rigid).1
- 1¼"x 1¼"x ½" s/s angle uprights.



**2041-2434**

CATALOG PAGE E-14

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	*Tray capacity bottom shelf	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
2041-2434	24 x 34	23	11 x 16 x 2¾	32	25½ x 41 x 38¾	168	\$ 2,617
2041-2449	24 x 49	23	11 x 16 x 2¾	48	25½ x 56 x 38¾	210	3,087
2041-2948	29 x 48	27	13¾ x 15¼ x 2½	60	30½ x 55 x 42¾	235	3,489
2041-2964	29 x 64	27	13¾ x 15¼ x 2½	80	30½ x 71 x 42¾	296	4,000

\*Tray capacity shown is for bottom shelf. Top shelf will accommodate 2 to 3 beverage containers plus additional trays depending upon shelf size.

**Options**

**List Price**

1. Wrap around bumper.....\$470
2. 16 ga. shelves.....Consult factory



## Heavy duty steam pan & tray storage dolly/rack/cart for correctional facilities

- Heavy duty all welded aluminum construction.
- Available for 12”x 20” steam pans & 13<sup>7</sup>/<sub>8</sub>x15<sup>1</sup>/<sub>4</sub>x2<sup>1</sup>/<sub>2</sub>” insulated trays.
- Rolls on 6” heavy duty casters.

CATALOG PAGE E-15

Model Number	Approx. Capacity	Tray/Pan Type	No. of Stacks	O.A. Dimensions D x W x H (Inches)	Weight (Pounds)	List Price
9130-200-1220	200	12”x 20”	2	30 <sup>7</sup> / <sub>8</sub> x 22 x 60	94	\$ 1,495
9130-160-1220	160	Steam Pans	2	30 <sup>7</sup> / <sub>8</sub> x 22 x 55	91	1,435
9130-40-1315	40	13 <sup>7</sup> / <sub>8</sub> ”x15 <sup>1</sup> / <sub>4</sub> ”x2 <sup>1</sup> / <sub>2</sub> ” Thick Insulated Trays	2	30 <sup>7</sup> / <sub>8</sub> x 22 x 61	96	1,553
9130-36-1315	36		2	30 <sup>7</sup> / <sub>8</sub> x 22 x 56	93	1,480
9130-64-1315	64		4	29 <sup>1</sup> / <sub>2</sub> x 36 <sup>7</sup> / <sub>8</sub> x 51	115	1,735
9130-96-1315	96		6	29 <sup>1</sup> / <sub>2</sub> x 54 x 51	136	1,888
9130-100-1014	100		10”x14 <sup>3</sup> / <sub>8</sub> ”x1 <sup>1</sup> / <sub>4</sub> ” or 11”x15”x1 <sup>1</sup> / <sub>4</sub> ” Compartment Trays	2	30 <sup>7</sup> / <sub>8</sub> x 22 x 51	90
9130-200-1014	200	4		27x36 <sup>7</sup> / <sub>8</sub> x51	112	1,627
9130-300-1014	300	6		27x54x51	135	1,762



9130-200-1220

9130-36-1315

Note: Capacity of steam pans is approx. Actual qty. may vary depending upon pan height.

**Options**

1. 6” floor lock.....\$238
2. 8” polyurethane casters (in lieu of 6”).....277

**List Price**

**Options**

3. S/S construction (add- “SS” after model #).....Add 80%
4. Corner bumpers.....165

**List Price**

## Extra heavy duty aluminum delivery cart for insulated trays for correctional facilities

- Designed for thick insulated food trays.
- 6”x 2” polyurethane casters (2 swivel, 2 rigid).
- Extra heavy duty shelves.
- 1” dia. tubular handle.
- All welded aluminum construction.
- Three sided 1<sup>1</sup>/<sub>2</sub>” square tubing rail.

CATALOG PAGE E-15

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	*Tray capacity bottom shelf	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
1940-EHD-2-2436	24 x 36	27	11 x 16 x 2 <sup>3</sup> / <sub>4</sub>	36	24 <sup>1</sup> / <sub>2</sub> x 36 <sup>1</sup> / <sub>4</sub> x 45	125	\$ 2,070
1940-EHD-2-2452	24 x 52	27	11 x 16 x 2 <sup>3</sup> / <sub>4</sub>	54	24 <sup>1</sup> / <sub>4</sub> x 52 <sup>1</sup> / <sub>4</sub> x 45	145	2,229
1940-EHD-2-2950	29 <sup>1</sup> / <sub>2</sub> x 50	27	13 <sup>7</sup> / <sub>8</sub> x 15 <sup>1</sup> / <sub>4</sub> x 2 <sup>1</sup> / <sub>2</sub>	60	29 <sup>3</sup> / <sub>4</sub> x 50 <sup>1</sup> / <sub>4</sub> x 45	160	2,390
1940-EHD-2-2964	29 <sup>1</sup> / <sub>2</sub> x 64	27	13 <sup>7</sup> / <sub>8</sub> x 15 <sup>1</sup> / <sub>4</sub> x 2 <sup>1</sup> / <sub>2</sub>	80	29 <sup>3</sup> / <sub>4</sub> x 64 <sup>1</sup> / <sub>4</sub> x 45	184	2,546



1940-EHD-2-2436

\*Tray capacity shown is for bottom shelf. Top shelf will accommodate 2 to 3 beverage containers plus additional trays.

**NOTE:** Super heavy duty models are also available with additional reinforcement in top shelf, 1<sup>1</sup>/<sub>2</sub>” square tubing upright frame & 8”x 2” casters. Add “-SD” after model number & add \$330 to above prices.

**Options**

1. 6 casters (4 swivel, 2 rigid) in lieu of 4 casters.....\$342
2. Vertical tray stops (2 on each end & up to 4 in the back) in bottom section.....481

**List Price**

## Heavy duty aluminum delivery cart for insulated trays for correctional facilities

- Designed for thick insulated food trays.
- Heavy duty shelves with three edges up, front down, reinforced with square tubing frame.
- All welded aluminum construction.
- 6” poly casters (2 swivel, 2 rigid).
- Heavy duty aluminum angle uprights.

CATALOG PAGE E-17

Model Number	Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	*Tray capacity bottom shelf	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)	List Price
1941-EHD-2-2335-RE	23 x 35 <sup>1</sup> / <sub>2</sub>	27	11 x 16 x 2 <sup>3</sup> / <sub>4</sub>	36	23 <sup>1</sup> / <sub>4</sub> x35 <sup>3</sup> / <sub>4</sub> x42	94	\$ 1,386
1941-EHD-2-2352-RE	23 x 52	27	11 x 16 x 2 <sup>3</sup> / <sub>4</sub>	54	23 <sup>1</sup> / <sub>4</sub> x52 <sup>1</sup> / <sub>4</sub> x42	110	1,526
1941-EHD-2-2935-RE	29 x 35 <sup>1</sup> / <sub>2</sub>	27	13 <sup>7</sup> / <sub>8</sub> x 15 <sup>1</sup> / <sub>4</sub> x 2 <sup>1</sup> / <sub>2</sub>	40	29 <sup>1</sup> / <sub>4</sub> x35 <sup>3</sup> / <sub>4</sub> x42	100	1,451
1941-EHD-2-2952-RE	29 x 52	27	13 <sup>7</sup> / <sub>8</sub> x 15 <sup>1</sup> / <sub>4</sub> x 2 <sup>1</sup> / <sub>2</sub>	60	29 <sup>1</sup> / <sub>4</sub> x52 <sup>1</sup> / <sub>4</sub> x42	115	1,615



1941-EHD-2-2335-RE

\*Tray capacity shown is for bottom shelf. Top shelf will accommodate 2 to 3 beverage containers plus additional trays depending upon shelf size.

**Options**

1. Wrap around bumper.....\$298

**List Price**

**Options**

2. Vertical leg bumper (set of 4).....\$194

**List Price**



## Extra heavy duty stainless steel tray storage rack/cart for correctional facilities

- All welded s/s storage rack/cart
- 1½" s/s square tubing uprights, frames and vertical tray stops on 2 sides
- 1" square s/s tubing vertical tray stops on back and shelf laterals reinforced with ½" square solid x-bars in each frame
- 6"x2" heavy duty polyurethane swivel casters



9566-SS-EHD-3234  
(Trays not furnished)

CATALOG PAGE E-19

Model Number	Tray Size	*Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			W	D	H		
9566-SS-EHD-3234	10"x14⅝"x1"	800	32¾	34½	75½	270	\$12,024

\* Tray capacity is approx. Actual capacity may vary.

**Note 1:** This style of cart is also available for other tray sizes. Consult factory.

**Note 2:** This cart dimensions are too tight to go through a standard 33" door opening. Please make sure that your hallway/door openings are larger than 36" for these carts.

**Options:**

**List Price**

1. 6" Balloon upgrade .....\$312
2. 8" polyurethane casters upgrade.....275
3. 8" Balloon casters upgrade.....422
4. Solid top (in lieu of top frame).....N/C

## Heavy duty stainless steel tray storage carts for correctional facilities

- All welded s/s construction
- Heavy gauge reinforced solid shelves (louvered shelves optional)
- 1" square s/s tubing 3 sided rail for each section
- 16 ga. s/s reinforced upper shelves with double folded long sides
- 16 ga. s/s bottom shelf reinforced with 12 ga. s/s caster support channels
- 6"x2" heavy duty polyurethane swivel casters



2148-HD-4-2548  
(Trays not furnished)

CATALOG PAGE E-19

Model Number	Tray Size (Inches)	Shelf Clearance (Inches)	Tray Capacity (See note 2)	O.A. Dimensions (Inches)	Weight (Pounds)	List Price (See note 1)
				W x D x H		
2148-HD-4-2548	10"x14⅝"x1¼"	15¾	504	48¼x25¼x60½	230	\$ 4,905
2148-HD-4-2562	10"x14⅝"x1¼"	15¾	672	62¼x25¼x60½	265	5,262

**Note 1:** These carts/racks are also available for other tray sizes. Consult factory.

**Note 2:** Tray capacity shown is approx. Actual capacity may vary.

**Options**

**List Price**

1. 6" Balloon upgrade .....\$312
2. 8" polyurethane casters upgrade.....275
3. 8" Balloon casters upgrade.....422
4. Louvered shelves (in lieu of solid).....964  
Add "-LV" after model number

For other Options, see Table DD-1



## Extra large and extra heavy duty stainless steel tray storage carts for correctional facilities

- All welded s/s construction
- 14 ga. reinforced solid top shelf
- 1" square s/s tubing 3 sided rail for each section
- 14 ga. s/s reinforced lower shelves with louvers for proper water drainage
- 14 ga. s/s bottom louvered shelf reinforced with 12 ga. s/s caster support channels
- 8"x2" heavy duty polyurethane swivel casters
- 12 ga. s/s uprights
- 1" Round s/s tubular handle on one end



**2148-EHD-4-3677**  
(2 carts shown side by side with stacked trays)



**2148-EHD-4-3677**  
(Trays not furnished)

CATALOG PAGE E-20

Model Number	Tray Size (Inches)	Shelf Clearance (Inches)	Tray Capacity (See note 2)	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
2148-EHD-4-3677	10"x14"x1 1/4"	18 3/4	1,680	77 1/4 x 36 x 72 1/2	230	\$ 8,703
2148-EHD-4-3156	10"x14"x1 1/4"	16	900	56 1/4 x 31 3/4 x 64 1/4	265	7,858

**Note 1:** These carts/racks are also available for other tray sizes. Consult factory.

**Note 2:** Tray capacity shown is approx. Actual capacity may vary.

**Note 3:** Model 2148-EHD-4-3677 is too large to go thru a standard door. Make sure your hallway or other openings are larger than 38".

### Options

- |   |                   |
|---|-------------------|
| 1. 8" advantage rubber casters upgrade..... | <u>List Price</u> |
| 2. 8" Balloon casters upgrade.....          | \$255             |
| 3. Solid shelves (in lieu of louvered)..... | 424               |
|   | N/C               |

### Options

- |  |                   |
|--|-------------------|
| 4. Corner bumpers.....                         | <u>List Price</u> |
| 5. Wrap around bumpers.....                    | \$182             |
| 6. Raised marine edge at front of shelves..... | 435               |
|  | 454               |

For other Options, see Table DD-1

## 3 sides enclosed delivery cart for insulated trays, aluminum & stainless steel

- 14 ga. s/s or 0.125" thick alum. reinforced deck.
- 18 ga. s/s or 0.080" thick alum. body.
- 8" x 2" polyurethane casters (2 swivel, 2 rigid).
- Wrap around bumper & push handle.



**S-5036-2-2449**  
(with optional pneumatic casters)

CATALOG PAGE E-14

Model Number		Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	Tray Capacity (see note)	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)		List Price	
Alum	S/S						Alum	S/S	Alum	S/S
S-5036-2-2449	S-5100-2-2449	24 x 49	23	Duralux T-140 11x16x2 3/4	96	26 1/4 x 55 1/2 x 62 1/2	240	398	\$ 4,719	\$ 6,245
S-5036-2-2962	S-5100-2-2962	29 x 62	23	Alladin 13 7/8 x 15 1/4 x 2 1/2	144	31 1/4 x 68 1/2 x 62 1/2	276	442	5,368	6,391
*S-5036-2-2460	*S-5100-2-2460	24 x 60	23	Rock 9 1/2 x 14 1/4 x 1 3/4	192	26 1/4 x 66 1/2 x 62 1/2	262	438	4,801	6,391

**NOTE:** Tray capacity shown is the total capacity for two sections. Each section will carry one half the capacity shown. Fore options, see Table AA-1. Carts are also available with doors. Consult factory.

\*Can also carry 96 Plastocon (10 3/4" x 14 1/2" x 3 1/4") trays (48/section).





**SAMMONS EQUIPMENT MFG. CORP.**

**SHAMMI INDUSTRIES**

**SAMCO**

www.sammonsequipment.com

**390-A Meyer Circle**

**Corona, CA 92879-1078**

**Tel: (951) 340-3419 • Fax: (951) 340-2716**

---

---

### **TERMS AND CONDITIONS**

1. All prices are F.O.B. Plant, Corona, California.
2. All orders must be in writing and are contingent upon acceptance by Sammons Equipment Mfg. Corp. Representatives and dealers are not authorized to bind orders. Orders once processed internally by Sammons Equip. Mfg. Corp. For production schedule are non cancelable.
3. Payments are net 30 days for open accounts, subject to credit approval, unless otherwise noted. Sammons Equip. Mfg. Corp. Reserves the sole right to establish amount of credit offered and to change it as deemed necessary.
4. All applicable state, federal or municipal use or sales tax in effect now or subsequently becoming effective are to buyers account to be paid by buyer. If goods are for resale buyer must provide a certificate of exemptions.
5. All shipments will be subject to pricing in effect at time of shipment. Prices and specifications are subject to change without notice. Sammons Equipment Mfg. Corp. Reserves the right to discontinue product(s) or to modify design and construction and to substitute material and or equipment equal to or better than originally specified. Price list is not a substitute for detailed specifications. Please check latest prices with factory before ordering, especially if more than six months have passed since the effective date of price list shown on the cover page.
6. Not all items shown in catalog/price lists are produced regularly. Sammons Equipment Mfg. Corp. reserves the sole right to determine which merchandise is returnable and which is not. Therefore, merchandise may not be returned without our written consent before the return. Further limitations on the total dollar amount of such returns and a 60 day time limit from date of original shipment may also apply at the sole discretion of Sammons Equip. Mfg. Corp. All such authorized returned goods must be unused, in prime condition, in original carton and are subject to a minimum restocking and handling charge of 30% of net prices. All transportation charges are to be paid by customer. Goods being returned must be shipped "Freight Prepaid" or shipment will be refused. No returns are accepted on custom built or special or modified equipment.
7. Minimum net for each order whether for parts or otherwise is \$100.00 and is further subject to minimum order quantity for certain items if any specified in this price list.
8. First time orders must be accompanied by a certified or a cashier's check for the full amount of order, including any applicable freight unless satisfactory credit has been established and approved by Sammons Equip. Mfg. Corp.
9. All equipment and parts are shipped at buyer's risk. Title to goods passes to buyer on delivery of goods to the carrier by Sammons Equip. Mfg. Corp. at its plant. Any claims for damages or shortages must be filed promptly with the carrier by the buyer/consignee and any resulting reimbursement is a matter to be resolved between the carrier and the buyer. For an incomplete or damaged shipment, obtain a notation on freight bill followed by an inspection report signed by the freight carrier's agent. For a concealed damage contact the carrier and have their inspector make an inspection report.

### **WARRANTY**

Sammons Equipment Mfg. Corp. warrants to the original purchaser only that it will at its option, repair or replace during the warranty period specified below, any defect in material or workmanship in any part or product manufactured at its plant. The warranty period is one (1) year for parts and (90) days for labor and the period starts on the date of original shipment from its plant. Repair or replacement under the warranty shall be performed, unless otherwise authorized in writing by Sammons Equip. Mfg. Corp., at its plant. Transportation charges are not included and are to buyer's account. Any changes, modifications or alterations of original equipment or parts voids the warranty.

The warranties and limitations of liability set forth herein shall be exclusive, in lieu of, and exclude all other (expressed, implied or statutory) warranties (except title) including without limitations those of merchantability, fitness of purpose, or otherwise.

Sammons Equip. Mfg. Corp. shall under no circumstances be liable for special, incidental, exemplary, or consequential damages including but not limited to, loss by reason of facility shutdown, non-operation, cost of replacement, cost of substitute equipment, facilities, or services, delays in installation of the work or completion of the project, or other such claims arising from any cause whatsoever whether or not such loss or damage is based on contract, warranty, negligence, strict liability, indemnity, or otherwise.

# **Sammons Equipment Manufacturing Corp.**

**SHAMMI INDUSTRIES**

**390-A Meyer Circle • Corona, CA 92879-1078**

**Telephone: (951) 340-3419 • Fax: (951) 340-2716**

**Toll free: 1 (800) 417-9260 (outside California)**

**Web Site: [www.sammonsequipment.com](http://www.sammonsequipment.com)**

**E-mail: [info@sammonsequipment.com](mailto:info@sammonsequipment.com)**