



Hot insulated stainless steel cabinets with top mounted heating unit, standard & universal angle type

- Half size & 3/4 size cabinets are furnished with solid back & single door in front.
- Full height cabinets (76" tall) are furnished with solid back & dutch doors in front.
- Optional pass thru type with door(s) in the back are available.
- 5"x 1 1/4" casters are standard.

Half size & smaller cabinets furnished with HET-1600 top mounted heating unit with 15 amps cord & NEMA 5-15P plug.
 Power requirements: Total 1750 watts on 110-120 volts, 60 hz, Single Phase, A.C.
 Full size & 3/4 size cabinets furnished with HET-2000 top mounted heating unit with 20 amps cord & NEMA 5-20P plug. (HET-1600 for 15 amps service optional).
 Power requirements: Total 2150 watts on 110-120 volts, 60 hz, Single Phase, A.C.



2256-HIN-1813

(with correctional package)



2256-HIN-1832

(with correctional package)

CATALOG PAGES C-13 & C-14

Heated Cabinets for 18"x26" bun pans (See note 4)

Model Number	Pan Size (Inches)	Type of Slide	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Half Size Cabinets									
2256-HIN-1813	18 x 26	Extruded	1 1/2	13	26 1/4	36 3/4	43	308	P.O.R.
2286-HIN-1807	18 x 26	Angle Slide	3	7	26 1/4	36 3/4	43	298	P.O.R.
3/4 & Full Size Cabinets									
2256-HIN-1826	18 x 26	Extruded	1 1/2	26	26 1/4	36 3/4	62 1/2	398	\$7,160
2256-HIN-1832	18 x 26	Extruded	1 1/2	32	26 1/4	36 3/4	70 1/2	430	7,459
*2256-HIN-1836	18 x 26	Extruded	1 1/2	36	26 1/4	36 3/4	76	465	7,609
2286-HIN-1816	18 x 26	Angle	3	16	26 1/4	36 3/4	70 1/2	468	7,675
*2286-HIN-1818	18 x 26	Angle	3	18	26 1/4	36 3/4	76	475	7,828

Heated cabinets with Universal Angle Slides (see notes 1, 2, 3 & 4)

(For 12"x 20", 18"x 26", 14"x 18", 10"x 20" or 20"x 22" pans & gastronorm pans)

Model Number	Pan Size (Inches)	Type of Slide	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Half Size Cabinets									
2236-HIN-UA-4	Note 1	U.A.	**4 1/2	4(note 2)	29 1/2	36 3/4	43	340	P.O.R.
2236-HIN-UA-6	Note 1	U.A.	**4 1/2	6(note 2)	29 1/2	36 3/4	49	370	P.O.R.
3/4 & Full Size Cabinets									
2236-HIN-UA-9	Note 1	U.A.	**4 1/2	9(note 2)	29 1/2	36 3/4	62 1/2	410	\$7,480
2236-HIN-UA-11	Note 1	U.A.	**4 1/2	11(note 2)	29 1/2	36 3/4	70 1/2	470	7,716
*2236-HIN-UA-12	Note 1	U.A.	**4 1/2	12(note 2)	29 1/2	36 3/4	76	480	7,977

*These 76" tall cabinets are also available with Dutch doors. (See note 4)

**Adjustable on 1 1/2" centers.

NOTE 1: Each universal angle slides set can carry one (1) 18"x 26" bun pan or two (2) 12"x 20" steam pans/gastronorm pans (GN 1/1) or two (2) 14"x 18" trays or one (1) 20"x 22" pan or two (2) 10"x 20" pans.

NOTE 2: Capacity shown is for 18"x 26" bun pans. Capacity for 12"x 20" steam pan/gastronorm pans (2 1/2" or 4" high) or 14"x 18" trays is twice the number shown on 4 1/2" centers for these universal angle slide cabinets.

NOTE 3: These universal angle type cabinets are also available with slides fixed at 6 1/2" centers for 6" deep pans for correctional facilities. Special heights & sizes are also available. Consult factory.

NOTE 4: * These 76" tall cabinets are also available with "Dutch" doors at no extra charge. Change "-HIN" to "-HIN-DD" in the model number



2236-HIN-DD-UA-12

(with optional pass thru door)

Correctional Package:

These heated cabinets are also available with correctional package. Please consult factory for details.

Options	List Price
A. Security enclosure for front control panel.....	\$540
B. Non-removable heating unit in lieu of removable for correctional facilities.....	114
C. Standard padlock hasp.....	138
D. Heavy duty s/s vertical padlock hasp (up to 40" long) for each door.....	413

Options	List Price
E. Solid state controls.....	\$426
F. Digital thermometer.....	287
G. S/S guide locks for U.A. slides.....	229
H. Tamper proof screws.....	59
I. For other options, see Table CC-1	



Hot insulated aluminum cabinets with top mounted heating unit, standard & universal angle type

- Half size & 3/4 size cabinets are furnished with solid back & single door in front.
- Full height cabinets (76" tall) are furnished with solid back & dutch doors in front.
- Optional pass thru type with door(s) in the back are available.
- 5"x 1 1/4" casters are standard.

Half size & smaller cabinets furnished with HET-1600 top mounted heating unit with 15 amps cord & NEMA 5-15P plug.
 Power requirements: Total 1750 watts on 110-120 volts, 60 hz, Single Phase, A.C.
 Full size & 3/4 size cabinets furnished with HET-2000 top mounted heating unit with 20 amps cord & NEMA 5-20P plug. (HET-1600 for 15 amps service optional).
 Power requirements: Total 2150 watts on 110-120 volts, 60 hz, Single Phase, A.C.



9286-HIN-1807

CATALOG PAGES C-13 & C-14 (per note 4)

Heated Cabinets for 18"x26" bun pans

Model Number	Pan Size (Inches)	Type of Slide	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Half Size Cabinets									
9256-HIN-1813	18 x 26	Extruded	1 1/2	13	26 1/4	36 3/4	43	222	P.O.R.
9286-HIN-1807	18 x 26	Angle Slide	3	7	26 1/4	36 3/4	43	212	P.O.R.
3/4 & Full Size Cabinets									
9256-HIN-1826	18 x 26	Extruded	1 1/2	26	26 1/4	36 3/4	62 1/2	252	\$5,475
9256-HIN-1832	18 x 26	Extruded	1 1/2	32	26 1/4	36 3/4	70 1/2	260	5,705
*9256-HIN-1836	18 x 26	Extruded	1 1/2	36	26 1/4	36 3/4	76	272	5,819
9286-HIN-1816	18 x 26	Angle	3	16	26 1/4	36 3/4	70 1/2	258	5,756
*9286-HIN-1818	18 x 26	Angle	3	18	26 1/4	36 3/4	76	264	5,870

Heated cabinets with Universal Angle Slides (see notes 1, 2 & 3)

(For 12"x 20", 18"x 26", 14"x 18", 10"x 20" or 20"x 22" pans & gastronorm pans)

*These 76" tall cabinets are furnished with dutch doors.

Model Number	Pan Size (Inches)	Type of Slide	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Half Size Cabinets									
9236-HIN-UA-4	Note 1	U.A.	**4 1/2	4(note 2)	29 1/2	36 3/4	43	235	P.O.R.
9236-HIN-UA-6	Note 1	U.A.	**4 1/2	6(note 2)	29 1/2	36 3/4	49	240	P.O.R.
3/4 & Full Size Cabinets									
9236-HIN-UA-9	Note 1	U.A.	**4 1/2	9(note 2)	29 1/2	36 3/4	62 1/2	255	\$5,610
9236-HIN-UA-11	Note 1	U.A.	**4 1/2	11(note 2)	29 1/2	36 3/4	70 1/2	268	5,787
*9236-HIN-UA-12	Note 1	U.A.	**4 1/2	12(note 2)	29 1/2	36 3/4	76	280	5,983

**Adjustable on 1 1/2" centers.

NOTE 1: Each universal angle slides set can carry one (1) 18"x 26" bun pan or two (2) 12"x 20" steam pans/gastronorm pans (GN 1/1) or two (2) 14"x 18" trays or one (1) 20"x 22" pan or two (2) 10"x 20" pans.

NOTE 2: Capacity shown is for 18"x 26" bun pans. Capacity for 12"x 20" steam pan/gastronorm pans (2 1/2" or 4" high) or 14"x 18" trays is twice the number shown on 4 1/2" centers for these universal angle slide cabinets.

NOTE 3: These universal angle type cabinets are also available with slides fixed at 6 1/2" centers for 6" deep pans for correctional facilities. Special heights & sizes are also available. Consult factory.

Correctional Package:

These heated cabinets are also available with correctional package. Please consult factory for details.

<u>Options</u>	<u>List Price</u>	<u>Options</u>	<u>List Price</u>
A. Security enclosure for front control panel.....	\$540	E. Solid state controls.....	\$426
B. Non-removable heating unit in lieu of removable for correctional facilities.....	114	F. Digital thermometer.....	287
C. Standard padlock hasp.....	138	G. S/S guide locks for U.A. slides.....	229
D. Heavy duty s/s vertical padlock hasp (up to 40" long) for each door.....	413	H. Tamper proof screws.....	59
		I. For other options, see Table CC-1	



9236-HIN-UA-12



TABLE CC-1
OPTIONS FOR PROOFER & HOT CABINETS

Table with 3 columns: Item Description, ALUMINUM MODELS, and STAINLESS STEEL MODEL. Lists 31 items such as corner bumpers, casters, and heating units with their respective prices.

*FOR HOT INSULATED CABINETS WITH TOP MOUNTED HEATING UNITS ONLY.

NOTE: Most aluminum hot, proof & hot/proof cabinets are also available in s/s construction. Add 65% to list prices of aluminum models unless listed otherwise based on a minimum quantity of 5 units & an up charge of 20% to 80% may apply for quantities under 5. Consult factory.