



Heavy duty fixed angle roll-in slide racks, aluminum & stainless steel

- Fully welded frame at top & bottom.
- Heavy duty construction & furnished with 5" casters.


CATALOG PAGE D-3

Single End Loading Racks (except as noted)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9585-1820	2585-1820	18 x 26	20	3	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	84	125	\$875	\$1,971
9585-1818	2585-1818	18 x 26	18	3	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	81	120	878	1,915
9585-1816	2585-1816	18 x 26	16	3	20 ³ / ₈	26 ¹ / ₂	57 ⁷ / ₁₆	79	116	900	1,878
9585-1809	2585-1809	18 x 26	9	3	20 ³ / ₈	26 ¹ / ₂	36	74	112	799	1,611
9585-1824	2585-1824	18 x 26	24	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	90	135	931	1,992
9585-1822	2585-1822	18 x 26	22	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	87	130	907	1,985
9585-1819	2585-1819	18 x 26	19	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	56 ¹⁵ / ₁₆	83	120	895	1,971
9585-1810	2585-1810	18 x 26	10	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	34 ⁷ / ₁₆	75	110	824	1,869
9585-1815	2585-1815	18 x 26	15	4	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	78	114	957	2,134
9585-1812	2585-1812	18 x 26	12	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	77	112	884	1,844
9585-1811	2585-1811	18 x 26	11	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	76	110	870	1,823
9585-2010	2585-2010	20 x 20	10	5 ¹ / ₁₆	22 ³ / ₈	23 ¹ / ₂	59 ⁷ / ₁₆	76	110	1020	2,119
9585-2008	2585-2008	Glass Racks	8	6	22 ³ / ₈	23 ¹ / ₂	57 ⁹ / ₁₆	74	112	1000	2,047
9585-2005	2585-2005	Racks	5	6	22 ³ / ₈	23 ¹ / ₂	39 ⁷ / ₁₆	63	86	934	1,844
9585-1509	2585-1509	15 x 20	9	5 ¹ / ₁₆	18 ¹ / ₄	23 ¹ / ₂	55	74	112	1047	2,152
9585-1524	2585-1524	15 x 20	*24	5 ¹ / ₁₆	23	31	69 ⁷ / ₁₆	82	122	1059	2,458
9585-1522	2585-1522	15 x 20	*22	5 ¹ / ₁₆	23	31	64 ³ / ₁₆	80	118	1071	2,306
9585-1440	2585-1440	14 x 18	*40	3	20 ³ / ₄	29	69 ⁷ / ₁₆	87	132	995	2,233
9585-1436	2585-1436	14 x 18	*36	3	20 ³ / ₄	29	64 ³ / ₁₆	84	123	996	2,179
9585-1424	2585-1424	14 x 18	*24	5 ¹ / ₁₆	20 ³ / ₄	29	69 ⁷ / ₁₆	79	116	993	2,150
9585-1418	2585-1418	14 x 18	*18	5 ¹ / ₁₆	20 ³ / ₄	29	55	77	112	965	2,138
9585-1609	2585-1609	16 x 22	9	5 ¹ / ₁₆	19 ¹ / ₄	23 ¹ / ₂	55	75	110	959	1,992
9585-1224	2585-1224	12 x 19 or 12x20 trays	*24	5 ¹ / ₁₆	22 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	85	128	1030	2,082
9585-2112	2585-2112	**20 ⁷ / ₈ x25 ¹ / ₂	12	5 ¹ / ₁₆	23 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	79	116	1014	2,117
9585-2111	2585-2111	**20 ⁷ / ₈ x25 ¹ / ₂	11	5 ¹ / ₁₆	23 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	77	112	998	2,091
9585-2120	2585-2120	**20 ⁷ / ₈ x25 ¹ / ₂	20	3	23 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	89	138	1086	2,178
9585-2118	2585-2118	**20 ⁷ / ₈ x25 ¹ / ₂	18	3	23 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	86	132	1068	2,139

*2 trays side by side on same pair of slides.

**Gastronorm GN 2/1 & European maixpans (530mm x 650mm) 3/4" and 1/8" thick.



9585-1820



9585-W-1812

Wide Opening Racks (side loading)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9585-W-1820	2585-W-1820	18 x 26	20	3	28 ³ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	80	110	\$895	\$1,942
9585-W-1818	2585-W-1818	18 x 26	18	3	28 ³ / ₈	18 ¹ / ₂	64 ³ / ₁₆	78	105	884	1,915
9585-W-1812	2585-W-1812	18 x 26	12	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	74	98	882	1,939
9585-W-1811	2585-W-1811	18 x 26	11	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	64 ³ / ₁₆	72	95	867	1,878
9585-W-1612	2585-W-1612	16 x 22	12	5 ¹ / ₁₆	25 ¹ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	73	97	884	1,939
9585-W-1609	2585-W-1609	16 x 22	9	5 ¹ / ₁₆	25 ¹ / ₈	18 ¹ / ₂	55	69	92	858	1,869

Super duty construction is also available with slides riveted & welded for correctional facilities. Add 15% to above prices. Consult factory.

NOTE 2: Pan spacings other than listed above are available. Please consult factory.

NOTE 3: Aluminum angle slide racks are available with solid sides with spacings on 2¹/₄", 3", 4¹/₂" or 5¹/₁₆" for hospitals and other institutions. Consult factory.

NOTE 4: Racks for 18"x 26" (end loaded) are also available with 3/4" wide slides to accommodate both 18"x 26" bun pans and 12"x 20" steam pans. Add 20% to list prices. Consult factory.

For other options, see Table DD-1



Angle ledge racks, standard duty & economy aluminum & stainless steel

- Furnished fully assembled with 5" casters.

CATALOG PAGES D-1

End Loading Racks (standard duty)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9580-20	2580-20	18 x 26	20	3	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	81	114	\$708	\$1,580
9580-18	2580-18	18 x 26	18	3	20 ⁵ / ₈	26 ¹ / ₂	64 ³ / ₁₆	79	111	720	1,589
9580-10	2580-10	18 x 26	10	3	20 ⁵ / ₈	26 ¹ / ₂	39	77	108	611	1,296
9580-30	2580-30	18 x 26	30	2	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	100	135	800	1,912
9580-24	2580-24	18 x 26	24	2 ¹ / ₂	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	85	117	771	1,786
9580-22	2580-22	18 x 26	22	2 ¹ / ₂	20 ⁵ / ₈	26 ¹ / ₂	64	82	113	746	1,763
9580-1810	2580-1810	18 x 26	10	2 ¹ / ₂	20 ⁵ / ₈	26 ¹ / ₂	34	65	96	623	1,456
9580-12	2580-12	18 x 26	12	5 ¹ / ₁₆	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	71	102	688	1,384
9580-11	2580-11	18 x 26	11	5 ¹ / ₁₆	20 ⁵ / ₈	26 ¹ / ₂	64 ³ / ₁₆	69	100	704	1,347
9580-15	2580-15	18 x 26	15	4	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	65	97	733	1,755

NOTE: End loading racks for 18"x 26" bun pans are also available as roll-in racks. Add \$129 for aluminum & \$229 for s/s racks. Medium duty racks are also available. Consult factory.

Wide Open Racks (standard duty)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
					W	D	H	Alum	S/S	Alum	S/S
9580-W-20	2580-W-20	18 x 26	20	3	28 ⁵ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	75	94	\$697	\$1,553
9580-W-18	2580-W-18	18 x 26	18	3	28 ⁵ / ₈	18 ¹ / ₂	64 ³ / ₁₆	73	85	712	1,560
9580-W-12	2580-W-12	18 x 26	12	5 ¹ / ₁₆	28 ⁵ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	65	77	694	1,396

NOTE: Pan spacing & racks for pan/tray sizes other than those listed above are also available. Please consult factory. For other options, see Table DD-1

End Loading Rack (economy)

Aluminum Model Number	Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
9581-EC-20	18 x 26	20	3	20 ⁵ / ₈	26 ¹ / ₂	70	71	\$565

Knocked down (K.D.) type racks, aluminum

CATALOG PAGE D-1

- Knocked down construction for easy assembly & freight savings.
- All K.D. units can be shipped via U.P.S.
- 5" plate casters provide extra rigidity at base compared to stem casters.
- All aluminum construction.

For 18"x 26" Bun Pans (end loaded)

Type	Model Number	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (note 1)
				W	D	H		
Economy	9581-ECKD-20	20	3	20 ⁵ / ₈	26 ¹ / ₂	70	70	\$413
Std. Duty	9581-KD-20	20	3	20 ⁵ / ₈	26 ¹ / ₂	70	80	641

NOTES 1: List price is based on minimum quantity of 6 units.
2: These racks are also available in side load construction. Add "-W" after model number. Consult factory for pricing.

For Donut Screens (end loaded, except as noted)

Model Number	Screen Size (Inches)	Screen Capacity	Screen Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (note 1)
				W	D	H		
9581-KD-2420	23 x 23 or 24 x 24	20	3	26 ⁵ / ₈	26 ¹ / ₂	70	87	\$690
9581-KD-3420	*23 x 33 or 24 x 34	20	3	36 ⁵ / ₈	26 ¹ / ₂	70	89	733

*Side loaded.

NOTES 1: List price is based on minimum quantity of 6 units.
2: All knocked down racks are also available as fully assembled & welded at top & bottom. Add 20% to list price & remove "-KD" from model number.
3: Knocked down racks are also available for other pan sizes & spacings as well as in heavier duty construction. Economy racks for wire screens are also available. Consult factory.

For options, see Table DD-1



9580-20



9580-W-20



9581-ECKD-20



Three sides enclosed dual (twin) section (clam shell type) carts, stainless steel

- All welded s/s construction.
- Furnished in 2 sections.
- 5" casters are standard.

CATALOG PAGE D-24

Tray Size (Inches)	Spacing (Inches)	Model Number	*Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	*D	H		
14 x 18	4½	9260-SS-TZ-EN-1414	14	21½	31	40½	165	\$4,934
14 x 18	4½	9260-SS-TZ-EN-1420	20	21½	31	54	180	5,393
15 x 20	4½	9260-SS-TZ-EN-1514	14	23½	33	40 ½	175	4,585
15 x 20	4½	9260-SS-TZ-EN-1520	20	23½	33	54	190	4,957
16 x 22	4½	9260-SS-TZ-EN-1614	14	25¼	35	40 ½	187	4,683
16 x 22	4½	9260-SS-TZ-EN-1620	20	25¼	35	54	205	4,934
18 x 26	4½	9260-SS-TZ-EN-1814	14	29½	39	40 ½	241	4,700
18 x 26	4½	9260-SS-TZ-EN-1820	20	29½	39	54	260	5,054
20 x 20	4½	9260-SS-TZ-EN-2014	14	23½	43	40 ½	195	4,738
20 x 20	4½	9260-SS-TZ-EN-2020	20	23½	43	54	215	5,182

*Depth and capacity is based on 2 section joined together. Each section will carry half the capacity shown. Carts are also available in aluminum construction. Consult factory. For non-separable sections (2 fixed hinges @ spine) Add \$263. For other options, see Table DD-1



9260-SS-TZ-EN-1820

Room service tray racks, single & double

- Heavy duty all welded construction.
- Large angle slides to accommodate tapered trays.
- 5" casters are standard

CATALOG PAGE D-25

Type	Model Number	Tray Size (Inches)	Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Single Rack	9585-LA-1523-20	*15½ x 23½	20	6	26¼	32	69 ⁷ / ₁₆	90	\$1,187
	9585-LA-1628-20	*16½ x 28	20	6	30¾	34	69 ⁷ / ₁₆	120	1,187
	9585-LA-1628-9	16½ x 28	9	6	30¾	18½	64 ³ / ₁₆	79	1,076
	9585-LA-1822-10	18 x 22½	12	6	25¼	18½	69 ⁷ / ₁₆	88	1,069
Double Rack	9585-D-LA-1523-20	15½ x 23½	20	6	35¾	26½	69 ⁷ / ₁₆	168	1,174
	9585-D-LA-1628-20	16½ x 28	20	6	37¾	29	69 ⁷ / ₁₆	155	1,298

*2 trays side loaded/pair of slides.

NOTES: 1. These racks are also available in s/s construction. Consult factory.
 2. Racks can be tailor made to suit different tray sizes, capacities & spacings. Consult factory. Sample trays are required with order. For options, see Table DD-1



9585-LA-1822-10
(with optional corner bumper & pan stop)

Fruit platter racks for banquet service, aluminum

- Heavy duty construction.
- Furnished with 5" casters.

Ideal for storing & transporting
 cold food platter (15½"x 22¾")
 for banquet service.

CATALOG PAGE D-25

Model Number	Type of Loading	Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
S-4100-UA-15-18	Single End	18	3	20¾	26½	64 ³ / ₁₆	91	\$1,311
S-4100-UA-15-15	Single End	15	4	20¾	26½	69 ⁷ / ₁₆	103	1,298
S-4100-UA-15-30	Double End	*30	4	25¼	31	69 ⁷ / ₁₆	130	1,498
S-4100-UA-15-24	Double End	*24	5 ¹ / ₁₆	25¼	31	69 ⁷ / ₁₆	114	1,419

*2 trays side by side/pair of slides.

NOTE: All racks will accommodate single 18"x 26" bun pans, end loaded. Custom size racks for roll-in refrigerators are also available. Consult factory.

For options, see Table DD-1



S4100-UA-15-24