


PRICE LIST EFFECTIVE
Jan. 1, 2020

Sammons Equipment Manufacturing Corporation

SHAMMI INDUSTIRES



**Our "Queen Marys"
have made us Famous!!!!**



TABLE OF CONTENTS

QUEEN MARYS & SHELF TRUCKS	PA-1 thru PA-7	UTILITY & BUSSING CARTS	PE-1 thru PE-12
CABINETS, TRANSPORT & DELIVERY	PB-1 thru PB-9	DOLLIES & PLATFORM TRUCKS	PF-1 thru PF-6
PROOFING & HOT CABINETS	PC-1 thru PC-14	SHELVING & DUNNAGE RACKS	PG-1 thru PG-5
RACKS	PD-1 thru PD-17	SLICER STANDS & WORK TABLES	PG-1 and PH-1

TERMS & CONDITIONS & WARRANTY SEE INSIDE BACK COVER

X-REFERENCE CHART

MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number	MODEL #	Page Number
CV-12	PD-4A	2173-2175	PE-3	2580	PD-1,PD-16E	9235	PC-6
E-11007	PA-1	2176	PA-5,PE-3	2581	PD-2A,PD-2B	9236	PC-4,PC-4A
GR	PH-1	2177-2179	PE-3	2582	PD-7	9238	PC-7
S-224	PE-2	2180	PA-5,PF-2	2583	PD-9	9240	PB-5
S-3131	PD-5,PD-6, PD-9	2191	PE-5	2584	PD-7	9250	PC-2,PC-3,PC-7,PC-13A
S-3587	PA-1	2192	PE-5	2585	PD-2,PD-4A, PD-11PD-16D,PD-12A	9251	PC-1,PC-1A
S-3658	PA-1	2193	PE-5	2586	PD-4A	9252	PC-2,PC-3,PC-13A
S-3751 THRU	PF-4	2194	PE-1,PE-2	2589	PD-3	9253,9254	PC-5
S-3755		2195	PE-1	2601,2602	PH-1	9256	PC-4,PC-4A
S-3921	PF-6	2196,2198	PE-2	2603,2604	PH-1	9260	PD-14
S-4100	PD-3,PD-14,PD-16E	2200	PB-3B	2607	PG-1		
S-4285	PB-2	2202	PB-3C,PB-3D,PB-3E	2801	PC-10		
S-4354	PD-4,PD-9, PD-11	2205	PB-8	2803	PC-8,PC-13A	9264	PB-4,PB-6
S-4358	PD-5	2230	PC-3	2805	PC-8		
S-5030	PA-3	2231	PC-1,PC-6	3919	PA-1	9270	PC-2
S-5036	PA-3,PE-11	2232	PC-3	4210	PA-1	9271	PC-1
S-5065	PB-8C	2233	PC-6	5166,5167	PE-1A	9273,9274	PC-5
S-5100	PA-2	2234	PC-1,PC-6	5170,5171	PE-1A	9280	PC-2,PC-3,PC-13A
S-5108	PD-16A	2235	PC-6	6231,6235	PF-4	9281	PC-1,PC-1A
S-5181	PA-3	2236	PC-4	6251,6255	PF-4	9282	PC-2,PC-3,PC-13A
S-5481	PB-4	2237	PC-9	6271	PF-4		
WHD	PD-4A	2238	PC-7	6275	PF-4	9283	PC-5
1940	PE-4,PE-9	2250	PC-2,PC-7,PC-13A	6281,6285	PF-4	9284	PC-5,PC-13
1941	PE-9	2251	PC-1	9001	PE-5	9286	PC-4,PC-4A
2001	PE-5	2252	PC-2,PC-3,PC-13A	9007-9008	PE-6	9288	PC-7,PC-13
2006,2007	PE-6,PE-12	2253,2254	PC-5	9023-9030	PA-5	9292	PC-3,PC-13A
2008	PE-6	2256	PC-4	9040	PD-15,16,16F	9298	PC-7
2010-2012	PE-1	2270	PC-2	9045	PA-4,PA-5	9351	PG-4
2023-2030	PA-5	2271	PC-1	9047	PD-16,PD-16C	9355	PG-4
2035-2038	PE-1	2274	PC-5	9048	PD-16B	9359	PD-13
2040	PE-4	2280	PC-2,PC-3	9070	PA-6	9412	PC-9
2041	PE-4,PE-8	2281	PC-13A	9085	PF-1,PF-2	9501	PA-6
2043-2045	PE-4	2282	PC-1	9086	PF-1, PF-3	9502	PA-2
2047,2048	PE-4	2283,2284	PC-2,PC-3	9090	PF-3,PF-2	9503	PA-3,PA-6A
2049	PE-3A	2285	PC-5	9105	PB-1,PB-4,PB-2A	9504	PA-4
2060	PA-6B	2286	PC-11,PC-11D	9115	PB-3	9506	PA-6
2070	PA-6	2287	PC-12	9120	PD-4,9,11,16G	9560,9562	PD-13
2085	PF-1,PF-2	2288	PC-4,PC-11E,PC-12	9130	PE-9,PF-1,PG-3,PE-12	9563	PD-16B
2086	PF-1,PF-2	2289	PC-11F	9150,9152	PB-2,PB-2A	9564	PD-13
2089	PD-6	2292	PC-11,PC-11G	9156	PB-3,PB-3A,PB-2A,PB-3B,PB-4,PB-5,PB-7,PB-8.PD-12	9565	PD-16A,PD-12
2142	PE-3, PE-3A	2298	PC-10	9158	PB-3	9566	PE-10
2143	PE-3,PE-7,PE-3A	2305	PC-3,PC-12,PC-13A,PC-13	9170,9171	PD-12	9580	PD-1,PD-15,PD-16E,PD-2C
2145,2146	PE-7	2306	PC-7	9172	PD-7	9581	PD-1,PD-2A,PD-2B,PD-2C
2147	PE-4,PE-8	2307,2308	PG-1	9200	PB-3B	9582	PD-7,PD-9
2148	PE-10,PE-11	2309,2310	PA-3,PG-1	9202	PB-3C,PB-3D,PB-3E	9583	PD-9,PD-10
2150	PB-6,PB-8,PB-8B	2313,2314	PG-5	9220	PB-1,PB-3,PB-3A,PB-4,PB-7	9584	PD-7
2151	PE-4	2412	PC-9	9230	PC-3	9585	PD-2,PD-4A,PD-9,PD-10,PD-11.PD-14,PD-16D
2153,2154	PE-3,PE-1A	2420	PC-13B	9231	PC-1,PC-6,PC-1A	9586	PD-4A,PD-8
2160-2167	PA-5,PE-3	2502	PA-2	9233	PC-6	9587	PD-8
2168	PE-3	2503	PA-3,PA-6A	9234	PC-3	9588	PG-1
2169-2171,2172	PA-5,PE-3	2504	PA-4	9235	PC-3	9589	PD-3
		2506	PA-6	9236	PC-1,PC-6	9601	PF-3,PF-6
				9237		9602	PF-5
				9238		9803	PC-8,PC-13A




Corrugated sides delivery & storage cabinet, standard & heavy duty, non-insulated, aluminum

CATALOG PAGE B-1

Type	Model Number	Pan Capacity	Pan Size (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
Standard Duty	9105-1839	39	18 x 26	22	30 $\frac{1}{8}$	69 $\frac{3}{8}$	136	\$ 2,126
	9105-1831	31	18 x 26	22	30 $\frac{1}{8}$	57 $\frac{3}{8}$	125	2,112
	9105-1822	22	18 x 26	22	30 $\frac{1}{8}$	45 $\frac{3}{8}$	104	2,090
Heavy Duty	9105-HD-1839	39	18 x 26	22	30 $\frac{1}{8}$	69 $\frac{3}{8}$	142	2,204
	9105-HD-1831	31	18 x 26	22	30 $\frac{1}{8}$	57 $\frac{3}{8}$	131	2,186

NOTE: Corrugations are spaced on 1 $\frac{1}{2}$ " centers.

Cabinets are also available in s/s construction. Add "-SS" after model number and add 85% to above prices based on a minimum quantity of 5 units. Consult factory. For options, see Table BB-1



9105-HD-1839

Aluminum cabinets with stainless steel corrugated sides, for steam pans & gastronorm pans, non-insulated


Pan Size: U.S.A. 12"x 20" steam pan or gastronorm GN 1/1 (325mm x 530mm) steam pan.

Cabinets will also accommodate GN 2/1 pan (530mm x 650mm).

CATALOG PAGE B-2

Type	Model Number	*Pan Capacity	Pan Size (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
Aluminum Frame S/S Corrugation	9105-1238	38	12 x 20	25	30 $\frac{1}{8}$	69 $\frac{3}{8}$	153	\$3,121
	9105-1230	30	12 x 20	25	30 $\frac{1}{8}$	57 $\frac{3}{8}$	145	P.O.R.
All S/S Frame & Corrugation	9105-1238-SS	38	12 x 20	25	30 $\frac{1}{8}$	69 $\frac{3}{8}$	209	4,858
	9105-1230-SS	30	12 x 20	25	30 $\frac{1}{8}$	57 $\frac{3}{8}$	188	P.O.R.

* Pan capacity based on two 2 $\frac{1}{2}$ " deep steam pans per set of corrugations. Capacity for 4" or 6" deep pans will vary. Corrugations are spaced on 1 $\frac{1}{2}$ " centers. For options, see Table BB-1



9105-1238

Aluminum extruded side panel cabinets for gastronorm & steam pans, non-insulated

Pan Size: U.S.A. 12"x 20" steam pan or gastronorm GN 1/1 and 2/1

CATALOG PAGE B-2

Model Number	*Pan Capacity	Pan Size (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			W	D	H		
9220-1238	38	12 x 20	25	30 $\frac{1}{8}$	69 $\frac{3}{8}$	145	\$ 2,508
9220-1230	30	12 x 20	25	30 $\frac{1}{8}$	57 $\frac{3}{8}$	137	P.O.R.

*Pan capacity based on two 2 $\frac{1}{2}$ " deep steam pans per set of slides. Capacity for 4" or 6" deep pans will vary. For options, see Table BB-1

NOTE: Optional heavy duty reinforced back is available, add "-HD" after model number. Consult factory.



9220-1230

Delivery & storage cabinet, extruded sides, economy & standard duty, non-insulated, aluminum

CATALOG PAGE B-4

Type	Model Number	*Pan Capacity	Pan Size (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
Economy	9220-EC-1839	39	18 x 26	21	27 $\frac{3}{8}$	69 $\frac{3}{8}$	118	\$ 1,751
	9220-EC-1815	15	18 x 26	21	27 $\frac{3}{8}$	31 $\frac{1}{4}$	82	P.O.R.
Std. Duty	9220-1839	39	18 x 26	22	30 $\frac{1}{8}$	69 $\frac{3}{8}$	132	2,066
	9220-1835	35	18 x 26	22	30 $\frac{1}{8}$	63 $\frac{3}{8}$	126	2,045
	9220-1831	31	18 x 26	22	30 $\frac{1}{8}$	57 $\frac{3}{8}$	118	2,036

* Pan spacing is on 1 $\frac{1}{2}$ " centers. For options, see Table BB-1

NOTE: ALL CABINETS LISTED ON THIS PAGE COME FULLY ASSEMBLED & ARE FURNISHED WITH 5" CASTERS.



9220-1839



**Samobile tray delivery & storage cabinet,
 heavy duty, insulated & non-insulated, aluminum**

Non-Insulated Models: CATALOG PAGE B-3

Model Number	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
				W x D x H		
S-4285-39	39	18 x 26	1½	22 x 30½ x 69¾	135	\$ 2,198
S-4285-35	35	18 x 26	1½	22 x 30½ x 63¾	129	2,397
S-4285-31	31	18 x 26	1½	22 x 30½ x 57¾	120	2,181
S-4285-23	23	18 x 26	1½	22 x 30½ x 45¾	104	2,099
*S-4285-36-12	*36	12 x 20	3	25 x 30½ x 69¾	145	P.O.R.
*S-4285-24-12	*24	12 x 20	3	25 x 30½ x 57¾	139	P.O.R.

* For 12" x 20" x 2½" steam pans (two pans/pair of slides)

Insulated Models:

Model Number	Pan Capacity	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
				W x D x H		
S-4285-39-IN	39	18 x 26	1½	25 x 33 x 70¾	255	\$ 4,748
S-4285-31-IN	31	18 x 26	1½	25 x 33 x 58¾	240	4,443
S-4285-23-IN	23	18 X 24	1½	25 X 33 X 46¾	236	4,434

For options, see Table BB-1 **Correctional package available. Consult factory.**

**Angle ledge tray delivery & storage cabinet,
 standard & heavy duty, non-insulated, aluminum**

CATALOG PAGE B-8

Type	Model Number	*Pan Capacity (18"x26")	Pan Spacing (Inches)	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
				W x D x H		
Standard Duty	9156-1820	20	3	22 x 30½ x 69¾	124	\$ 2,169
	9156-1816	16	3	22 x 30½ x 57¾	114	P.O.R.
	9156-1812	12	3	22 x 30½ x 45¾	104	P.O.R.
Heavy Duty	9156-HD-1820	20	3	22 x 30½ x 69¾	129	2,342
	9156-HD-1816	16	3	22 x 30½ x 57¾	119	2,241
	9156-HD-1812	12	3	22 x 30½ x 45¾	109	2,303

* Cabinets also available for 14"x 18" tray and with spacing other than 3". Consult factory.
Also available in s/s construction. Consult factory. Add 85% to above prices based on minimum quantity of 5 units and add "-SS" after model number. For options, see Table BB-1

Universal angle cabinets, heavy duty, insulated & non-insulated, aluminum

CATALOG PAGE B-11

Type	Model Number	Tray Capacity (see note)	*Slide Spacing (Inches)	No. of Slide Sets Furn.	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
					W x D x H		
Non-Insulated	9150-11	11	4½	11	26 x 31 x 59½	175	\$ 3,086
	9150-12	12	4½	12	26 x 31 x 65½	185	3,251
	9150-13	13	4½	13	26 x 31 x 70	200	3,669
Insulated	9152-IN-10	10	4½	10	29½ x 36½ x 60½	266	P.O.R.
	9152-IN-13	13	4½	13	29½ x 36½ x 72½	285	5,022

* Adjustable on 1½" (38mm) centers.


NOTE: Capacity shown is for 18"x 26" bun pans. Each set of slides can carry one (1) each 18"x 26" or 20"x 22" bun pan or 530mmx650mm gastronorm (GN 2/1) pan or can carry two (2) each 14"x 18" trays, 12"x 20" U.S. (or 325mmx530mm) GN 1/1 gastronorm steam pans or 10"x 20" pans. **Cabinets are also available in s/s construction.** Consult factory. For options, see Table BB-1

CORRECTIONAL PACKAGE: These cabinets are also available with correctional package which includes 3 sets of non-removable hinges, fixed slides, lockable 24" long 12 ga. s/s vertical security padlock hasp, tamperproof screws, perimeter bumper and 6" balloon casters. Consult factory.	List Price
	\$1,054

NOTE: ALL CABINETS LISTED ON THIS PAGE COME FULLY ASSEMBLED & ARE FURNISHED WITH 5" CASTERS.



S4285-39



9156-HD-1820



9150-11
 (with optional wrap around bumper)



Corrugated sides delivery & storage cabinet, standard & heavy duty, non-insulated, stainless steel

CATALOG PAGE B-2A

Type	Model Number	Pan Capacity	Pan Size (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
Standard Duty	9105-SS-1839	39	18 x 26	22	30 ³ / ₈	69 ³ / ₈	204	\$4,256
Heavy Duty	9105-SS-HD-1839	39	18 x 26	22	30 ³ / ₈	69 ³ / ₈	211	4,640

NOTE: Corrugations are spaced on 1½" centers.
For options, see Table BB-1



9105-SS-HD-1839

Angle ledge tray delivery & storage cabinet, standard & heavy duty, non-insulated, stainless steel

CATALOG PAGE B-2A

Type	Model Number	*Pan Capacity (18"x26")	Pan Spacing (Inches)	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
				W x D x H		
Standard Duty	9156-SS-1820	20	3	23 ⁷ / ₈ x 30 ³ / ₄ x 69 ³ / ₈	255	\$ 4,372
	9156-SS-1812-5	12	5 ¹ / ₁₆	22 x 30 ³ / ₈ x 69 ³ / ₈	240	4,620
Heavy Duty	9156-SS-HD-1820	20	3	23 ⁷ / ₈ x 30 ³ / ₄ x 69 ³ / ₈	265	4,718
	9156-SS-HD-1812-5	12	5 ¹ / ₁₆	22 x 30 ³ / ₈ x 69 ³ / ₈	245	4,620

* Cabinets also available for 14"x 18" tray and with spacing other than 3". Consult factory.
For options, see Table BB-1



9156-SS-HD-1820
(with optional wrap around bumper & 6" balloon casters)

Universal angle cabinets, heavy duty, insulated & non-insulated, stainless steel

CATALOG PAGE B-11A

Type	Model Number	Tray Capacity (see note)	*Slide Spacing (Inches)	No. of Slide Sets Furn.	O.A. Dimensions (Inches)	Weight (Pounds)	List Price
					W x D x H		
Non-Insulated	9150-SS -11	11	4½	11	26 x 31 x 59½	252	\$ 5,294
	9150-SS -12	12	4½	12	26 x 31 x 65½	280	5,957
	9150-SS -13	13	4½	13	26 x 31 x 70	296	6,121
Insulated	9152-SS -IN-6	6	4½	6	29½ x 36½ x 43	340	7,185
	9152-SS -IN-10	10	4½	10	29½ x 36½ x 60½	378	7,365
	9152-SS -IN-13	13	4½	13	29½ x 36½ x 72½	398	8,389

* Adjustable on 1½" (38mm) centers.

NOTE: Capacity shown is for 18"x 26" bun pans. Each set of slides can carry one (1) each 18"x 26" or 20"x 22" bun pan or 530mmx650mm gastronorm (GN 2/1) pan or can carry two (2) each 14"x 18" trays, 12"x 20" U.S. (or 325mmx530mm) GN 1/1 gastronorm steam pans or 10"x 20" pans. For options, see Table BB-1



9150-13-SS
(with optional wrap around bumper & push handles)

CORRECTIONAL PACKAGE: These cabinets are also available with correctional package which includes 3 sets of non-removable hinges, fixed slides, lockable 24" long 12 ga. s/s vertical security padlock hasp, tamperproof screws, perimeter bumper and 6" balloon casters. Consult factory.	List Price \$1054
--	----------------------

NOTE: ALL CABINETS LISTED ON THIS PAGE COME FULLY ASSEMBLED & ARE FURNISHED WITH 5" CASTERS.



Super duty & heavy duty tray delivery cabinets, non-insulated aluminum

CATALOG PAGE B-9

Type	Model Number		Pan Spacing (Inches)	Pan Capacity (18x26)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price	
	Super Duty	Extra Heavy Duty			W	D	H		Super Duty	Extra Heavy Duty
Extruded Sides	9220-SD-1839	9220-EHD-1839	1½	39	22	30¾	69¾	142	\$ 2,539	\$ 2,651
	9220-SD-1835	9220-EHD-1835	1½	35	21	27¾	63¾	136	2,597	2,687
	9220-SD-1831	9220-EHD-1831	1½	31	22	30¾	57¾	128	2,484	P.O.R.
Corrugated Sides	9105-SD-1839	-	1½	39	22	30¾	69¾	140	2,684	-
	9105-SD-1831	-	1½	31	22	30¾	57¾	134	2,643	-
	9105-SD-1822	-	1½	22	22	30¾	42¾	126	2,576	-
Angle Ledge	9156-SD-1820	9156-EHD-1820	3	20	22	30¾	69¾	143	2,911	3,090
	9156-SD-1816	9156-EHD-1816	3	16	22	30¾	57¾	137	2,886	2,990
	9156-SD-1812	9156-EHD-1812	5¼	12	22	30¾	69¾	129	2,725	P.O.R.



9220-EHD-1835

For options, see Table BB-1

Correctional package: Extra reinforced door, 3 hinges, 30" long s/s lockable latch, wrap around bumper & 6" balloon casters. Other options are available. Consult factory.	List Price
	Add \$833 to Extra heavy duty model prices

Tray delivery carts/cabinets non-insulated, single section, aluminum & stainless steel

CATALOG PAGE B-7

Tray Size (Inches)	**Model Number		Tray Capacity Based on Spacing				O.A. Dimensions (Inches)			Weight (Pounds)		List Price	
	Aluminum	Stainless Steel	3"	4½"	5 1/16"	6"	W	D	H	Alum	S/S	Alum See note	S/S
14 x 18 Side Loaded 2 Trays/Pair of Slides.	9156-1424	9156-SS-1424	40	26	24	20	22	32¾	69¾	149	274	\$2,568	\$5,007
	9156-1420	9156-SS-1420	36	24	20	18	22	32¾	63¾	142	266	2,578	5,027
	9156-1418	9156-SS-1418	32	20	18	16	22	32¾	57¾	138	260	2,562	5,002
	9156-1414	9156-SS-1414	24	16	14	12	22	32¾	45¾	126	250	2,545	4,961
15 x 20 Side Loaded 2 Trays/Pair of Slides	9156-1524	9156-SS-1524	40	26	24	20	24¼	35½	69¾	156	288	2,892	5,640
	9156-1520	9156-SS-1520	36	24	20	18	24¼	35½	63¾	148	276	2,803	5,466
	9156-1518	9156-SS-1518	32	20	18	16	24¼	35½	57¾	140	264	2,719	5,305
	9156-1514	9156-SS-1514	24	16	14	12	24¼	35½	45¾	132	254	2,642	5,157
*16 x 22	9156-1610	9156-SS-1610	18	12	10	9	20¼	27¾	63¾	136	260	2,806	5,473
	9156-1609	9156-SS-1609	16	10	9	8	20¼	27¾	57¾	130	250	2,729	5,325
	9156-1607	9156-SS-1607	12	8	7	6	20¼	27¾	45¾	124	242	2,553	4,982



9156-1424-24-5/16

*16" x 22" Trays are single end loaded, one tray/pair of slides.

**While ordering, please specify model number followed by capacity and desired spacing. For example, to order aluminum cart for 14" x 18" trays with 4½" spacing and 24 capacity, specify model no. 9156-1420-24-4 ½. Other spacings and carts for different tray sizes are available. Please consult factory. Cabinets for 14" x 18" trays will also accommodate 18" x 26" trays single end loaded.


NOTE: Aluminum prices are based on 3" or 5 1/16" spacing. For 4½" or 6" spacing, add 10% to these prices. For s/s carts add 95% to alum. List prices based on minimum quantity of 5 units. Super duty carts are also available. Consult factory. For options, see Table BB-1

Insulated tray delivery & storage cabinet, heavy duty, aluminum

(Removable Rack)

CATALOG PAGE B-10

Type of Rack	Model Number	Pan Size (Inches) see note	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Channel Slides	9115-IN-1839-RR	18 x 26	39	1½"	27	36¾	72½	260	\$ 4,832
	9115-IN-1831-RR	18 x 26	31	1½"	27	36¾	60½	209	P.O.R.
Angle Ledge	9158-IN-1820-RR	18 x 26	20	3"	27	36¾	72½	258	\$5,071
	9158-IN-1816-RR	18 x 26	16	3"	27	36¾	60½	206	P.O.R.
	9158-IN-1440-RR	*14 x 18	40	3"	27	36¾	72½	265	\$ 5,103
	9158-IN-1432-RR	*14 x 18	32	3"	27	36¾	60½	210	P.O.R.



9115-IN-1839-RR

* Two trays side by side on each pair of slides.

NOTE: Insulated cabinets for other pan sizes are also available. Angle ledge slide spacing other than 3" can also be furnished. S/S construction is also available. Consult factory. For options, see Table BB-1

NOTE: ALL CABINETS LISTED ON THIS PAGE COME FULLY ASSEMBLED & ARE FURNISHED WITH 5" CASTERS.



Ultra Value transport & storage cabinets, for bun pans, non-insulated, aluminum

- Extruded side panels.
- All welded construction.
- 270° door swing
- 5" polyurethane casters

CATALOG PAGE B-29

Model Number	No. of Runners	Pan Size (Inches)	Pan Spacing (Inches)	O.A. Dimensions (Inches)		Weight (Pounds)	List Price
				W	D x H		
9220-BL-1839	39	18 x 26	1½	20½	27¼ x 67	120	\$ 1,611
9220-BL-1816	16	18 x 26	1½	20½	27¼ x 31	84	1,250

Options:	List Price	Options:	List Price
1. Corner bumpers (set of 4)	\$ 174	5. Prison package (includes 5 sets of hinges, extra interior bracing, 6" poly casters, pad lock hole in door & tamper proof screws)	\$ 461
2. Wrap around bumper	313		
3. Wheel brakes (pair)	27		
4. Door tag holder	73		

Additional Correctional Options: (for 9220-BL-1839)

Options:	List Price	Options:	List Price
1. Reinforced top	\$ 122	5. 30" long lockable latch	\$ 189
2. Reinforced 2 vertical sides	149	6. 48" long lockable latch	241
3. Reinforced deck	144	7. 6" x 2" H.D. poly casters	215
4. Reinforced door	136	8. 6" balloon casters	380



9220-BL-1839



9220-BL-1816

Stainless steel storage cabinets

- All s/s construction
- 2 Full height doors
- Adjustable shelves
- Stationary cabinet (mobile optional)

CATALOG PAGE B-26

Model Number	No. of Intermediate Shelves	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		D	L	H		
S5100-2-2436-48-S	2	24	36	48	220	\$10,701
S5100-4-2436-78-S	4	24	36	78	305	11,867

Options:	List Price	Options:	List Price:
1. Mobile unit w/5" casters in lieu of 6" stationary legs	\$ N/C	2. Single reinforced shelves	\$426
		3. Double reinforced shelves	706



S-5100-4-2436-78-S

Heavy duty enclosed cabinets for Oval trays, non-insulated, single & double section, aluminum & stainless steel

- 4" wide angle ledges
- Heavy duty construction
- For 20¾" x 25½" and 22¾" x 27½" oval trays
- 5" swivel casters

9156-OT-10

9156-D-OT-20

CATALOG PAGE B-18

Type Of Cabinet	Aluminum Model Number	Stainless Steel Model Number	Tray Capacity	Spacing (C-C) (Inches)	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)		List Price	
						Alum	S/S	Alum	S/S
Single Section	9156-OT-10	9156-OT-10-SS	10	6	27¾ x 32¾ x 69¾	160	398	\$3,359	P.O.R
	9156-OT-8	9156-OT-8-SS	8	6	27¾ x 32¾ x 57¾	150	372	3,198	P.O.R
Double Section	9156-D-OT-20	9156-D-OT-20-SS	20	6	55¾ x 32¾ x 69¾	246	590	5,994	P.O.R
	9156-D-OT-16	9156-D-OT-16-SS	16	6	55¾ x 32¾ x 57¾	238	546	5,870	P.O.R

Note: Different spacing is available. Please consult factory.

* Prices are based on a minimum Qty of 5 units. For options see table BB-1.



Single section



Double section



Half size patient tray delivery / room service carts for 15"x20" trays, aluminum & stainless steel

- Choice of single end loading or double side loading.
- 5" casters are standard.

CATALOG PAGE B-27

Deluxe Heavy Duty Cart

One Tray / Pair of Slides (Single End Load)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
S/S	2200-1-HD-1508	15x20	4 7/8	8	22	25	48 3/4	190	\$4,980



2200-1-HD-1508

Shown with optional package "DX"

CATALOG PAGE B-28

One Tray / Pair of Slides (Single End Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
S/S	2200-1-F-1507	15x20	4 3/4	7	19 7/8	25	42 1/8	135	\$ 3,730
Aluminum	9200-1-F-1507	15x20	5 1/16	7	19 7/8	25	44 7/8	104	2,153
Aluminum	9200-1-F-1508	15x20	5 1/16	8	19 7/8	25	49 7/8	112	2,340



S/S Model 2200-1-F-1507

Shown with optional corner bumpers

Two Tray / Pair of Slides (Double Side Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
S/S	2200-1-F-1514	15x20	4 3/4	14	24 1/4	35 1/8	42 1/8	230	\$ 4,187
Aluminum	9200-1-F-1514	15x20	5 1/16	14	24 1/4	35 1/8	44 7/8	135	2,305
Aluminum	9200-1-F-1516	15x20	5 1/16	16	24 1/4	35 1/8	49 7/8	149	2,453

Note: Cabinets for other tray sizes & with different slide spacings are also available. Consult factory. For options, see Table BB-1.


Triple doors patient tray delivery cart/cabinet, non-insulated

- S/S construction.
- Wrap around bumper.
- 6" poly casters
- One push handle

CATALOG PAGE B-30

For Tray Size: 14"x18", 15"x20" or 16"x22" (Single End Loaded)

Model Number	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note)
			W	D	H		
9156-3-SS-1518	5 1/4	18	68	28 3/4	43	345	\$ 7,245
9156-3-SS-1524	5 1/4	24	68	28 3/4	53 1/2	360	9,099
9156-3-SS-1530	5 1/4	30	68	28 3/4	64	425	9,621



9156-3-SS-1524

Note: All prices are based on a minimum quantity of 4 units. Tray sizes must be specified while ordering and a sample tray must be sent with order. Actual cabinet dimension may vary with the type of trays. Other slide spacing and capacities are available. Consult factory. For options, see table BB-1.



Half size and taller patient tray delivery / room service carts for 15"x20" trays, stainless steel

- Choice of single end loading or double side loading.
- 5" casters are standard.
- Fixed slides

CATALOG PAGE B-31

One Tray / Pair of Slides (Single End Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Stainless Steel	2202-F-1505	15x20	5¼	5	19 7/8	25	35 3/8	130	\$ 3,439
Stainless Steel	2202-F-1506	15x20	5¼	6	19 7/8	25	40 5/8	135	3,527
Stainless Steel	2202-F-1507	15x20	5¼	7	19 7/8	25	45 7/8	143	3,730
Stainless Steel	2202-F-1508	15x20	5¼	8	19 7/8	25	51 1/8	151	4,060
Stainless Steel	2202-F-1509	15x20	5¼	9	19 7/8	25	56 3/8	160	4,102
Stainless Steel	2202-F-1510	15x20	5¼	10	19 7/8	25	61 3/8	168	4,350



2202-F-2-1512

(Shown with optional corner bumpers, push handle, brakes & 3 sides top rail)

Two Trays / Pair of Slides (Double Side Loaded)

Also see Note 2

Type	Model Number (see note 2)	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
Stainless Steel	2202-F-2-1510	15x20	5¼	10	24 ¼	35 1/8	35 3/8	164	\$ 3,990
Stainless Steel	2202-F-2-1512	15x20	5¼	12	24 ¼	35 1/8	40 5/8	170	4,121
Stainless Steel	2202-F-2-1514	15x20	5¼	14	24 ¼	35 1/8	45 7/8	182	4,500
Stainless Steel	2202-F-2-1516	15x20	5¼	16	24 ¼	35 1/8	51 1/8	194	4,760
Stainless Steel	2202-F-2-1518	15x20	5¼	18	24 ¼	35 1/8	56 3/8	216	4,956
Stainless Steel	2202-F-2-1520	15x20	5¼	20	24 ¼	35 1/8	61 1/8	228	5,265
Stainless Steel	2202-F-2-1522	15x20	5¼	22	24 ¼	35 1/8	66 7/8	240	5,537

Note 1: Cabinets for other tray sizes & with different slide spacings are also available. Consult factory. For options, see Table BB-1.

Note 2: These double side loaded (2202-F-2 Series) s/s carts use step angle slides which will accommodate both 15"x20" & 14"x18" trays.

Half size and taller patient tray delivery / room service carts for 15"x20" trays, aluminum

- Choice of single end loading or double side loading.
- 5" casters are standard.
- Fixed slides

CATALOG PAGE B-32

One Tray / Pair of Slides (Single End Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Aluminum	9202-F-1505	15x20	5 1/16	5	19 7/8	25	34 11/16	92	\$ 1,998
Aluminum	9202-F-1506	15x20	5 1/16	6	19 7/8	25	39 3/4	98	2,075
Aluminum	9202-F-1507	15x20	5 1/16	7	19 7/8	25	44 7/8	104	2,193
Aluminum	9202-F-1508	15x20	5 1/16	8	19 7/8	25	49 7/8	112	2,282
Aluminum	9202-F-1509	15x20	5 1/16	9	19 7/8	25	55	124	2,378
Aluminum	9202-F-1510	15x20	5 1/16	10	19 7/8	25	60	138	2,495



9202-F-2-1516

(Shown with optional corner bumpers, push handle & brakes)

Two Trays / Pair of Slides (Double Side Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Aluminum	9202-F-2-1510	15x20	5 1/16	10	24 ¼	35 1/8	34 11/16	125	\$ 2,201
Aluminum	9202-F-2-1512	15x20	5 1/16	12	24 ¼	35 1/8	39 3/4	128	2,271
Aluminum	9202-F-2-1514	15x20	5 1/16	14	24 ¼	35 1/8	44 7/8	135	2,350
Aluminum	9202-F-2-1516	15x20	5 1/16	16	24 ¼	35 1/8	49 7/8	149	2,499
Aluminum	9202-F-2-1518	15x20	5 1/16	18	24 ¼	35 1/8	55	158	2,781
Aluminum	9202-F-2-1520	15x20	5 1/16	20	24 ¼	35 1/8	60	170	2,863
Aluminum	9202-F-2-1524	15x20	5 1/16	24	24 ¼	35 1/8	69 3/8	180	2,948

Note 1: Cabinets for other tray sizes & with different slide spacings are also available. Consult factory. For options, see Table BB-1.

1/20 ALL PRICES ARE F.O.B. FACTORY. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



Double section patient tray delivery carts for 15"x20" trays, stainless steel

- Choice of single end loading or double side loading.
- Furnished with fixed slides, 5" casters, one push handle & wraparound bumper.

CATALOG PAGE B-33

One Tray / Pair of Slides (Single End Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
Stainless Steel	2202-D-1512	15x20	5 1/4	12	42	27	40 3/8	288	\$ 6,293
Stainless Steel	2202-D-1514	15x20	5 1/4	14	42	27	45 7/8	312	6,439
Stainless Steel	2202-D-1516	15x20	5 1/4	16	42	27	51 1/8	340	6,801
Stainless Steel	2202-D-1518	15x20	5 1/4	18	42	27	56 3/8	358	7,111
Stainless Steel	2202-D-1520	15x20	5 1/4	20	42	27	61 1/8	376	7,424



2202-D-1516 (Single end loaded)

Two Trays / Pair of Slides (Double Side Loaded) Also see Note 2

Type	Model Number (see note 2)	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
Stainless Steel	2202-D-2-1524	15x20	5 1/4	24	51 3/8	37 1/8	40 3/8	348	\$ 7,431
Stainless Steel	2202-D-2-1528	15x20	5 1/4	28	51 3/8	37 1/8	45 7/8	376	7,812
Stainless Steel	2202-D-2-1532	15x20	5 1/4	32	51 3/8	37 1/8	51 1/8	396	8,193
Stainless Steel	2202-D-2-1536	15x20	5 1/4	36	51 3/8	37 1/8	56 3/8	420	8,576

Note 1: Prices are based on a minimum qty. of 4 units.

Note 2: These double side loaded (2202-D-2 Series) s/s carts use step angle slides which will accommodate both 15"x20" & 14"x18" trays.

Note 3: Cabinets for other tray sizes & with different slide spacings are also available. Consult factory. For options, see Table BB-1.

Double section patient tray delivery carts for 15"x20" trays, aluminum

- Choice of single end loading or double side loading.
- Furnished with fixed slides, 5" casters and one push handle.

CATALOG PAGE B-34

One Tray / Pair of Slides (Single End Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
Aluminum	9202-D-1512	15x20	5 1/16	12	42 1/8	27	39 3/4	186	\$ 3,934
Aluminum	9202-D-1514	15x20	5 1/16	14	42 1/8	27	44 7/8	196	4,190
Aluminum	9202-D-1516	15x20	5 1/16	16	42 1/8	27	49 7/8	212	4,218
Aluminum	9202-D-1518	15x20	5 1/16	18	42 1/8	27	55	236	4,568
Aluminum	9202-D-1520	15x20	5 1/16	20	42 1/8	27	60	266	4,843



9202-D-2-1532 Double side loaded (Shown with optional vent holes on sides)

Two Trays / Pair of Slides (Double Side Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)
					W	D	H		
Aluminum	9202-D-2-1524	15x20	5 1/16	24	51 3/8	37 1/8	39 3/4	244	\$ 4,828
Aluminum	9202-D-2-1528	15x20	5 1/16	28	51 3/8	37 1/8	44 7/8	258	4,984
Aluminum	9202-D-2-1532	15x20	5 1/16	32	51 3/8	37 1/8	49 7/8	283	5,142
Aluminum	9202-D-2-1536	15x20	5 1/16	36	51 3/8	37 1/8	55	300	5,590
Aluminum	9202-D-2-1540	15x20	5 1/16	40	51 3/8	37 1/8	60	322	5,957

Note 1: Prices are based on a minimum qty. of 4 units

Note 2: Cabinets for other tray sizes & with different slide spacings are also available. Consult factory. For options, see Table BB-1.



Half size single side loaded patient tray/ room service carts for 15"x20" trays, stainless steel & aluminum

- Single side (wide) loading of trays.
- 5" casters are standard.
- Fixed slides.

A. STAINLESS STEEL MODELS: CATALOG PAGE B-32A

One Tray / Pair of Slides (Single Side Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Stainless Steel	2202-SL-1505	15x20	5¼	5	24¼	19⅞	35⅝	130	\$3,773
Stainless Steel	2202-SL-1506	15x20	5¼	6	24¼	19⅞	40⅝	135	3,879
Stainless Steel	2202-SL-1507	15x20	5¼	7	24¼	19⅞	45 ⅞	143	4,104
Stainless Steel	2202-SL-1505-6	15x20	6	5	24¼	19⅞	39⅞	136	3,853
Stainless Steel	2202-SL-1506-6	15x20	6	6	24¼	19⅞	45⅞	145	4,110

Note 1: Cabinets for other tray sizes & with different slide spacings are also available. Consult factory. For options, see Table BB-1.

Note 2: These single side loaded (2202-SL-2 Series) s/s carts are also available with step angle slides which will accommodate both 15"x20" & 14"x18" trays. Consult factory.

Note 3: These cabinets are also available with removable slides ladder. O.A dimensions will be slightly larger, Add "RR" after model number and consult factory.



B. ALUMINUM MODELS: CATALOG PAGE B-32A

One Tray / Pair of Slides (Single Side Loaded)

Type	Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
					W	D	H		
Aluminum	9202-SL-1505	15x20	5 ¹ / ₁₆	5	24¼	19⅞	34 ¹ / ₁₆	92	\$2,198
Aluminum	9202-SL-1506	15x20	5 ¹ / ₁₆	6	24¼	19⅞	39¾	98	2,281
Aluminum	9202-SL-1507	15x20	5 ¹ / ₁₆	7	24¼	19⅞	44 ⅞	104	2,399
Aluminum	9202-SL-1505-6	15x20	6	5	24¼	19⅞	39⅞	112	2,498
Aluminum	9202-SL-1506-6	15x20	6	6	24¼	19⅞	45⅞	124	2,628

Note 1: Cabinets for other tray sizes & with different slide spacings are also available. Consult factory. For options, see Table BB-1.

9202-SL-1505
(Shown with optional corner bumpers & 6" balloon casters)




**Merchandise display cabinets,
 non-insulated, aluminum**

CATALOG PAGE B-13

Type	Model Number	Pan Capacity (18"x26")	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
Extruded Sides	9220-PD-39	39	1½	22	30¾	69¾	140	\$ 2,285
Corrugated Sides	9105-PD-39	39	1½	22	30¾	69¾	138	2,547
Angle Ledge	9156-PD-20	20	3	22	30¾	69¾	142	2,568

NOTE: Other slide spacings are available. Cabinets are also available for different tray sizes and capacities. Please consult factory. For options, see Table BB-1



9105-PD-39


**Canned fuel or cold cabinets,
 non-insulated, aluminum**

CATALOG PAGE B-15

Type	Model Number	Pan Capacity (18"x26")	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
Extruded Side	9220-37-ER	37	1½	22	30¾	69¾	135	\$ 2,754
	9220-29-ER	29	1½	22	30¾	57¾	126	2,717
	9220-21-ER	21	1½	22	30¾	45¾	120	2,607
Corrugated Sides	9105-37-CR	37	1½	22	30¾	69¾	136	3,027
**Angle Ledge	9156-18-LS	18	3	22	30¾	69¾	138	3,036

**Angle ledge cabinets are also available with 2¼", 4 ½" or 5 1/16" spacing. S/S construction is also available. Consult factory. Canned fuel is not supplied.

Option List Price
 Door thermometer.....add \$ 202
 For other options, see Table BB-1



9220-37-ER

**Hand lift cabinets,
 insulated & non-insulated**

CATALOG PAGE B-16

Type	Model Number	Pan Size	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
Non-Insulated	9264-1826	Bun Pan 18"x 26"	11	21	27	21	32	\$ 1,327
	9264-1220	Steam Pan 12"x20"x2 ½"	10	23¾	27	21	34	P.O.R.
Insulated	9264-1826-IN	Bun Pan 18"x26"	11	22½	29	21½	75	P.O.R.
	9264-1220-IN	Steam Pan 12"x20"x2 ½"	10	25¾	29	21½	85	P.O.R.

Option List Price
 Dolly for carrying cabinets.....\$ 374




9264-1826
 (shown 2 stacked)

Canned fuel type room service hot food carrier box, aluminum

(fits under most room service tables) CATALOG PAGE H-5

Model Number	O.A. Dimensions W x D x H (Inches)	Weight (Pounds)	*List Price
S-5481	15½ x 13 x 18¼	12	\$ 729

*Minimum order is 5 units (for quantities under 5, consult factory). Unit is furnished with one s/s removable shelf. Canned fuel is not supplied.
Option: Extra s/s shelf \$ 111



S-5484




Institutional tray delivery & storage cabinet, heavy duty, non-insulated, aluminum

- Heavy duty deck, sides, back & top.
- 5" casters are standard.
- Furnished with 30" long lockable latch.

CATALOG PAGE B-6

Model Number	Pan Spacing (Inches)	Pan Capacity (18"x26")	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			W	D	H		
9240-1839	1½	39	22	30⅞	69⅞	138	\$ 2,342
9240-1831	1½	31	22	30⅞	57⅞	132	2,306
9240-1823	1½	23	22	30⅞	45⅞	126	2,256

For options, see Table BB-1



9240-1839

Institutional & correctional tray delivery & storage cabinet, extra heavy duty, non-insulated, aluminum

- Extra heavy duty construction.
- Extra reinforced sides & top.
- 5" heavy duty casters.
- Furnished with lockable latch.

CATALOG PAGE B-5

Model Number	Pan Spacing (Inches)	Pan Capacity (18"x26")	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
			W	D	H		
9240-HD-1839	1½	39	22	30⅞	69⅞	144	\$ 2,613
9240-HD-1835	1½	35	22	30⅞	63⅞	140	2,711
9240-HD-1831	1½	31	22	30⅞	57⅞	136	2,654
9240-3-HD-1820	*3	20	22	30⅞	69⅞	146	2,740
9240-3-HD-1818	3	18	22	30⅞	63⅞	140	2,798
9240-3-HD-1816	3	16	22	30⅞	57⅞	135	2,776

*Cabinets also available with slides on 2¼", 4½" or 5⅞" centers. Will affect capacity. Please consult factory. For options, see Table BB-1



9240-HD-1839
(with correctional package)

Extra heavy duty tray delivery cart, aluminum, non-insulated for correctional facilities

- Extra reinforced deck, sides, back & door.
- 6" balloon casters.
- Offered in 2 styles.

CATALOG PAGE B-23

Style A = Food trays in upper section, wire baskets in lower section

Style B = All food trays (no wire baskets)



STYLE "A"
9156-HD-UA-10-48



STYLE "B"
9156-HD-1014-76

(shown with optional correctional package)

Model Number	Style	Tray Size (Inches)	Tray Spacing (Inches)	Capacity		O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
				Trays	18"x26" Wire Baskets			
9156-HD-UA-10-48	A	10 x 14½ x 15⅞	3	48	6	25¼ x 32⅞ x 69⅞	245	P.O.R.
9156-HD-1014-76	B	10 x 14½ x 15⅞	3	76	-	25¼ x 32⅞ x 69⅞	230	P.O.R.

EXTRA LARGE CARTS

9156-HD-UA-10-72	A	10⅞ x 14⅞ x 1¼	3	72	**12	33½ x 40¼ x 69⅞	310	P.O.R.
9156-HD-1014-114	B	10⅞ x 14⅞ x 1¼	3	114	-	33½ x 40¼ x 69⅞	298	P.O.R.

**Two wire baskets side loaded/pair of slides.

NOTE: Angle slides spacing of 2¼", 4½" or 5⅞" are also available. Correctional package is available. Consult factory.

If ordering extra large carts, please make sure the door/hallway openings are large enough to accommodate these carts.

For options, see Table BB-1



Stainless steel, heavy duty insulated transport cabinet for 12"x 20" steam pans, universal angle type

- Choice of heavy duty or extra heavy duty models.
- Double wall insulated units.
- 5" casters, 14 ga. deck and wrap around bumper are standard.

CATALOG PAGE B-12

Type	Model Number	Spacing (Inches)	*Capacity (18"x26" Pans)	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note)
				W	D	H		
Heavy Duty Model	2150-UA-12	3½	12	30¾	38¾	52¾	281	P.O.R.
Extra Heavy Duty Model	2150-HD-UA-12	3½	12	30¾	38¾	52¾	312	\$7,597

*Cabinet will also accommodate 24 trays (14"x 18") or 24 steam pans (12"x 20"x 2½").

NOTE: Prices are based on a minimum qty. of 5 units. For options, see Table BB-1

Optional correctional security package: Includes 24" long, 12 ga. s/s vertical security padlock hasp, tamperproof screws and 6" balloon casters.	List Price
	\$870



2150-HD-UA-12

(with optional correctional package)

Stainless steel, heavy duty insulated tray delivery cabinet for correctional facilities

- Two compartment with single door.
- Heavy duty double wall insulated construction.
- 5" casters, 14 ga. deck and wrap around bumper are standard.

CATALOG PAGE B-25

Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price (see note)
2150-910-96	Duralux FC 431/FC 442 9 x 10½ x 2½	3	96	31½ x 38¾ x 62½	396	\$8,736

NOTE: Prices are based on a minimum quantity of 5 units.

For options, see Table BB-1. Additional correctional package is available as listed above. Consult factory.



2150-910-96

(with optional correctional package)

Half size & smaller, insulated cabinets, aluminum


These small cabinets provide excellent holding capacity for 18"x 26" bun pans and or 12"x 20" steam pans depending upon the model selected. Magnetic positive latch, frame gasket, lift handles & 5" dia. casters are standard.

CATALOG PAGE B-10

Model Number	Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price
9264-IN-1808	18 x 26	8	2¾	27 x 32¾ x 33	148	\$ 4,045
9264-IN-1808-LA	18 x 26	*8	2¾	27 x 32¾ x 33	156	4,135
9264-IN-1813	18 x 26	13	1½	27 x 32¾ x 33	150	4,073
9264-IN-1208	12 x 20	8	2¾	22 x 27¾ x 33	124	3,574
9264-IN-UA-8	18 x 26	8	3	29½ x 32¾ x 33	184	4,561
	12 x 20 x 2½	16				

*This model is furnished with large angle slides and can also carry 8 steam pans (12"x 20"x 2½") in lieu of 18"x 26".

NOTE: These cabinets are also available in s/s construction. Add 85% to list prices based on a minimum quantity of 5 units. Consult factory.



9264-IN-1808

Options:

List Price

- | | |
|--|-----------------------|
| A. No casters | N/C |
| B. Stationary legs (in lieu of casters) | \$350 |
| C. Pass thru' style (door in the rear) | Add 25% to list price |
| D. Stacking feature | \$267/set |
| (To stack one on top of the other, maximum 2 cabinets/stack) | |

For other options, see Table BB-1



Double section patient tray delivery carts/ cabinets, non-insulated

- Choice of aluminum or s/s models.
- Furnished with 5" casters, push handle & wrap around bumper.



9156-D-1516-14-6

CATALOG PAGE B-21

Tray Size (Inches)	*Model Number		Tray Capacity Based on spacing				O.A. Dimensions (Inches)			Weight (Inches)		List Price	
	Aluminum	Stainless Steel	3"	4½"	5½"	6"	W	D	H	Alum	S/S	**Alum	S/S
Single End Loaded, 1 tray/pair of slides													
14 x 18	9156-D-1416-165	9156-D-SS-1416	30	20	16	14	47¼	26¼	54	190	320	\$ 4,195	\$ 7,307
	9156-D-1412-125	9156-D-SS-1412	22	14	12	10	47¼	26¼	42	170	270	4,050	6,517
15 x 20	9156-D-1516-165	9156-D-SS-1516	30	20	16	14	47¼	26¼	54	190	320	4,220	7,082
	9156-D-1512-125	9156-D-SS-1512	22	14	12	10	47¼	26¼	42	170	270	4,074	6,578
16 x 22	9156-D-1616-165	9156-D-SS-1616	30	20	16	14	47¼	26¼	54	190	320	4,270	7,170
	9156-D-1612-125	9156-D-SS-1612	22	14	12	10	47¼	26¼	42	170	270	4,101	6,601
12 x 19 or 12 x 20	9156-D-1216-165	9156-D-SS-1216	30	20	16	14	47¼	26¼	54	190	320	4,259	7,156
	9156-D-1212-125	9156-D-SS-1212	22	14	12	10	47¼	26¼	42	170	270	4,083	6,659
Double Side Loaded, 2 trays/pair of slides													
14 x 18	9156-D-1432-325	9156-D-SS-1432	60	40	32	28	53¼	34¼	54	220	385	\$ 5,278	\$ 9,397
	9156-D-1424-245	9156-D-SS-1424	44	28	24	20	53¼	34¼	42	194	310	5,082	8,392
15 x 20	9156-D-1532-325	9156-D-SS-1532	60	40	32	28	57¼	36¼	54	230	410	5,400	9,504
	9156-D-1524-245	9156-D-SS-1524	44	28	24	20	57¼	36¼	42	198	326	5,185	8,560
12 x 19 or 12 x 20	9156-D-1232-325	9156-D-SS-1232	60	40	32	28	57¼	30¼	54	226	390	5,403	9,513
	9156-D-1224-245	9156-D-SS-1224	44	28	24	20	57¼	30¼	42	198	315	5,185	8,560

*While ordering, please specify model number followed by capacity & desired spacing. For example, to order aluminum cart for 15"x 20" trays, single end loaded with capacity of 14 on 6" spacings, specify model number 9156-D-1516-14-6. Other spacings & carts for different tray sizes are available. Please consult factory.

**Aluminum prices are based on 3" or 5½" spacing. For 4½" or 6" spacing, add 10%.

NOTE: Also available as insulated models. Add 45% to list price. For heated insulated models, add an extra \$1,541.

Consult factory for appropriate model number, delivery time & minimum quantity requirement.

Correctional package also available. See below on this page. For other options, see Table BB-1

Double section cabinets, non-insulated, aluminum

- Heavy duty construction.
- Designed for 18"x 26" & 14"x 18" trays.
- 5" casters are standard.

CATALOG PAGE B-17

Double section cabinets: (Single end loaded, except as noted)

Model Number	Pan Size (Inches)	Pan Spacing (Inches)	Pan Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
				W	D	H		
9220-2-1878	18 x 26	1½	78	45¾	30¾	69¾	306	\$ 4,776
9220-2-1862	18 x 26	1½	62	45¾	30¾	57¾	285	4,638
9156-2-1840	18 x 26	3	40	45¾	30¾	69¾	298	4,571
9156-2-1832	18 x 26	3	32	45¾	30¾	57¾	275	4,475
9156-2-1824	18 x 26	5½	24	45¾	30¾	69¾	290	4,561
9156-2-1818	18 x 26	5½	18	45¾	30¾	54¾	270	4,469
9156-2-1480	*14 x 18	3	80	45¾	32¾	69¾	315	5,185
9156-2-1448	*14 x 18	5½	48	45¾	32¾	69¾	298	5,147

*Two trays loaded side by side on same pair of slides.

Correctional package:

Welded slides, 3 heavy duty hinges on each door, additional vertical reinforcement on each Side, 30" long (18ga. s/s) lockable latches, wrap around bumper, push handles & 6" balloon casters. Other options are available.

List Price
\$ 1,448



9156-2-1824 (with various options)

Cabinets are also available in s/s construction; add 85% to list price based on a minimum quantity of 5 units. For insulated cabinets add 45%. Insulated cabinets are also available as heated cabinets. Add \$1,791. Consult factory for delivery time & minimum quantity requirements. For options, see Table BB-1



Heavy duty single door stainless steel delivery cabinet, non-insulated

(for thick insulated food trays for correctional facilities)

- Heavy duty s/s construction.
- 6"x 2" heavy duty casters.

CATALOG PAGE B-35

Model Number	Tray Size (Inches)	Tray Capacity	Shelf Clearance (Inches)	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price (see note 1)
9156-HD-SS-2-64-1116 (See Note 2)	11 x 16 x 2 ³ / ₄ (Duralux T-140)	64	25	26 ¹ / ₂ x 36 ⁷ / ₈ x 62	260	\$ 6,764
9156-HD-SS-2-72-1315	13 ⁷ / ₈ x15 ¹ / ₄ x2 ¹ / ₂ (Aladdin)	72	25	31 ³ / ₄ x35 ⁵ / ₈ x62	295	7,010
9156-HD-SS-2-56-1315	13 ⁷ / ₈ x15 ¹ / ₄ x2 ¹ / ₂ (Aladdin)	56	20	31 ³ / ₄ x35 ⁵ / ₈ x52	278	6,597

NOTE 1: Prices are based on a minimum quantity of 5 units. Correctional package is also available. Consult factory.

NOTE 2: This model will also carry 72 Duralux T-240 (11¹/₄"x 15¹/₂"x 2²/₅"thk) trays (9 trays/stack) or 56 Plastcon (10³/₄"x 14¹/₂"x 3³/₄"thk) trays (7 trays/stack). For options, see Table BB-1.



9156-HD-SS-2-64-1116

Double section s/s tray delivery cart, non-insulated for correctional facilities

- Heavy duty construction.
- Wrap around bumper, 6"x 2" casters & push handle are standard.

CATALOG PAGE B-24

Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price (see note)
9156-D-SS-1115-60	11 ¹ / ₂ x 15 ¹ / ₂ x 1 ⁵ / ₁₆ (Duralux T-500)	3	60	42 ⁵ / ₈ x 29 ⁷ / ₈ x 55 ⁵ / ₈	322	\$ 8,659
*9156-D-SS-1116-64	11 x 16 x 2 ³ / ₄ (Duralux T-140)	Stacked (8/stack)	64	42 ⁵ / ₈ x 29 ⁷ / ₈ x 55 ⁵ / ₈	320	8,162

*This model is furnished without slides. Trays are stacked 8 high (4 stacks in each section).

NOTE: All prices are based on a minimum quantity of 5 units. Insulated cabinets are also available. Consult factory. For options, see Table BB-1



9156-D-SS-1115-60

Double & triple section insulated stainless steel tray delivery cart

- Heavy duty construction & fully insulated.
- Wrap around bumper, 6"x 2" casters & push handle are standard.

(For 10³/₄"x 15" or 11¹/₂"x 15¹/₂" trays) CATALOG PAGE B-25

Model Number	Type of Door	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches) W x D x H	Weight (Pounds)	List Price (see note)
2150-HD-2-1015-64	Double	3	64	48 ¹ / ₂ x 31 ¹ / ₂ x 64 ¹ / ₂	425	\$ 11,835
2150-HD-3-1015-96	Triple	3	96	69 ¹ / ₂ x 31 ¹ / ₂ x 64 ¹ / ₂	550	13,302

NOTE: Prices are based on a minimum quantity of 5 units. Carts are also available with heating unit to serve as holding cabinets. Carts can also be furnished without slides to stack insulated trays in all sections. Consult factory. For options, see Table BB-1




2150-HD-2-1015-64

Three door, extra heavy duty tray delivery cart for correctional facilities, non-insulated, stainless steel

(For 13"x 15"x 2³/₄" insulated trays) CATALOG PAGE B-22

Model Number	*Capacity (13"x15"x2 ³ / ₄ ")	O.A. Dimensions (Inches)			Weight (Pounds)	List Price
		D	L	H		
2205-13-100-HD	100	31 ¹ / ₂	64 ¹ / ₂	72 ¹ / ₂	640	P.O.R.
2205-13-80-HD	80	31 ¹ / ₂	64 ¹ / ₂	60	490	P.O.R.



*In addition, the cart will carry two (2) bread baskets (26"x 28"x 7") and one (1) 10 gallon Cambro beverage container and 10 to 20 extra insulated trays depending on the model.



2205-13-100-HD



Insulated stainless steel tray delivery carts/cabinets for insulated trays for correctional facilities

- Fully insulated non-heated s/s cabinets for transporting stacked insulated trays.
- Choice of single, double or triple door cabinets.
- 6" casters (5" for single section cabinets), push handle & perimeter bumper are standard.
- Heavy duty reinforced correctional hinges.

CATALOG PAGE B-26A

(For 11"x 16"x 2 3/4" and 13 7/8"x 15 1/2"x 2 1/2" thk. stacked insulated trays)

Model Number	Tray Size (Inches)	Type of Door	Tray Capacity	O.A. Dimensions (Inches)			Weight (Pounds)	List Price (see note 1)	
				D	W	H			
2151-HD-1116-48	11x16x2 3/4 (T-140) SEE NOTE 2	Single	48	41 1/2	31 1/2	60 1/2	380	\$ 7,064	
2151-HD-1116-30		Single	30	41 1/2	31 1/2	43	363	6,619	
2151-HD-2-1116-52		Double	52	31 1/2	48 1/2	52 3/8	405	10,722	
2151-HD-2-1116-60		Double	60	31 1/2	48 1/2	58 3/8	430	11,259	
2151-HD-2-1116-68		Double	68	31 1/2	48 1/2	64 3/8	450	11,949	
2151-HD-3-1116-78		Triple	78	31 1/2	69 3/4	52 3/8	490	14,078	
2151-HD-3-1116-90		Triple	90	31 1/2	69 3/4	60	580	14,615	
2151-HD-3-1116-102		Triple	102	31 1/2	69 3/4	64 3/8	596	14,889	
2151-HD-1315-30		13 7/8 x 15 1/2 x 2 1/2 (ALLADIN) SEE NOTE 3	Single	30	38 3/8	29	60 1/2	375	6,846
2151-HD-1315-16			Single	16	38 3/8	29	43	350	6,607
2151-HD-2-1315-56	Double		56	37 1/4	48 1/2	52 3/8	390	12,358	
2151-HD-2-1315-64	Double		64	37 1/4	48 1/2	58 3/8	460	13,313	
2151-HD-3-1315-84	Triple		84	37 1/4	69 3/4	52 3/8	625	17,350	
2151-HD-3-1315-96	Triple		96	37 1/4	69 3/4	60	650	17,992	



2151-HD-2-1116-68
(with correctional package)

NOTE 1: Prices are based on a minimum quantity of 5 units. For quantities under 5, consult factory.

These cabinets are also available with heating unit and for other tray sizes. Consult factory.

NOTE 2: These models for 11"x16"x2 3/4" trays will also carry Duralux T-240 (11 1/4"x15 1/2"x2 2/5" thk), Incellator #2 & 3 (10"x16"x2.15" or 2.85" thk), Plastocon (10 3/4"x14 1/2"x2 1/2" or 3 1/4" thk) and Rock (9 1/2"x14 1/4"x1 7/8" thk) trays. Capacity will vary.

NOTE 3: These models for 13 7/8"x15 1/2"x2 1/2" will NOT go thru' a standard 33"W door. Please make sure that your hallway door openings are larger than 38" for these carts. These models will also carry design specialty T-340 (13 3/8"x15 1/8"x2 9/16" thk) and Plastocon (Insulator & Supermax 13.6"x15"x2.86" thk) trays. Capacity will vary.

NOTE 4: Sample tray is required with order for proper sizing.

NOTE 5: These cabinets are also available as heated cabinets. Aluminum construction is also available. Consult factory.

Options:

List Price

1. Correctional package.....\$1,066
2. 18 ga. Exterior.....Add 12% (consult factory)
3. Top mounted latch.....\$349 (for single or double door cabinet)
4. Top mounted latch.....\$695 (for triple door cabinets)
5. 6" Balloon casters upgrade.....\$328
6. 8" Balloon casters upgrade.....\$446
7. 8" Polyurethane casters upgrade.....\$289

For other options, see Table CC-1



Insulated double door tray delivery cabinets for smaller compartment trays for correctional facilities

- Fully insulated stainless steel double door cabinets.
- 2 different styles offered. (Choice of trays on 3" centers or stacked)
- 6" casters, 2 with brakes, push handle & perimeter bumper are standard.
- Heavy duty reinforced correctional hinges.

CATALOG PAGE B-26B

STYLE "A": Slides are spaced on 3" centers (Double sets of rack in each section)

Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches) D x W x H	Weight (Pounds)	List Price (see note 1)
2150-HD-4-910-128	9 x 10½ x 2½	3	128	31½ x 58¾ x 64⅝	590	\$ 14,239
2150-HD-4-910-112	9 x 10½ x 2½	3	112	31½ x 58¾ x 58⅝	565	13,802
2150-HD-4-910-96	9 x 10½ x 2½	3	96	31½ x 58¾ x 52⅝	530	13,265
2150-HD-4-0608-192	6⅞x8½x2⅝	3	192	31½ x 57¼ x 64⅝	570	14,064
2150-HD-4-0608-168	6⅞x8½x2⅝	3	168	31½ x 57¼ x 58⅝	536	13,713
2150-HD-4-0608-144	6⅞x8½x2⅝	3	144	31½ x 57¼ x 52⅝	510	13,144



STYLE "A"
2150-HD-4-910-128

STYLE "B": Trays are to be stacked. Cabinet furnished without slides, but supplied with removable tubular shelves for stacking trays.

Model Number	Tray Size (Inches)	Tray Spacing (Inches)	Tray Capacity	O.A. Dimensions (Inches) D x W x H	Weight (Pounds)	List Price (see note 1)
2150-HD-2-ST-910-128	9 x 10½ x 2½	Stacked	128	31½ x 58¾ x 64⅝	510	\$ 12,851
2150-HD-2-ST-910-112	9 x 10½ x 2½	Stacked	112	31½ x 58¾ x 58⅝	486	12,413
2150-HD-2-ST-910-96	9 x 10½ x 2½	Stacked	96	31½ x 58¾ x 52⅝	440	12,046
2150-HD-2-ST-0608-216	6⅞x8½x2⅝	Stacked	216	31½ x 57¼ x 64⅝	500	12,687
2150-HD-2-ST-0608-192	6⅞x8½x2⅝	Stacked	192	31½ x 57¼ x 58⅝	470	12,448
2150-HD-2-ST-0608-168	6⅞x8½x2⅝	Stacked	168	31½ x 57¼ x 52⅝	432	12,044



STYLE "B"
2150-HD-2-ST-910-128
(shown with vertical separators)

NOTE 1: Prices are based on a minimum quantity of 5 units. For quantities under 5, consult factory.

These cabinets are also available with the heating unit and for other size trays. Consult factory.

NOTE 2: These cabinets are also available with left section non-heated (Ambient) and right section heated.

Aluminum construction is also available. Consult factory.

NOTE 3: Style "B" cabinets are also available with vertical separators for 9x10½" trays as shown on the picture on right hand side. See Options below. Aluminum construction is also available. Consult factory.

NOTE 4: Sample tray is required with order for proper sizing.

Options:	List Price
1. Vertical separators for Style "B".....	\$1,013
2. Correctional package.....	\$1,065
3. Top mounted latch.....	\$ 349
4. 18 ga. Exterior.....	Add 12%

Options:	List Price:
5. 6" Balloon casters upgrade.....	\$349
6. 8" Balloon casters upgrade.....	\$446
7. 8" Polyurethane casters upgrade.....	\$289
8. All aluminum construction.....	P.O.R.

For other options, see Table CC-1



Heavy duty stainless steel security cabinets for correctional and institutional use

- 18 ga. s/s intermediate shelves, sides, top, back & doors.
- 14 ga. s/s bottom shelf reinforced with 12 ga. s/s caster bolster channels.
- Perforated doors & sides for easy viewing of stored products.
- 6"x2" polyurethane casters (2 swivel, 2 rigid).
- Push handle & wrap around bumper.

CATALOG PAGE B-36

Shelf Size (Inches)	No. of Compartments	Model Number	Shelf Clearance (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	*List Price
				W	L	H		
27x 54	4	S-5100-EHD-4-2754	13½	31	60½	71¾	410	\$ 16,217
	3	S-5100-EHD-3-2754	13½	31	60½	56¼	378	14,987
25½x48	4	S-5100-EHD-4-2548	13½	29¼	54½	71¾	385	P.O.R.
	3	S-5100-EHD-3-2548	13½	29¼	54½	56¼	360	P.O.R.



S-5100-EHD-4-2754
shown with 6" balloon casters and correctional package

* NOTE: Prices are based on a min. qty. of 4 units

Options:

- A. Extra extended handle
- B. Brakes on 2 swivel casters
- C. All 4 swivel casters
- D. Top mounted latch
- E. Additional lockable hasp

List Price

- \$488
- 166
- 149
- 348
- 174

Options


- F. 6" Balloon casters
- G. 8" Polyurethane casters
- H. 8" Balloon casters
- I. 8" Pneumatic casters
- J. Solid sides (without any perforations)

List Price

- \$ 329
- 289
- 446
- 457
- P.O.R.

Non-insulated heavy duty double door tray delivery cart for insulated trays for correctional facilities, aluminum & stainless steel

- 14 ga. s/s or 0.125" thick alum. reinforced deck.
- 18 ga. s/s or 0.080" thick alum. body, top and doors.
- One solid middle shelf.
- 6"x 2" polyurethane casters (2 swivel, 2 rigid).
- Wrap around bumper & push handle.



S-5036-1-2854
shown with optional 4 sides top rail and 8" balloon casters

CATALOG PAGE B-35

Model Number		Shelf Size (Inches)	Shelf Clearance (Inches)	Tray Size (Inches)	Tray Capacity (see note)	O.A. Dimensions (Inches) W x L x H	Weight (Pounds)		List Price	
Alum	S/S						Alum	S/S	Alum	S/S
S-5036-1-2454	S-5100-1-2454	24 x 54	23	Duralux T-140 11x16x2¾	96	26¼ x 60½ x 60½	288	395	\$ 7,231	\$ 9,727
S-5036-1-2854	S-5100-1-2854	28½ x 54	23	Alladin 13¾x15¼x2½	108	32 x 60½ x 60½	315	420	7,361	9,957
S-5036-1-2834	S-5100-1-2834	28½ x 34½	21½	Alladin 13¾x15¼x2½	64	32 x 41 x 57½	290	386	6,671	8,397
*S-5036-1-2460	*S-5100-1-2460	24 x 60	23	Rock/X-tray 9½x14¼x1¾	192	26¼ x 66½ x 60½	310	402	7,801	11,053

NOTE: Tray capacity shown is the total capacity for two compartments. Each compartment will carry one half the capacity shown. Carts are also available without doors. Consult factory.
*Can also carry 96 Plastocon (10¾"x 14½"x 3¼") trays (48/section).

For Options, see above & also see Table AA-1.



SAMMONS EQUIPMENT MFG. CORP.

SHAMMI INDUSTRIES

SAMCO

www.sammonsequipment.com

390-A Meyer Circle

Corona, CA 92879-1078

Tel: (951) 340-3419 • Fax: (951) 340-2716

TABLE BB-1

OPTIONS FOR CABINETS, TRANSPORT & DELIVERY, NON-HEATED

	LIST PRICE FOR	
	ALUMINUM MODELS	STAINLESS STEEL MODEL
1. Corner bumpers (set of 4)	\$174	\$ 192
2. Vertical leg bumpers (set of 4)	204	225
3. Wheel brakes (pair) for 5" or 6" casters	73	73
4. Wrap around bumper (single section cabinet)	313	355
5. Wrap around bumper (double section cabinet)	391	468
6. Floor lock (5")	230	290
7. Floor lock (6")	250	325
8. Floor lock (8")	340	412
9. Extra pair of universal angle slides	119	195
10. <u>CASTERS UPGRADE (IN LIEU OF 5" STANDARD, SET OF 4)</u>		
A. 5" Polyurethane	139	139
B. 5" Balloon (decorative)	174	174
C. 6" Polyurethane (1,200# capacity)	215	215
D. 6" Heavy duty polyurethane (2,000# capacity)	325	325
E. 5" Hi-Temp	258	258
F. 6" Balloon	380	380
G. 8" Polyurethane	366	366
H. Stationary legs	325	325
11. <u>CASTERS UPGRADE (IN LIEU OF 6" STANDARD, SET OF 4)</u>		
A. 6" Balloon	275	275
B. 8" Balloon	453	453
C. 8" Polyurethane	290	290
12. Swing door catch (for each door)	124	146
13. Door tag holder (for each door)	73	113
14. Lockable latch (for each door)	149	174
15. Top mounted latch (for each door)	284	347
16. Push handle (each)	195	250
17. Push handle (each) with 2 donut bumpers	250	317
18. Solid dutch doors (non-insulated) in lieu of single solid door	314	408
19. Solid dutch doors (insulated) in lieu of single solid door	397	648
20. Single LEXAN® door in lieu of single solid door	447	546
21. Dutch LEXAN® doors in lieu of single solid door	819	979
22. Dutch LEXAN® doors in lieu of single LEXAN® door	324	412
23. 3 sided top rail (for-transport of light objects)	283	414
24. Pass thru' door (non-insulated)	451	573
25. Pass thru' door (insulated)	595	771
26. *Woodgrain vinyl on all 4 sides (single section cabinet)	616	616
27. *Woodgrain vinyl on all 4 sides (double section cabinet)	819	820
28. *Woodgrain formica on all 4 sides (single section cabinet)	812	822
29. *Woodgrain formica on all 4 sides (double section cabinet)	1,175	1,175
30. Drain hole/section	154	193
31. Export crating	657	657
32. Vent holes on sides	154	230
33. Vent holes in back	307	282

*WALNUT COLOR WOODGRAIN. OTHER COLORS ARE AVAILABLE AT ADDITIONAL COST. CONSULT FACTORY.

NOTE: Most aluminum cabinets are also available in s/s construction. Add 85% to list prices of aluminum models unless listed otherwise based on a minimum of 5 units & an up charge of 20% to 80% may apply for quantities under 5. Consult factory.

Sammons Equipment Manufacturing Corp.

SHAMMI INDUSTRIES

390-A Meyer Circle • Corona, CA 92879-1078

Telephone: (951) 340-3419 • Fax: (951) 340-2716

Toll free: 1 (800) 417-9260 (outside California)

Web Site: www.sammonsequipment.com

E-mail: info@sammonsequipment.com